

RED HOT PRICE ROLLBACK!

FREE DELIVERY ON UK ORDERS PLACED ONLINE

CONDITIONS APPLY -
SEE WEBSITE FOR DETAILS

Offers valid until 15th May 2015

40" Smart Full-HD LED TV

Model: 40L3451DB see page 24



TOSHIBA

Leading Innovation >>>

Full HD
1080p

PowerLite HD

iPlayer

YouTube

£259

code AV2550402

SAVE
£30

2-Pin Travel Adaptor Plug

see page 77

PRO-ELEC



34p

code PLTRAV02

SAVE OVER
65%

PRE-ORDER NOW DUE IN EARLY MAY

16" Pedestal Fan

see page 86

PRO-ELEC



£12.50

code HG0065902

Recording Journey Camera

see page 27

SAVE OVER
15%

£23.80

code CP0626002



18V Li-Ion Grass Strimmer

see page 18

RYOBI



SAVE OVER
25%

£64.95

code SI1620702



cpc.co.uk

ORDER NOW

GET FREE UK DELIVERY ONLINE*

*Minimum order value of £10 (inc VAT) applies to card orders

08447 88 00 88

All prices exclude VAT
visit cpc.co.uk for VAT inclusive prices

RED HOT PRICE ROLLBACK

Micro USB Cable

PRO-SIGNAL

- USB 2.0 A Plug (Male) to USB 2.0 Micro B Plug (Male), 2m
- Data transfer rates up to 480Mbps
- Rated for 10,000 connect-disconnect cycles
- Black cables



SAVE OVER
50%

75p

order code CS1856828

Cable and Faceplate Assembly - 10m

A time and cost saving cable assembly and faceplate, predominantly for installing interactive whiteboards, but also suitable for large screens and other PC based multimedia systems.



SAVE OVER
20%

- Faceplate and sockets with cables terminating in plugs (see table below)
- Connects interactive whiteboard, projector, PC and speakers
- PC or laptop connects directly to the faceplate
- Faceplate connections clearly marked
- Supplied pre-assembled on a standard 2 gang electrical back box

£29.99

order code AV1225428

PowerBank Portable Charger

GP3

- Portable power source for tablets, MP3 players, digital cameras and smartphones
- Extend 3G talktime or boost audio/video playtime
- 4 Stage battery charge with LED indicator
- Built-in over temperature, charge/discharge and short circuit protection
- Recharges via USB, fully charged in 5-10 hours

Contents: PowerBank portable charger, USB lead and user guide



SAVE OVER
15%

Technical Data

Model	XPB20
Battery Type	Li-Ion
Battery Capacity	4000mAh
Dimensions (HxWxD)	103x57x21mm

£11.75

order code BT0544428

Aluminium LED Torch

PRO-ELEC

- Shock, dust and weather proof
- Quality LED with 100,000 hour lifespan
- Requires 1x AA battery (not included)
- Supplied with lanyard



SAVE OVER
40%


£7.99

order code LA0322328

Small Cable Tidy Unit

D-LINE

- Hide cable clutter
- Make surfaces easier to clean
- Eliminate trip hazard
- Reclaim floor / desk space
- Will accommodate popular 4 way extension blocks and cabling
- Fully safety tested
- 3 Rear cables entry / exit points
- Rigid ABS material
- Flat lin, click-lock
- 340x120x115mm



SAVE OVER
65%

£2.98

order code CB1490028

USB 3.0 to DisplayPort Display Adaptor

PRO-SIGNAL

- Add an extra display to a USB 3.0 enabled PC
- Turns a USB 3.0 port into a DisplayPort output
- SuperSpeed compliant upstream connection
- Video streaming supported up to 1080p
- Supports Mirrored or Extended display modes
- Up to 6 devices can be used on a single system
- USB Powered, no external adaptor required
- Supports Win XP/Vista/7/8
- Dimensions (HxWxD): 18x55x88mm



SAVE OVER
20%

Contents: Display adaptor, USB cable, software and user guide

£19.95

order code CS2572628

CAT 5E RJ45 Low Profile Patch Cables

PRO-SIGNAL



SAVE OVER
70%

CS1738428	White 2m	£0.69
CS1743428	Yellow 2m	£0.69

DisplayPort to VGA Adaptor

PRO-SIGNAL



- Connect a VGA monitor to a DisplayPort source
- Supports PC resolutions up to 1920x1200 and HDTV resolutions up to 1080p
- 162MHz Video DAC for analog VGA signal output
- EDID Pass-through from source to display
- Compliant with DisplayPort 1.1a input
- Easy installation, no software required
- Powered by DisplayPort source

Contents: Adaptor and user guide

£4.95

order code CS2503028

SAVE OVER
40%

USB 3.0 to SATA Adaptor

PRO-SIGNAL

- Compact and easily portable SATA adaptor
- Backup HDD data without an enclosure
- SuperSpeed USB 3.0 interface
- Backwards compatible with USB 2.0
- Supports Win XP/Vista/7/8

Contents: Adaptor only

£5.50

order code CS2660928



SAVE OVER
25%

DisplayPort to VGA Male Lead

PRO-SIGNAL

- Connect a DisplayPort source to a VGA display
- Passive design supports up to 1920x1200
- Automatic monitor plug/unplug detection
- DisplayPort male to VGA male connections
- 1m Cable length



SAVE OVER
45%

£7.49

order code CS2375228

2.5mm Jack Plug to Plug - 1m

PRO-SIGNAL

With pure copper conductors. Available in stereo

45p

order code AV1362928

Mini DisplayPort to 2x HDMI Adaptor

PRO-SIGNAL

- Connect a Mini DisplayPort source (such as a Macbook) to external high definition displays
- Ideal for digital entertainment and HDTV retail
- Supports 2 HDMI outputs simultaneously
- 1080p Full-HD video output supported
- 2.25Gbps/225MHz Video amplifier bandwidth
- Supports LPCM uncompressed audio
- Compliant with Mini DisplayPort 1.1a input

Contents: Adaptor, ac adaptor, Mini DisplayPort cable and user guide

£9.95

order code CS2546928



SAVE OVER
45%

USB MIDI DJ Controller with Soundcard

PULSE

Model: KONTROL-7LE

A fully featured external software controller designed around the modern, digital DJ.

- Full MIDI controls freely assignable for use with any software
- Traditional mixer/ CD player layout for quick and easy access
- Loop controls with 1/2 and 2x adjust
- Sampler controls including sample select, play, and volume
- Pitch/ tempo controls including pitch adjustment, pitch slider, sync and pitch bend
- Supplied with Virtual DJ LE
- 2-Channel switchable line/ phono with ground connection
- Record, Master and Booth outputs via phono sockets



SAVE OVER
30%

£68.50

order code DP3245628

Component Video (Y/Pb/Pr) Over CAT5

Send component video signals over a standard UTP CAT5 cable.

- Connections: 3x Phono sockets (Y/Pb/Pr video) & 1x RJ45 socket
- Passive, requires no power
- Maximum cable length: 121m

Used in pairs but sold individually

£5.25

order code AV1745828



SAVE OVER 65%

1 Hour Fast Ni-Cad/Ni-MH Battery Charger

- Fast charging for AA/AAA Ni-Cad/Ni-MH batteries
- 4 individual charging channels for 1-4 cells
- AV Detection and safety timer
- Automatically trickle charging after full charge
- 100-240V AC for worldwide use, 12V DC for in-car charging (in-car lead supplied)

Technical Data

Input	100-240V AC 50/60Hz, 12-13.8V DC
Charging Current (fast)	2000mA (AA), 1000mA (AAA)
Charging Current (trickle)	200mA (AA), 100mA (AAA)
Charging Times	AAA 700mAh - 1.2 Hours AAA 850mAh - 1.5 Hours AA 1500mAh - 1.2 Hours AA 1800mAh - 1.3 Hours AA 2200mAh - 1.5 Hours
Dimensions (HxWxD)	105x71x30mm

£8.95

order code BT0564828



SAVE OVER 35%

Service Kit Designed for Security and Cable/Satellite Installations

Mfrs Part No: 33-630

A service Compression Kit with the connectors and tools to service most jobs that require compression tools and connectors.

Contents:

- OmniSeal Compression Tool
- Data T-Cutter
- RG-6 Stripmaster
- RG-6 Quad Stripmaster Blade
- 5 x Port Seal
- 50 x RG-6 Universal Connector
- 10 x RG-6 Universal Plenum Connector
- 10 x RG-59 BNC Connector
- 10 x RG-6 BNC Connector

£115

order code TL1543228



SAVE OVER 25%

USB 3.0 to SATA 6GB/s 2.5" HDD/SSD Converter

- Connect a 2.5" drive to your computer via USB with no enclosure needed
- Compact and easily portable cable adaptor
- Suitable for both HDD and SSD drives
- SuperSpeed USB 3.0 interface
- Backwards compatible with USB 2.0
- Supports Win XP/Vista/7/8

Contents: Adaptor only

£7.95

order code CS2660828



SAVE OVER 30%

Day/Night 650TVL Vari-Focal Camera

- 1/8" Sony CCD
- 4 - 9mm Manual zoom lens
- Low Illumination
- 42 LEDs
- 40m Night vision
- 3-Axis bracket
- Water resistance: IP66
- Dimensions (WxHxD) 260x175x105mm
- Supplied with power adaptor

£32.50

order code SR0798028



SAVE OVER 25%

Wireless N ADSL2+ Modem Router & USB Adaptor Bundle

Model: TD-W8960N

- Complete wireless networking solution
- All-in-one modem, router switch and access point
- Hassle-free installation with easy setup assistant
- Wireless N speed up to 300Mbps
- Supports up to 10 IPSec VPN tunnels simultaneously
- QoS assures the quality of multimedia streaming
- Advanced UPnP and IGMP Multicast features
- Easily setup an encrypted connection with WPS
- NAT and SPI firewalls to protect end-user devices
- Parental controls for restricting access
- Router Dimensions (HxWxD): 39x195x135mm

Contents: Modem router, USB adaptor, ac adaptor, RJ11 cable, Ethernet cable, USB cable, splitter, software and user guide

£24.95

order code CS2587328



SAVE OVER 10%

Aluminium Torch & Lantern

- 2 in 1 aluminium torch & lantern
- CREE 3W LED
- Requires 3x AAA batteries (not included)
- Dimensions (LxDia): 200x43mm

£4.99

order code LP0573728



SAVE OVER 15%

HDMI to VGA Adaptor

- Connect a VGA display to an HDMI source
- Supports output up to UXGA/1080p with 10-bit DAC
- 1.65Gbps/165MHz Video amplifier bandwidth
- For use with non-HDCP compliant content
- Easy installation, no settings required

Contents: Adaptor only

£6.98

order code CS2502328



SAVE OVER 25%

USB 2.0 to Gigabit Ethernet Adaptor

- Turns a standard USB 2.0 port into a RJ45 port
- Ideal for computers with no available Ethernet port
- Full duplex operation with IEEE 802.3x flow control
- Parallel detection & automatic polarity correction
- Supports Wake on LAN functionality
- Gigabit RJ45 network connection
- Powered by USB 2.0 interface
- Supports Win Vista/7/8 and Mac OS 10.6/8

Contents: Adaptor and software

£6.95

order code CS2504028



SAVE OVER 25%

Monitor Cable 15 to 15 Way - 5m

- Wired for use with monitors
- Male to Male

£4.50

order code CS1450228



SAVE OVER 25%

Optical Scroll Mouse with Multimedia Button

- 5 Button optical scroll mouse
- 1000-1600dpi Optical sensitivity adjustment button
- Red Multimedia function button (music control)

£1.79

order code CS1864828

- Suitable for left or right hand use
- Plug and play USB interface
- 1.4m Cable length
- Supports Win XP/Vista/7/8

SAVE OVER 70%



Call us on 08447 88 00 88

RED HOT PRICE ROLLBACK

USB Turntable



Model: 115

- Relive the vinyl years with your stereo system
- Save your favourite tracks to your PC with USB
- 2 Speed (33/45 RPM) with built-in 45 RPM adaptor
- Ceramic pickup with protective cap
- USB powered (optional psu included)
- Connections: USB, Phono L/R
- Dimensions (HxWxD): 65x225x351mm

Contents: Turntable, ac adaptor, USB lead, software and user guide

£21.50

order code AV2298628

SAVE OVER
20%

7 Port USB 3.0 Hub



- Stylish 7 port USB 3.0 desktop hub
- Ideal solution for expanding USB connectivity
- Supports Apple device charging
- SuperSpeed USB 3.0 data speeds up to 5Gbps
- Backwards compatible with USB 2.0 devices
- LED Indicator for power and activity
- Supports Win XP/Vista/7/8 and Mac OS X
- Dimensions (HxWxD): 26x63x145mm

Contents: Hub, ac adaptor and user guide

£16.98

order code CS2572928

SAVE OVER
40%

Double Arm LCD/LED TV Wall Brackets - Up to 42"



Models:

THIN 245, 245W

- Fits 26" to 42" flat panel screens
- VESA compatibility: 100x100 to 400x400
- Distance from wall: 35-510mm
- Max. Screen weight: 18kg

ST0301028 THIN 245 £99.00

Alpine White Versions

ST0301128 THIN 245W £109.99

SAVE OVER
10%

USB 3.0 to VGA & LAN Combo Adaptor



- Turns a single USB 3.0 port into external VGA and Ethernet outputs
- Compact, portable design is ideal for travel use
- High resolution VGA support up to 2048x1152
- Gigabit Ethernet port for fast data transfer
- USB Powered, no power adaptor required
- SuperSpeed USB 3.0 interface
- Backwards compatible with USB 2.0
- Supports Win XP/Vista/7/8 and Mac OS
- Dimensions (HxWxD): 16x65x65mm

Contents: Combo adaptor, software and user guide

£20.75

order code CS2651328

SAVE OVER
30%

Industrial Alkaline Batteries - 10 Pack - AA



- High power battery dedicated to industrial and commercial markets
- Most powerful Duracell industrial battery to date - packaged for the professional user
- 7 Year shelf life

£2.95

order code BT0582928

SAVE OVER
40%

600Mbps Gigabit Powerline Ethernet Adaptor Kit



Model: PLA5205

- Expand your home network simply using your homes power sockets
- Plug and play design for consoles and Smart TVs
- Data transfer speeds up to 600Mbps with the latest HomePlug AV2 technology
- Provides a stable, high-performance network ideal for Full-HD streaming and online gaming
- Advanced QoS enhances media streaming quality
- 128-Bit AES encryption for network security
- Simple push-button encryption configuration
- Multicolour LED displays powerline network quality
- Compatible with HomePlug AV standard
- Additional plugs available for expansion
- Up to 300m maximum range in house
- Compatible with any operating system
- Utility software supports Win XP/Vista/7/8
- Dimensions (HxWxD): 81x56x28mm

Contents: 2x Ethernet adaptor, 2x Ethernet cable, software and user guide

£34.95

order code CS2576328

SAVE OVER
15%

USB CAT5 Single Port Extender



- Extend the range of a USB peripheral
- Ideal for remote use of a mouse, keyboard or printer
- Extends USB to a maximum distance of 70m (full speed) or 300m (low speed) over Cat5 cable
- Power supply required for distances over 50m
- USB 1.1 Compliant
- Dimensions (HxWxD): 25x22x69mm

Contents: Transmitter, receiver and user guide

£34.95

order code CS2585328

SAVE OVER
10%

Rackmount DVD Player



Model: DV-D01U

- 1U Rackmountable
- Playable formats: DVD VIDEO, DVD Audio, VIDEO CD, CD-DA MP3, WMA, WAV, JPEG, ASF, MPEG-2/MPEG-1, DivX
- Outputs: RCA unbalanced stereo, component video, coaxial and optical S/PDIF digital, and S-Video
- Dolby and DTS digital surround
- HDMI (High Definition Multimedia Interface)
- IR remote control included

£315

order code DP2961828

Large Cable Tidy Units



- Hide cable clutter
- Make surfaces easier to clean
- Eliminate trip hazard
- Reclaim floor / desk space
- Will accommodate popular 4 way extension blocks and cabling
- Fully safety tested
- 3 Rear cables entry / exit points
- Rigid ABS material
- Flat lid, click-lock
- 420x160x135mm

£5.29

order code CB1489928

SAVE OVER
50%

Solar String Lights



- Lamp body: Plastic
- Battery included
- Working time: Up to 8 Hours after full charge
- Multi-colour: Yellow, Green, Red, White and Blue

SAVE OVER
10%

LEDs			
LP0417728	5.9m	50x Blue	£4.00
50x			
LP0418128	5.9m	Multi-Colour	£7.50
LP0417928	11.9m	100x Blue	£8.50
100x			
LP0418228	11.9m	Multi-Colour	£8.50

600TVL Vari-Focal Day/Night Camera



- Weatherproof IR camera with 3-axis bracket.
- 1/3" Sony CCD sensor • 40m Night vision
- 4 - 9mm Vari-focal lens
- IP66 Weatherproof rating
- Dimensions (HxWxD) 105x295x95mm
- Supplied with power adaptor

£29.99

order code SR0797528



SAVE OVER
30%

Dual Channel Active DI Box



Model: DIB-2A

- 2x Female XLR inputs
- 2x Male XLR outputs
- Attenuation switch: +20dB/0dB/-40dB
- Hi cut switch (10kHz)
- Phase reverse switch
- Ground lift switch
- Mono/stereo mode switch
- Power switch
- Battery compartment
- Frequency response: 10Hz - 30kHz
- Input impedance: 470kΩ
- Output impedance: 600Ω
- Output level: 6dBu (max)
- Dynamic range: >100dB
- THD: 0.5%
- Power supply: 1x 9V battery (included)
- Dimensions (WxHxD): 130x60x150mm
- Weight: 553g

£9.99

order code DP3252628

SAVE OVER
60%

SlimPort to VGA Adaptor



- Display multimedia content from compatible smartphones and tablets on monitors and projectors
- Supports HD video up to 1080p and 3D
- Compliant with HDCP 1.3 content protection
- Connections: 5-pin Micro USB plug and VGA socket
- Powered by source device, no PSU required

Contents: Adaptor only
Note: Source device must be SlimPort enabled

£6.95

order code CS2660728

SAVE OVER 20%

Inspection Camera



Allows for easy visual inspections in hard to reach areas using a computer/laptop or test monitor.

- Waterproof camera head and cable
- 2 Adjustable white LED Lights
- Snap shot camera function
- 1/4" VGA CMOS 640 x 480 Pixels lens
- Focal distance: 60mm
- Len's outer diameter: 14mm
- Flexible cable length 800mm
- Cable outer diameter 8.5mm
- 2m Wire Connect to computer's USB port cable
- Powered by Computer USB Port

Supplied in a plastic storage case with CD and magnetic pick-up accessory

£9.99

order code TL1458028

SAVE OVER 45%

4 Way Mini DisplayPort Splitter



- Connect a Mini DisplayPort source to up to 4 Mini DisplayPort compatible displays
- Simultaneous output to all connected displays; Ideal for advertising and digital signage
- Supports video resolution up to 4K2K (60Hz)
- Supports audio up to PCM 7.1
- Advanced MST, HBR2 and GTC assist features
- DisplayPort specification v1.2a compliant
- All ports are Dual mode enabled (DP++)
- Dimensions (HxWxD): 25x111x270mm

Contents: Splitter, ac adaptor and user guide

£38.50

order code CS2644828

SAVE OVER 20%

Day/Night Colour IR Dome Camera



- 1/4" Sharp CCD
- 420TVL
- Low Illumination
- 4-9mm Manual zoom lens
- 20m Night vision
- 21 LEDs
- Dimensions (DiaxH) 149x99mm
- Supplied with power adaptor

£16.50

order code SR0798628

SAVE OVER 15%

HDMI to DisplayPort Adaptor Cable with USB Power



- Connect an HDMI source to a DisplayPort enabled HDTV, display or projector
- Supports video resolutions up to 4Kx2K
- 2.97Gbps Link rate with 16-bit deep colour
- 7.1 Channel audio up to 192kHz
- Fully compatible with DisplayPort 1.2 output
- Powered by integrated USB connection

£12.49

order code CS2660428

SAVE OVER 35%

4 Gang Extension Lead - 13A, 2m



- Piano black finish with curved edges

£2.99

order code PL1307528

SAVE OVER 20%

SVGA Leads - Black



SVGA plug to plug leads suitable for PC to SVGA monitor connections. Pure copper conductors.

CS1451328	5m	£2.98
CS1451428	10m	£5.95
CS1451628	20m	£10.95

SAVE OVER 40%

3W LED Pinspots




Models: LEDSPOT-3W
The Pulse LEDSPOT-3W range offers a high power LED spotlight suitable for use with mirror balls in DJ, party or production environments where narrow beam lighting is required.

- 3 Watt, fixed colour LED pinspots
- Compact lightweight design
- LED colours: Amber and Blue
- Beam angle: 6° (30cm spot @ 3m)
- Power cord length: 1.2m (approx)
- Power consumption: 3.5W
- Power supply: 120-240VAC
- Dimensions (Dia.xL): 76x142mm (excluding bracket) • Weight: 450g

DP3274728	Blue	£10.50
DP3274828	Amber	£10.50

SAVE OVER 50%

Fixed LCD TV Wall Bracket - 17-37"



Model: PS-UTWB37F

- Ultra Slim profile, fixed position wall brackets
- Simple 'hook-on' design
- Spring loaded safety clamps with pull cord release
- Distance from wall: 10mm
- Max. Screen weight: 40kg
- Fits 17" to 37" flat panel screens
- VESA compatibility: 100x100mm to 200x200mm

£4.99

order code ST0296428

Nano Wireless N USB Adaptor



Model: WD552B

- Nano sized wireless 802.11N adaptor
- Backwards compatible with 802.11b/g
- Up to 150Mbps data transfer rate
- 64/128-bit WEP, and 128-bit WPA security support
- WPS Push button wireless security encryption
- Maximum range 150m (site dependant)
- USB 2.0 interface
- Supports Win 2000/XP/Vista/7

£6.50

order code CS2097328

SAVE OVER 30%

Laser Barcode Scanner



Model: WLS9500

- Laser barcode scanner with flexible applications
- Decodes all common 1D and RSS barcodes
- Ideal for novice users with high motion tolerance and rastering scan pattern
- Robust single circuit construction can withstand multiple drops onto concrete (1.8m)
- Comfortable, ergonomic design for prolonged use
- USB Interface and power
- Dimensions (HxWxD): 170x68x93mm

Contents: Scanner, USB cable and user guide

£149.95

order code CS2343028

SAVE OVER 10%

USB 2.0 to VGA Display Adaptor - 1920x1200



- Connect a VGA display to your PC via a USB port
- Compact design works with all VGA monitors
- Monitor Extend and Mirror modes supported
- Supports resolutions up to 1920x1080
- Add up to 6 monitors with additional adaptors
- Plug & play, powered via USB
- USB 2.0 and VGA interfaces
- Supports Win XP/Vista/7/8

Contents: Display adaptor, USB cable, software and user guide

£19.95

order code CS2512228

SAVE OVER 10%

Coloured USB 2.0 Cable - 2m



- A Male to A Male

55p

order code CS1455928

SAVE OVER 60%

RED HOT PRICE ROLLBACK

Lithium-Ion Battery Charger

Stratika Power



Technical Data Chargers

Mains Input 100 - 260V ac via 2 pin IEC320
Operating Temperature -10°C to +40°C
Output via flying leads

Charger Specifications
To Charge Max. Charge Dims (WxHxD)
Charge Voltage Current mm

14.6V
Battery 16.8V 2.0A 67x107x37

£49.95

order code BT0312128

**SAVE OVER
15%**

USB 3.0 to HDMI & LAN Combo Adaptor



- Turns a single USB 3.0 port into external HDMI and Ethernet outputs
- Compact, portable design is ideal for travel use
- High resolution HDMI support up to 2048x1152
- Gigabit Ethernet port for fast data transfer
- USB Powered, no power adaptor required
- SuperSpeed USB 3.0 interface
- Backwards compatible with USB 2.0
- Supports Win XP/Vista/7/8 and Mac OS
- Dimensions (HxWxD): 16x65x65mm

Contents: Combo adaptor, software and user guide

£21.95

order code CS2651428

**SAVE OVER
30%**

Winter Tyre Grip

- Spray on snow chains for tyres
- Increases grip on ice and snow
- Easy to apply, 1 spray and drive away
- Causes no damage to roads, driveways or tyres
- Independently tested and manufactured in the UK
- Prevents snow from accumulating on your tyres
- Supplied in a 400ml can

Note: This product will not increase tyre adhesion to bare tarmac



£2.50

order code CP0564128

**SAVE OVER
45%**

USB 2.0 to DVI-I Display Adaptor - 1920x1080

pro-SIGNAL



- Connect a high resolution DVI display to your PC through a single USB 2.0 port
- Compact design works with all DVI-I displays
- Monitor Extend and Mirror modes supported
- Supports resolutions up to 1920x1080
- Supplied with DVI to VGA adaptor
- Add up to 6 monitors with additional adaptors
- Plug & play, powered via USB
- USB 2.0 and DVI-I interfaces
- Supports Win XP/Vista/7/8

Contents: Display adaptor, DVI to VGA adaptor, USB cable, software and user guide

£14.50

order code CS2512128

**SAVE OVER
30%**

LED Candle Lamps 4W



- LED alternatives to standard candle lamps
- Built-in temperature control
- Instant, bright light
- Warm White colour
- Diameter: 35mm
- Length: 120mm
- Voltage: 240V

Dimmable

LP0643228	SES (E14)	£5.80
LP0643328	ES (E27)	£5.80
LP0643428	BC (B22)	£5.80

Non Dimmable

LP0643528	E27	£4.95
LP0643628	E27	£4.95
LP0643728	B22	£4.95

**SAVE OVER
30%**

IEC Lockable Mains Lead - 2m

PRO-ELEC



- Fitted with 5A fuse
- 1mm² H05VV-F3 cable

£2.75

order code PL1020928

**SAVE OVER
35%**

600TVL 20m Weatherproof IR Camera

DEFENDER



- 1/8" Sony CCD
- Low illumination
- 3.6mm Board fixed lens
- 20m Night vision
- Weatherproof IP66
- Supplied with power adaptor

£24.50

order code SR0799728

**SAVE OVER
20%**

4 Way DisplayPort Splitter

pro-SIGNAL



- Connect a single DisplayPort source to up to 4 DisplayPort monitors
- Simultaneous output to all connected displays
- Ideal for advertising and digital signage
- Supports video resolutions up to 4K2K (60Hz)
- Supports audio up to PCM 7.1
- Advanced MST, HBR2 and GTC assist features
- DisplayPort specification v1.2a compliant
- Dual mode output ports (DP++)
- Dimensions (HxWxD): 25x111x270mm

Contents: Splitter, ac adaptor and user guide

£38.50

order code CS2585228

**SAVE OVER
25%**

Retractable USB Mini Mouse

techor



- Mini optical scroll mouse
- Retractable USB cable for easy storage
- High resolution 800dpi tracking sensor
- Suitable for left or right handed use
- Plug and play USB 2.0 interface
- Supports Win XP/Vista/7/8 and Mac OS

50p

order code CS2515228

**SAVE OVER
45%**

Duo Premium Solar LED Light with PIR Sensor

Model: SV1205

Practical LED lights, suitable for outside use, IP44 rated.

- Free and environmentally friendly charging with solar energy
- Can operate independent of the mains
- Solar lamps with PIR sensor and separate solar module
- Both lamps horizontally and vertically adjustable
- Infrared motion detector with max.180° detection angle (horizontal) and max.10m range
- Operating time adjustable between approx. 10 and 60 seconds
- Response brightness adjustable by twilight switch
- 3x Rechargeable AA batteries included
- Dimensions (LxWxD): 365x290x160mm
- Weight: 2.8kg
- 12x High-power LEDs
- 90 Mins operating time with fully charged batteries
- Luminous flux: 480 Lumens
- Frosted glass for wide illumination

£55

order code LA0463828

**SAVE OVER
30%**

USB 3.0 Dual Head Display Adaptor

pro-SIGNAL



- Connect high resolution displays or projector to your PC through a single USB 3.0 port
- Compact adaptor with both HDMI and DVI outputs
- Simultaneous DVI and HDMI display output
- Monitor Extend and Mirror modes supported
- Supports resolutions up to 2048x1152
- Video streaming is supported up to 1080p
- Add up to 6 monitors with additional adaptors
- USB 3.0, HDMI and DVI interfaces
- Supports Win XP/Vista/7/8

Contents: Display adaptor, USB 3.0 cable, software and user guide

£18.95

order code CS2512628

Mini DisplayPort to VGA Adaptor

pro-SIGNAL



- Connect a VGA monitor to a mini DisplayPort source
- Supports PC resolutions up to 1920x1200 and HDTV resolutions up to 1080p
- EDID Pass-through from source to display
- Easy installation, no software required
- Powered by Mini DisplayPort source

£5.49

order code CS2501728

**SAVE OVER
35%**

Headtorch and Torch Pack



E41 Headtorch

- Perfect hands-free lighting option
- 80 lumens of light
- Incredible 20 hours of burn time
- 6x High quality LEDs
- Weight: 120g
- Beam distance: 32m
- Dimensions (HxWxD): 185x225x130mm
- 3x AAA batteries included

E3 Keyring Torch

- Sleek LED keyring torch
- Sturdy metal construction
- Ideal to keep on you at all times
- Length: 79mm • Weight: 29g
- Lumens: 16 lumens • Burn time: 18h
- Beam distance: 18m
- 1x AAA battery included
- Supplied in a gift blister pack

£7.25

order code LA0461028

SAVE OVER 40%

30m IR Vandal Dome Camera, 650TVL



- 1/5" Sony Super HAD CCD
- 4.0 - 9.0mm Varifocal lens
- Wall or ceiling mountable • Grey

£39.99

order code SR0829428

SAVE OVER 35%

Car Headrest Mount for Tablets



Model: PS603784

- Universal car headrest mount
- Ideal for iPad and tablet PCs from 8.9" to 10.4"
- Quick & easy attachment to car headrest bars
- Headrest clamp adjusts from 165mm to 184mm
- Tablet mount arms can be adjusted from 38" to 180"
- Rubber lined corners and side clamp keep the tablet safe and secure
- Rear ball joint allows for adjustable viewing angle & 360° screen rotation

£4.15

order code ST0298328

SAVE OVER 30%

LED GLS Lamps 6W



- LED alternatives to standard GLS lamps
- Built-in temperature control
- Instant, bright light
- Warm White colour
- Diameter: 56mm
- Length: 110mm
- Voltage: 240V

SAVE OVER 30%

Dimmable

LP0643828	SES (E14)	£7.70
LP0643928	ES (E27)	£7.70

Non Dimmable

LP0644128	E27	£7.40
LP0644228	E27	£7.40
LP0644328	B22	£7.40

600TVL Weatherproof IR Camera



- 1/4" Sharp CCD
- Low Illumination
- 4.9mm Manual zoom lens
- 30m Night vision
- Weatherproof IP66
- 36 LEDs
- 3-Axis bracket
- Dimensions (WxHxD) 256x143x86mm
- Supplied with power adaptors

SAVE OVER 25%

£29.99

order code SR0799428

USB 2.0 Cables - White



A Plug to B Plug

CS1762728	3m	£0.75
CS1762828	5m	£0.85

SAVE OVER 55%

Cat5e Snagless UTP Patch Cable - 2m

- Snagless moulded connector to protect RJ45 tab from damage
- Low profile strain reliefs
- Able to be plugged into wall sockets etc, without the strain relief fouling on the plate

69p

order code CS2181228

SAVE OVER 45%

MHL to VGA Adaptor



- Mobile High-Definition Link adaptor (MHL)
- Built-in receiver converts MHL signal to analog VGA video and 2 channel stereo audio
- Display multimedia content from compatible smartphones and tablets on a VGA monitor
- Supports display resolutions up to 1080p (60Hz)
- Micro USB connection for powering adaptor
- MHL Plug to VGA and 3.5mm sockets

Note: Source device must be MHL enabled

CS2503628	Black	£4.98
-----------	-------	-------

CS2503728	White	£4.98
-----------	-------	-------

SAVE OVER 40%

MHL Bridge to VGA and Stereo Audio Adaptor



- Mobile High-Definition Link adaptor (MHL)
- Built-in receiver converts MHL signal to analog VGA video and 2 channel stereo audio
- Display multimedia content from compatible smartphones and tablets on a VGA monitor
- Supports 1280x720 resolution (at 60Hz)
- Micro USB connection for powering adaptor
- MHL Plug to VGA and 3.5mm sockets

Contents: Adaptor and user guide

Note: Source device must be MHL enabled

£7.95

order code CS2503828

SAVE OVER 10%

HDMI to VGA Adaptors with Audio



- Convert a HDMI output for use on a VGA display
- Various HDMI connections to suit most devices
- Supports output up to UXGA/1080p with 16-bit DAC
- On-chip HDMI 1.2a receiver with equaliser
- Audio decoder with 2 channel IIS support
- For use with non-HDCP compliant content
- Features S/PDIF and 3.5mm audio outputs
- Supplied with optional USB to DC lead
- Dimensions (HxWxD): 22x60x65mm

Contents: Adaptor, HDMI lead, USB power lead and user guide

CS2512328	HDMI to VGA	£14.95
-----------	-------------	--------

CS2512528	Micro HDMI to VGA	£8.75
-----------	-------------------	-------

SAVE OVER 20%

Wireless USB to HDMI AV Docking Station

- Expand your HDMI output without cable clutter
- Simple multimedia sharing between your PC and TV
- Wireless HD Video streaming up to 720p
- Ideal for big screen web browsing and YouTube
- Ultra wideband frequency operation
- 10m Operating range
- Receiver connections: 1x HDMI, 1x 5V DC
- Supports Win XP/Vista/7
- Dimensions (HxWxD): 180x54x117mm

Contents: Transmitter, receiver station, ac adaptor, HDMI lead and user guide

£32.50

order code CS2512728

SAVE OVER 30%

USB 3.0 to DVI Display Adaptor



- Add an extra display to a USB 3.0 enabled PC
- Turns a USB 3.0 port into a DVI output
- Video streaming supported up to 1080p
- Supports Mirrored or Extended display modes
- Up to 6 devices can be used on a single system
- USB Powered, no external adaptor required
- Supports Win XP/Vista/7/8
- Dimensions (HxWxD): 18x55x88mm

Contents: Display adaptor, USB cable, software and user guide

£14.95

order code CS2572428

SAVE OVER 40%

USB 3.0 SuperSpeed PC Docking Station



- Add extra functionality to your computer
- Creates additional USB, Ethernet and audio ports from a single USB connection
- 2x 3.5mm Headphone and microphone sockets
- 1x Gigabit RJ45 Ethernet port
- 4 Port SuperSpeed USB 3.0 hub
- Supports Win XP/Vista/7/8 and Mac OS X

Contents: Docking station, ac adaptor and user guide


£13.95

order code CS2645528

SAVE OVER 40%

Camping, Caravan & Outdoor Leisure

Pop-Up 2 Person Tent



- Lightweight and compact
- Supplied with 4x guy ropes and 6x pegs
- Ventilation mesh opening with weather cover
- 2x Internal pockets
- Tapped seams
- Lightweight durable material
- 2500HH waterproofing
- Dimensions in carry bag: 95x120x220cm



£18.50

code LH0366702

2 & 4 Person Dome Tents



- Lightweight fibreglass poles
- Supplied with guy ropes and pegs
- Ventilation mesh opening with weather cover
- Tapped seams
- Sewn in groundsheet
- 190T Breathable polyester material
- 1500HH Flysheet
- Dimensions in carry bag (2 person): 100x120x200cm; (4 person): 130x240x210cm



LH0366802	2 person	£11.95
LH0366902	4 person	£16.25

Birch 2 Person Tent



- Inner pitch first dome tent
- Compact pack size
- Pre attached high visibility guylines
- Zipped carry bag with handles
- **Dimensions:**
- Outer (LxWxH): 200x220x115cm
- Inner (LxWxH): 145x215x110cm
- Poles: 7.9mm fibreglass
- Packsize: 40x20x10cm
- Pitching time: 2 minutes



£28.50

code LH0355302

2 Person Tents




- Inner pitch first
- Easy umbrella quick pitch style
- 3 Stylish designs available • Fibreglass poles
- Sewn in PE groundsheet • Lightweight and compact
- Taped seams for increased waterproofing
- Mosquito and midge proof doors
- Pre-attached hi vis guy lines
- 190T breathable polyester • Waterproof PU coating
- 1500mm² hydrostatic head • Zipped carry bag provided
- Dimensions when up (HxLxW): 100x200x150cm
- Packaged Dimensions: 95x14x14cm • Weight: 1.4kg

LH0321102	Red
LH0321202	Blue
LH0321302	Grey

£19.95

4 Person Tent



- Outer first pitch
- 2 Side access doors
- Fire retardant fabric
- Fibreglass poles
- PE groundsheet
- Repair kit included
- Dimensions when up (HxLxW): 140x350x210cm
- Packaged Dimensions: 67x25x16cm
- Weight: 5.6kg

£47.89

code LH0105102

Sycamore 5 Person Tent



- Easy outer pitch first tunnel style
- Fully sewn in groundsheet • Low and high level vents
- Spacious bedroom area • Electric cable zipped access
- Pre attached high visibility guylines
- Heavy duty handled carry bag, with side carry handles for easy 2 person lift
- **Dimensions:**
- Outer (LxWxH): 465x325x200cm
- Inner 1x (LxWxH): 220x195x190cm
- Inner 1x (LxWxH): 220x105x190cm
- Poles: 12.7mm fibreglass
- Packsize: 65x30x30cm

£139.50

code LH0355102

2/3/4/6 Person Tents



LH0416802	Cortes 2	£47.50
LH0416902	Cortes 3	£54.38
LH0417002	Cortes 4	£68.94
LH0417102	Cortes 6	£94.95

- Quick and easy to pitch
- Spacious porch area
- Fibreglass poles • PE groundsheet
- Taped seams • Fire retardant
- **Cortes 2**
- 2 Person tent • Sleeping area: 2.5m²
- Living area: 1.7m² • Total area: 4.2m²
- Dimensions (LxWxH): 360x135x105cm
- Packed dimensions: 38x15cm
- Weight: 3.5kg
- **Cortes 3**
- 3 Person tent • Sleeping area: 3.5m²
- Living area: 2.5m² • Total area: 6m²
- Dimensions (LxWxH): 370x185x115cm
- Packed dimensions: 38x19cm
- Weight: 4.3kg

- **Cortes 4**
- 4 Person tent • Sleeping area: 4.5m²
- Living area: 3.5m² • Total area: 8m²
- Dimensions (LxWxH): 390x235x130cm
- Packed dimensions: 58x17cm
- Weight: 5.3kg
- **Cortes 6**
- 6 Person tent • Sleeping area: 6.6m²
- Living area: 5.8m²
- Total area: 12.4m²
- Dimensions (LxWxH): 420x335x160cm
- Packed dimensions: 58x19cm
- Weight: 7.6kg



OUTDOOR EQUIPMENT

Flock Airbed Repair Kit



99p

code LH0203902

Loch Lomond Shelter



- Fibreglass poles • Hydrostatic head: 450mm
- PE groundsheet
- Dimensions when up (HxLxW): 140x240x125cm
- Packaged dimensions: 54x9x9cm
- Weight: 1.6kg

£9.98

code LH0104902

Single and Double Airbeds



- Durable PVC construction • Easy to inflate and deflate
- Flocked PVC on the top for extra comfort
- Suitable for indoor and outdoor use
- Navy blue in colour
- Dimensions: Single inflated: 186x78x20cm
- Dimensions: Double inflated: 195x140x20cm

CP0405502	Single	£7.48
CP0405602	Double	£11.67

Sleepeze Airbeds



- Manufactured from flocked vinyl
- **Single with Pump**
- Dimensions: 185x72x22cm
- Weight: 1.8kg
- **Double with Pump**
- Dimensions: 185x138x22cm
- Weight: 3.85kg

LH0215402	Single with Pump	£12.44
LH0215602	Double with Pump	£18.42

Double Airbed



- Double flocked soft feel airbed
- Strong & durable plastic material
- Inflated dimensions (LxHxD): 191x137x22cm
- Packed dimensions (LxHxD): 37x27x9cm

£14.32

code LH0367202

Single Airbed



- Single flocked soft feel airbed
- Strong & durable plastic material
- Inflated dimensions (WxDxH): 73x22x19cm
- Packed dimensions (WxDxH): 29x8x24cm

£9.99

code LH0367102

Comfort Bed



Double Airbed

- This clever airbed features the Dual Chamber
- Two separate air chambers so that each user can define their own level of comfort
- Airtight system: Double Lock valve locks in air two ways
- Carry bag and repair kit included
- PVC thickness: 0.4mm (bottom) and 0.6mm (flocked on top)
- Dimensions (LxWxH): 1880x1370x220cm
- Weight: 3.5kg

£29.60

code LH0292302

Self Inflating Mats



- Self inflating mat • Ideal for camping
- 75D Polyester fabric with PVC coating
- Plastic valve
- Includes stuff sack, 2x elastic ties and repair kit

Single

- Dimensions (LxWxD): 183x51x3cm • Weight: 1.1kg

Double

- Dimensions (LxWxD): 183x132x3cm • Weight: 2.7kg

LH0422402

Single

£14.50

LH0422502

Double

£29.50

Self Inflating Camping Mat



- Integral inflatable pillow
- Built in two way air valve
- Provides added comfort and insulation
- Extremely lightweight and easy to transport
- Ideal for festivals, hiking and camping
- Complete with compression straps so attachable to backpacks
- Convenient and easy to use
- Packed size: 53x10x11cm

£12.50

code LH0367002

Extra Large Square Sleeping Bag




- Extreme Temp: 5°C
- Comfort Range: 15° to 7°C (1-2)
- Item Dimensions (LxWxD): 2250x900x900mm
- Weight: 1.32kg

£25.50

code LH0203702

Envelope Sleeping Bag



- Supplied with handy carry bag
- Easy to store and transport
- Micro Hollow Fibre filling - 200gsm
- Dimensions (LxW): 180x74cm
- Weight: 0.95 kg

£7.98

code LH0367502

Sleeping Bag - Double



- Adult double sleeping bag
- Ideal for camping etc
- Folds neatly away into a compression bag
- Easy portability & storage
- Approx size: 1930x1370mm
- Filling thickness: 150gm/sqm
- Weight: 1.4kg

£13.95

code CP0608702

Sleeping Bag - Camper



- Adult camper sleeping bag
- Ideal for camping etc
- Folds neatly away into a compression bag
- Easy portability & storage
- Colour may vary (red, blue and green)
- Approx size: 1900x700mm
- Filling thickness: 150gm/sqm
- Weight: 0.754kg

£7.22

code CP0608802

Serenity Sleeping Bags

- Provides extra comfort and warmth in a cooler climate
- Shoulder baffle
- Anti-snap full length zip with baffle
- Reversible zip • Hanging loops
- Loose lay outer • Inner security pocket
- Compression stuffsack, PU coated 210D Oxford Polyester fabric with webbing
- Serenity 250 (Blue): 250g/m² SFX spiral Hollowfibre, 3 Season
- Serenity 350 (Green): 350g/m² SFX spiral Hollowfibre, 3/4 Season
- Serenity 450 (Orange): 450g/m² SFX spiral Hollowfibre, 4 Season



LH0356202

Serenity 250 Dark Blue

£21.60

LH0356302

Serenity 350 Green


£24.75

LH0356102

Serenity 450 Orange

£20.45

Inflatable Pillow



- Ideal for use when camping, at the beach or travelling
- Soft flocked top surface for optimum comfort
- Dimensions (WxD): 280x430x90mm

£1.20

code LH0339802

145cm Camping Mat



- 3 Seasons
- Fabric: XPE foam
- Dimensions (LxWxD): 145x50x0.7cm

£2.94

code LH0356402

180cm Folding Camping Mat



- Size: 180x50x1cm
- Weight: 180g

£4.60

code LH0205002

240V/12V Electric Air Pump



- Will quickly inflate & deflate a variety of inflatables
- Simple on/off switch
- Complete with 3 valve adaptors
- Plugs into any 240V household socket or 12V car socket
- Not suitable for use with tyres or balloons

£7.44

code LH0342302

Camping, Caravan & Outdoor Leisure

Folding Camping Chair

BLUNETT

- Ideal for camping, fishing or use in the garden
- Lightweight, fold away design
- Supplied in carry bag with integral handle and drawstring closure
- Water-resistant canvas
- Convenient cup holder in arm rest
- 81cm Height



£6.94

code LH0367702

Quad Chair

Colman

- Open size (WxDxH): 930x500x900mm
- Folded size (WxDxH): 220x160x940mm
- Capacity: 113kg (17st 11lbs)
- Carry bag included
- Weight: 3.3kg



£17.80

code LH0295402

Folding Sit Mat

Highlander



- Waterproof coated
- Wipe clean surface
- Colour may vary
- Size packed: 305x95x45mm
- Size flat: 305x390x10mm
- Weight: 120g

£2.20

code LH0118502

Safari Camping Chair

BLUNETT



- High back design offers added comfort and neck support
- Fold away design
- Supplied with carry bag so easy to store and transport
- Reinforced padded arms

£17.47

code LH0366602

Lumbar Support Chair

Highlander



- Additional lumbar support to aid good posture
- Cup holders in both arm rests
- Folds into compact size
- Carry bag for easy transportation
- 600D Polyester PVC coated
- Steel frame with powder coat finish
- Dimensions (HxWxD): 88x60x94cm

£17.75

code LH0356602

Kickback Camping Chairs

Colman



- Low-to-the-ground design so you can stretch out
- Compact size for easy transportation
- Built-in carry handle
- 600D polyester fabric
- Aluminium frame
- Seat size: 66x66cm

LH0417502 Green

LH0417602 Red

LH0417702 Pink

LH0417802 Blue

£14.95

Foam Sit Mat

Highlander



- Integrated carry handle
- EVA foam
- Size: 35x25x0.8cm

79p

code LH0359202

Orca Camping Chair

BLUNETT



- Extremely comfortable 'bucket' chair
- Fold away design
- Supplied with carry bag so easy to store and transport
- Lightweight
- Made from durable material
- Additional padding for added comfort

£17.93

code LH0366402

Folding Camping Chairs

Highlander



- 600D Oxford polyester fabric with PVC coating
- Steel frame
- Cup holder in one arm rest
- Foldable for easy transportation
- Dimensions (HxWxD): 51x51x89cm
- Folded dimensions (HxWxD): 15x15x89cm
- Maximum load: 100kg • Weight: 2.2kg

LH0422702 Red

Red

£7.45

LH0422802 Teal

Teal

£7.45

Tartan Picnic Blanket



- Water resistant backing
- Dimensions (LxW): 1400x1300mm

£4.99

code LH0232002

Aluminium Directors Chair



- Durable canvas seat & back rest
- Ideal for camping, caravanning, garden & outdoor use
- The arms also have a soft, comfortable rubber grip
- Material: 600D Polyester
- Dimensions: 560x470x430/790mm
- Approx item weight: 1000g

£17.50

code CP0603902

Folding Stool

Highlander



- Packs into convenient carry bag
- Size: 330x330x460mm
- Weight: 980g

£2.75

code LH0103202

Folding Stool



- 300lb Weight capacity
- Height when open is 220mm

£2.95

code LH0111302

Portable Gas Stove



STAR DEAL



- Ideal for camping, picnics and general outdoor use
- Auto ignition lighting
- Automatic safety shut-off
- Windshield to protect flame
- Flame adjustment control
- Lightweight for easy transportation
- Operates off aerosol style Butane gas cartridges (not included)
- Supplied with plastic carry case
- Dimensions: 343x275x82mm
- Weight: 1.86kg

CP0441502 Gas

£1.44

£6.95

code CP0415902

Order online at
cpc.co.uk

3 Burner Gas Stove



- Deluxe 3 burner cooking stove with toaster
- Ideal for camping, festivals, garden, caravanning, picnics, fishing etc.
- Lightweight, portable design
- 2x 1.5kw stainless steel burners
- 1x 1.5kw toaster grill
- Piezo electronic ignition system
- 1x Toaster rack/drip tray with removable handle
- Uses LPG butane or propane gas
- Gas consumption 328 g/hr
- Dimensions (packed): 59cmx30cm x6.7cm

£24.45
code LH0367802

Twister Plus PZ Camp Stove

- Heat screen to protect the control knob from heat
- Protection case included
- Instastart piezo ignition
- Easy Clic Plus cartridge connection
- Power: 2900W
- Operates off: Campingaz CV Plus cartridges
- Boil time: 3min 45sec
- Runtime: > 1hr 10min on CV300 Plus, >2hr on CV470 Plus
- Weight: 274g

£14.70
code LH0350002

227g Refill Butane Gas

- Resealable butane cartridge for use on most portable gas stoves
- Bayonet style cartridge
- Designed for horizontal use
- Supplied in packs of 4

£4.50
code LH0206202

Gas Cartridges

- Safe, reliable and easy-to-use
- Ability to operate in extreme conditions and at altitude
- Butane/propane mix for increased performance
- Valved cartridge
- Butane/propane mix (70/30 butane/propane)



	Size	
LH0348702	97g 9x7cm	£3.22
LH0348802	220g 10.5x9cm	£3.20
LH0348902	445g 10.5x16cm	£3.89

Camp Oven



Discover endless culinary possibilities on the camp site. Versatile 2 burner stove and convenient full-size oven combined in one portable appliance. Cook and bake at the same time in the outdoors.

- Instastart piezo ignition
- Operates off Campingaz butane cylinders
- **Oven:**
- Convenient oven large enough to fit a 30cm pizza
- 900W/250°C
- Runtime: 42h (R907)
- Dimensions: 37x34x14cm
- **Stove:**
- Power: Burners 2x 1800W (fully adjustable)
- Removable dual position stove grate
- Boil time: 7min
- Runtime: 10hr 30min (R907)
- **Oven and stove:**
- Runtime: 8h 20min (R907)
- Dimensions: 69x47x38cm
- Weight: 18.5kg

£139.50
code LH0349902

Valved Gas Cartridge

- Self sealing Butane/Propane mix cartridge
- Standard screw EN417 style cartridge
- 70/30 Butane/Propane blend
- Available in 230g and 450g cartridges



LH0206602	230g Cartridge	£3.42
LH0206702	450g Cartridge	£4.66

CV470 Plus Gas Cartridge

Easy Clic™ Plus

- For use with Campingaz Easy Clic™ Plus and Easy Clic™ appliances
- High security self-sealing valve
- Disconnect and reconnect when not empty
- Gas mix: 80/20 - Butane/Propane
- Constructed from high performance steel
- Reinforced base
- Anti-corrosion internal coating
- g/gas: 230g
- Outdoor use only



£6.22
code CP0496002

Camping 5 Piece Cook Set

- Compact design
- Ideal for camping, holidays & travelling
- Lightweight & durable aluminium construction
- Use on all types of camping stove
- Extremely easy to clean
- Kettle, 2 saucepans, frying pan & detachable/grip handle • All fit together for easy storage



£10.65
code CP0607702

Foldaway Table and Chairs Set

- Made from strong, durable plastic
- Easy to clean
- Can be opened & closed following 5 easy illustrated steps
- Compact & easily portable with its carry handle
- The table has a 1" centre hole for an umbrella if required
- Ideal for picnics, camping or in the garden
- Easy to store away when not in use
- Table top dimensions (LxWxH): 830x630x670mm
- Seat dimensions (LxWxH): 300x270x410mm



£22.50
code CP0604302

Heavy Duty Folding Table

- Manufactured from moulded plastic
- Simple fold & put away design
- Used ideally as a picnic table or for many other occasions
- Easy to erect, store & transport
- Dimensions: 1800x750x740mm
- Table top thickness: 40mm
- Loading capacity: 150kg
- Tested to EN581
- Steel tube thickness: 25x1mm



£35.60
code LH0342402

Small Whistling Kettle



- Material: Aluminium
- Capacity: 1 litre
- Dimensions (HxWxD): 15.5x15.5x10.5cm

£3.50
code LH0357202

12 Piece Stainless Steel Flatware



- Stainless steel with decorative handles
- Carry case for easy transport and storage
- Easy to clean and dishwasher safe
- Contents:** 4 Tablespoons, 4 forks and 4 knives

£6.48
code LH0350502

6" Camping Saucepan

- 152mm (6") Camping saucepan
- Non-stick coating
- Depth: 40mm



£1.25
code LH0389202

6" Camping Bowl



- Round camping bowl with an enamel finish
- Diameter: 150mm

80p
code LH0389102

Hip Flask




- Polished finish hip flask
- 170ml capacity

£3.98
code LH0208002

Camping, Caravan & Outdoor Leisure

Camping 4 Slice Toaster

- Folds flat for easy storage
- Weight: 100g
- Dimensions: 245x225x20mm



£2.20

code LH0101402

Gas Piezo Match Lighter

- Refillable gas lighters
- Colour may vary



£2.42

code LH0103402

Stainless Steel Cutlery Set

- Stainless steel 3 piece cutlery set
- Knife, fork and spoon supplied
- Bottle opener on knife
- Easy clipping attachment



98p

code CP0607302

23L Water Carrier with Tap



- Screw on cap with On/Off tap
- Lightweight and easy to carry
- Material: Polyethelene
- Dimensions: 35x25x36cm
- Capacity: 23 litre

£12.46

code LH0358102

400ml Travel Mug

- Travel mug with a double insulated wall
- Suitable for warm or cold drinks
- Ideal for use when walking or camping
- Weight 156g



£1.25

code CP0611802

Vacuum Flasks - Stainless Steel

A range of high quality vacuum flasks with a lightweight, stainless steel construction. Ideal for the office, work site, camping and outdoor pursuits.



LH0030502	Small	£3.68
LH0030602	Medium	£5.22
LH0030702	Large	£8.81

10 Litre Water Carrier



- Handy water carrier
- Ideal for camping/caravanning & other outdoor activities
- Easy open/close spout
- Rear mount hanging feature
- Flat packed for easy storage
- Safe for drinking water

£1.08

code CP0610902

5 Litre Water Carrier



- Handy water carrier
- Ideal for camping/caravanning & other outdoor activities
- Easy to use twist on/off tap
- Flat packed for easy storage

£1.05

code CP0610802

Jerry Can with Tap

- Sturdy plastic construction
- Rectangular shape with carry handle
- Available in 10 Litre and 20 Litre versions
- Dimensions: 29x22x9.5cm



LH0208802	10 Litre	£9.95
LH0208902	20 Litre	£13.32

Folding Double Wash Basin



- 10" x 20" with two 10" x 10" compartments
- Includes six vertical support rods
- Handles make basin easier to lift
- Easy transportation and compact storage

£4.55

code LH0350702

48 Can Cool Bag

- Insulated to keep your food & drinks cool, protecting contents from heat
- Can be used with or without ice
- Handy shoulder strap & carry handles
- Front pocket with zip for easy access
- Easy wipe interior
- Portable, lightweight & also collapsible for easy storage when not in use



£5.20

code LH0340602

3 Litre Air Foot Pump



- Ideal for inflating boats, mattresses etc.
- Heavy air volume
- Inflate and deflate functions
- Includes 2x adaptors
- 1.2m Flexible hose

£3.50

code LH0388802

Groundsheets



- Protect the tent floor from dirt and damage
- Waterproof
- 8 Eyelets
- Drawstring Bag

LH0367302	1.8x2.4m	£3.54
LH0367402	2x3m	£3.96

Tent Repair Kit



- Two Nylon patches
- Two mesh screen patches
- Two spools of Nylon thread
- Three pole ferrules to fit most tent pole sizes
- 45" Shock cord to re-string tent poles
- 0.5oz Tube seam sealer
- Resealable bag

£2.44

code LH0350802

Water Repellent Aerosol Spray

- Factory-applied stain and water treatment
- Use on canvas, nylon, leather, suede and most other fabrics
- Long-lasting silicone solution



£3.25

code LH0350902

Electric Bug Zapper



- The ultimate fly, wasp and bug zapper
- Requires 2x AA batteries

£2.59

code LH0109602

Seam Tape



- 3" wide x 18.5" long
- Universal repair tape
- Use on smooth synthetic fabrics
- Clear, durable, washable

£1.40

code LH0351102

10 Citronella Tea Lights



£1.82

code LH0102002

Emergency Foil Blanket



- Waterproof & windproof foil blanket
- Helps to retain body heat in survival, emergency & first aid situations
- Ideal for when treating shock or hypothermia
- Reflects radiated heat back to the user, even when wet
- Unfolded size: 130x200cm (pocket size when folded)

59p

code CP0610002

Mosquito Head Net



- Protect yourself from mosquitos and midges
- Manufactured from ultra fine mesh
- Supplied with storage bag
- No chemical impregnation

£2.63

code LH0210602

Waterproof PVC Pouch (PK3)



- Velcro Closure
- Dimensions (HxW): 250x180mm

£2.68

code LH0203302

Emergency Poncho

- One size, hooded poncho: 50.5" x 40"
- Colour may vary



64p

code LH0352002

Olive PVC Poncho



- Lightweight hooded poncho with hood and visor
- Electronically welded seams enables the poncho to be used as an emergency groundsheet
- 170T polyester with PVC coating
- One size fits all (133x205cm)

£1.98

code LH0359602

Twin Pack Glow Sticks



- Lightweight and reliable light source
- Non-toxic and weatherproof
- 2x 12 Hour light sticks
- For emergency signalling
- Easy to activate
- LPDE casing, glass inner casing
- Length: 15cm
- Colour: Yellow

£1.42

code LH0358202

15L Black Backpack



- Lightweight 15 litre Backpack
- Padded back system for extra comfort
- Wide mouth front pocket with zip
- 2 Mesh side pockets
- Black in colour
- Dimensions (HxWxD): 430x250x210mm
- Weight: 0.35kg

£4.99

code LH0202602

Cargo Carrying Bags



- Lightweight cargo bags
- Three way carry system
- Detachable shoulder straps
- Zipped side pocket

LH0202702	30L (Black)	£7.42
LH0202802	30L (Blue)	£7.42
LH0202902	45L (Black)	£7.97
LH0203002	45L (Blue)	£7.97
LH0203102	65L (Black)	£9.42
LH0203202	65L (Blue)	£9.55

Utility Rope



- Polyester utility rope
- Olive green
- Available in different sizes

LH0358602	5mm x 15m	£2.74
LH0358702	7mm x 15m	£3.42
LH0358802	9mm x 15m	£4.22

Emergency Whistle



- Non-corrosive and floats
- Long range high pitched sound
- Attachment clip and lanyard loop

89p

code LH0211402

Telescopic Walking Stick



- Height adjustable from 69-135cm
- Colour may vary: supplied red or blue

£3.75

code LH0082702

Referees Whistle



- Long range high pitched sound
- Lightweight
- Lanyard loop allow (lanyard supplied)

£1.10

code LH0211502

Preston Contact Centre

8am - 7pm Mon to Fri

9am - 5pm Saturday

Now open Bank Holidays

Call us on
08447 88 00 88

Orienteering Compass



- Meridian lines
- Neck cord included
- Soze: 9x6.5x1.5cm
- Rules: mm, cm, 1/4 inch
- Graduations: 2°, 10°, 20°

£1.88

code LH0359102

Glow in the Dark Guylines & Runners



- Fluorescent green
- Materials: Nylon braided cord
- Weight: 80g
- Size: 4x4m lengths
- Includes guy line runners

£2.25

code LH0355602

Aluminium Pegs



- Tough aluminium pegs
- Supplied in packs of 6
- Length: 18cm (7")

£1.99

code LH0212102

Camping, Caravan & Outdoor Leisure

Rubber Mallet and Peg Puller



£1.98

code LH0211802

ABS Mallet with Tent Peg Remover

- Heavy duty ABS plastic
- Use with plastic or steel pegs
- Peg puller handle
- 7.4oz

£1.99

code LH0351202

Camping Pegs

- Plastic pegs - standard replacement pegs
- Supplied individually



24p

code CP0317902

Plastic Tent Pegs - 6 Pack

- Brightly coloured pegs
- Ideal for securing your tent firmly on the ground
- Manufactured from heavy duty plastic
- Will not rust



89p

code CP0608102

Metal Tent Pegs - 10 Pack



- Heavy duty garden and tent peg set
- Galvanised for long life
- Ideal for anchoring netting, garden fabrics, twine
- Perfect as replacement tent pegs
- Supplied in a pack of 10
- 9" Length

78p

code CP0608202

12x12 Event Shelter

- Provides excellent protection from the sun and light rain
- Use when camping, caravanning or just relaxing in the garden
- Simple, yet solid structure
- Extremely quick and easy to set-up
- Flysheet: Polyester, 450mm PU aluminium coated
- Steel poles
- Living area: 13.32m²
- Headroom: 218cm (centre), 169cm (sides)
- Rectangular carry bag with opening
- Pack size: 99.3x31.1x28.6cm
- Weight: 16kg
- Groundsheet, sunwall and sunwall door available separately



LH0347502	12x12 Event Shelter	£124.95
LH0347602	Sunwall	£15.90
LH0347702	Groundsheet	£31.48
LH0347802	Sunwall Door	£25.52

Event Shelter

- Ideal for any outdoor event or activity
- Features UV Guard protection
- 450mm Flysheet, polyester
- PU aluminium coated
- Fire retardant material
- Steel poles
- Extremely sturdy construction
- 228cm of Headroom at centre
- 190cm of Headroom at sides
- Inner dims. (WxL): 450x450cm
- Supplied in carry bag
- Weight: 18kg
- Groundsheet and doors available



LH0145502	Event Shelter	£142.50
LH0145602	Sunwall Door	£25.50
LH0145702	Groundsheet	£31.64

3M x 3M Pop Up Gazebo

- Easy to assemble gazebo
- Can be erected in a matter of minutes
- No complicated poles to deal with or tools required
- Simple instructions are provided
- Green polyester PA coated water resistant canopy
- Not suitable for use in extreme weather conditions
- Approx size: 3mx3m
- Maximum height: 2.5m
- Weight: 8.5kg



£49.97

code CP0617102

3M x 3M Gazebo

- Easy to assemble gazebo
- Manufactured with a water resistant polyester canopy
- Not to be left outside in extreme weather conditions
- Size top: 2.4mx2.4m
- Size base: 3mx3m
- Height: 2.4m
- Weight: 6Kg



£27.75

code CP0616502

2.5m x 2.5m Pop Up Gazebo

- No complicated poles or tools required
- Green polyester water resistant canopy
- Not for use in extreme weather conditions
- Side panels available
- Manufactured from 120g shower resistant polyester fibre
- 2 of the panels come with side windows
- Size: 2500x1980mm
- Side Windows: 1800x1000mm
- Weight of side panels 7.5kg
- Size: 2.5x2.5m
- Maximum height: 2.5m • Weight: 9kg



CP0616702	Gazebo (Blue)	£38.94
CP0616802	3 Side Cover Set (Blue)	£17.65
CP0616602	Gazebo (Green)	£39.69

2.2M PE Gazebo



- Easy to assemble gazebo
- Manufactured with a water resistant canopy
- No tools are required to erect
- Not to be left outside in any extreme weather conditions
- Size top: 2.2x2.2m
- Size base: 2.7x2.7m
- Height: 2.2m

£17.55

code CP0616402



Bonesco Charcoal BBQ



Model: Bonesco QST L

- Charcoal BBQ
- Ventilation option in lid provides advanced heat control
- Comfortable cooking height
- 2 Side tables extend the cooking space
- Gas flow regulator ensures full intensity control of the ignition of the charcoal
- Campingaz quick start technology for quick ignition up to 10mins
- Air flow system allows for easy heat control
- Ash tray for convenient removal of ashes
- 2 Wheels for easy mobility on most surfaces
- Cover available separately

Technical Data

Power	1.9kW
Gas Consumption	140g/h
Burner	Charcoal
Trolley	Steel
Revolving Cooking Lid	Yes
Cooking Height	83cm
Cooking Dimensions	60x43cm
Cooking Grid Surface	1950cm ²
Cooking Grid	Chromed
Auto Start/Piezo Ignition	Yes
Side Table(s)	2
Bottle Size	CV300+
Weight	20.8kg
Dimensions (LxDxH)	115x66x113cm
LH0352602 Bonesco L BBQ	£132.50
LH0352802 Bonesco L BBQ Cover	£15.50

21½" Barbecue

- Easy to assemble
- Ideal for camping/ caravanning, gardens, beaches & picnics
- Enamelled fire bowl
- Chrome plated grill & warming rack
- Rotisserie spit
- Tubular pulling handle
- 2 Back wheels for easy mobility
- Complete with a wind shield
- Cooking height: 70cm/27 ½"
- Overall height: 85cm/33 ½"
- Grill diameter: 54.5cm/21 ½"

£18.50

code CP0606402

17" Barbecue

- Easy to assemble round barbecue
- Ideal for camping/ caravanning, gardens, beaches & picnics
- Enamelled fire bowl
- Chrome plated grill
- Rotisserie spit
- Complete with wind shield
- Cooking height: 67cm/26"
- Overall height: 70cm/27 ½"
- Grill diameter: 41cm/16"

£11.50

code CP0606302

14" Steel BBQ

- Steel BBQ with 300mm cooking area
- 2x Cooking height settings
- Max. height: 500mm

£7.25

code LH0386802

Patio Brazier with Barbecue Grill

- Easy to assemble
- Burns all solid fuels
- For outdoor use only
- Durable & robust steel construction
- Integral base plate to collect embers
- Chrome finish BBQ grill
- Dimensions (HxDia): 590mx405mm
- Net Weight: 6.3kg

£19.50

code CP0606502

3 Seater Swinging Hammock Bench Seat with Canopy

- Constructed from powder coated, silver grey steel with black textile seating
- Dimensions (WxHxD): 1.9x1.6x1.4m

£72.45

code LH0386902



3 Seater Hardwood Garden Patio Bench



- Weather treated with all brass fittings
- Self assembly required
- Dimensions (WxHxD): 1.490x950x680mm

£62.95

code LH0386402

2 Seater Wood and Cast Iron Garden Patio Bench



- Wood and cast iron garden patio bench
- 2 Seater with lattice pattern cast iron back panels cast iron arms and legs
- Slatted panel seat
- Simple and easy to assemble

£38.40

code LH0386502

2 Seater Hardwood Garden Patio Bench



- Weather treated with all brass fittings
- Self assembly required
- Dimensions (WxHxD): 1.200x900x600mm

£45.50

code LH0386602

3kg Barbecue Charcoal Briquettes

- Smokeless
- Will provide a constant heat for up to 3 hours
- Ideal for use in charcoal BBQs, smokers & fire pits
- Comply with EN 1860-2:2005



£3.25

code CP0605702

89cm Garden Chiminea

- Durable & robust chiminea
- Frost proof
- Rapid heat up
- Burns charcoal, wood, coal or even smokeless fuel & will radiate more heat than clay.
- Dimensions (HxD): 89x39cm
- Net weight: 13kg
- Available in two colours



LH0340702 Dk Grey

LH0340802 Bronze

£39.95

2.4m Wooden Black Garden Parasol

- 36mm hardwood pole with brass fittings
- Black polyester canopy
- Dimensions (HxD): 2.25x2.4m



Note: Table & chairs not included

£22.75

code LH0387102

2.1m Wooden Garden Umbrella

- This wooden umbrella comes complete with 6 ribs
- Ideal for use in the garden
- The covering measures 210cm in diameter
- Approx Pole Size (LxDia): 220-230cm x 38mm



£17.43

code CP0604702

9kg Cast Iron Effect Parasol Base



- Bronze colour decorative design
- Accommodates parasol pole up to 50mm diameter
- Diameter: 450mm

£12.50

code LH0387802

Ergonomic Folding Sun Lounger



- 2x 1 Textile material
- Powder coated tubular steel frame
- Approx open size: 175x52x62cm
- Load capacity: 100kg

£27.50

code LH0341802

Textilene Reclining Chair



- Weather proof textilene seat, back & pillow
- Incredibly comfortable & durable
- Folds down flat for easy storage
- Powder coated tubular steel frame
- Easy locking mechanism
- Approx open size: 178x65x112cm
- Approx capacity: 120kg

£28.80

code LH0341302

Party Grill & Pouch

Easy Clic Plus

- Multi-functional, can be used as a griddle or stove
- Good heat distribution, optimises the cooking area
- Includes non stick cooking plate
- Grill plate channels grease away from food
- Instastart piezo ignition for reliable matchless lighting
- Supplied with hard wearing textile pouch
- Operates off CV270 Plus/CV300 Plus cartridges (not supplied)
- Burn time: 2h 30min (CV270 Plus) 2hr 40min (CV300 Plus)
- Power: 1350W
- Weight: 2.5kg



£39.99

code CP0442402

CP0441002 CV300 Plus Cartridge £4.32

Camping, Caravan & Outdoor Leisure

Victorian Station Style Garden Clock



- Features a double-sided rotating face
- Suitable for outdoor use
- Requires 2x AA batteries (not supplied)
- Diameter (Face): 200mm
- Dimensions (H): 510mm

£8.98

code LH0386702

26cm Traditional Wooden Thermometer

- Centigrade and Fahrenheit scales

95p

code LH0385002

Traditional Bird Bath



- Resin construction
- Low maintenance
- Dimensions (HxDia): 63x40cm

£7.15

code LH0385402

Resin Bird Bath



- Manufactured from tough durable resin ensuring it will remain rust free & long lasting
- Easy to assemble
- Ornate scroll design on base
- Approx Height: 84cm
- Approx Diameter: 48cm

£11.49

code LH0339902

Suet Fat Ball Bird Feeder

- Plastic coated metal construction
- Holds up to 4 suet fat balls

88p

code LH0385302

Bird Nut Feeder

- Wire mesh and plastic construction
- Ideal for hanging in the garden for attracting and feeding wild birds

88p

code LH0385702

Bird Seed Feeder

- Sturdy plastic construction
- Ideal for hanging in the garden for attracting and feeding wild birds

93p

code LH0385202

150 LED Solar Lights



- Stylish LED solar string light
- Ideal for decorating plants, wreaths, garlands etc.
- 150 Bright LED lamps
- Multi-function: off, flashing, static
- Overall length of 16.7m
- No electricity or wiring required
- Features a separate solar panel making it easier to conveniently place in a sunnier area

£8.98

code LH0372702

20 LED Solar Star Lights



- Decorate and light up your garden with these stunning LED star lights
- Solar powered so no electricity, batteries or wiring required
- Features 20 bright white LED lamps
- Complete with a separate solar panel making it easier to conveniently place in a sunnier area

£4.55

code LH0373102

20 LED Solar Butterfly Lights



- Decorate and light up your garden with these stunning LED butterfly lights
- Solar powered so no electricity, batteries or wiring required
- Features 20 bright white LED lamps
- Complete with a separate solar panel making it easier to conveniently place in a sunnier area

£4.55

code LH0372802

20 LED Solar Flower Lights



- Decorate and light up your garden with these stunning LED flower lights
- Solar powered so no electricity, batteries or wiring required
- Features 20 bright white LED lamps
- Complete with a separate solar panel making it easier to conveniently place in a sunnier area

£4.55

code LH0373002

**Call us on
08447 88 00 88**

Traditional Bird Feeding Station



- All-in-one solution for feeding wild birds
- Includes three brackets for hanging, water dish and tray
- Height: 190cm

Note: Bird feeders not included

£8.95

code LH0385502

Paint Your Own Wooden Bird House



- Manufactured from pine wood
- Comes with 4 colour paint pots & 1 paint brush
- Dimensions: 130x95x90mm

£1.88

code CP0612402

Deluxe Nesting Box



- Fir wood construction
- Waterproof aluminium roof
- Provides an ideal nesting area for small birds such as sparrows & blue tits etc.
- Aluminium protector around the entrance hole to help prevent predators
- Easy access hatch in the back
- Dimensions (WxDxH): 165x155x213mm
- Entrance Size: Ø25mm

£2.72

code LH0340402

24 LED Solar Lights



- Stylish LED solar string light
- Ideal for decorating plants, wreaths, garlands etc.
- 24 Bright LED lamps
- Flashing function
- Overall length of 4m
- No electricity, batteries or wiring required
- Features a separate solar panel making it easier to conveniently place in a sunnier area

£3.78

code LH0373202

Solar Powered LED Topiary Ball



- 20 Warm white LED bulbs
- Suitable for hanging or display in a pot
- 27cm

£7.98

code LH0385602

Solar Colour Changing Ball Light

- Solar powered light with no wiring
- Colour changing effect
- Stainless steel and glass construction
- Cracked glass effect
- Simple and easy to use
- Dimensions: 290x80x80mm (excluding spike)



£2.45

code LH0381602

Solar LED Garden Light

PRO-ELEC

- Stainless steel solar light
- White LED
- Supplied with rechargeable AA battery
- Solar panel: 50mAh
- Brightness: 11,000 - 13,000MCD
- Dimensions (ØxH): 76x390mm



£1.69

code LP0739202

Solar LED Garden Light

PRO-ELEC

- Stainless steel solar light
- White LED
- Supplied with rechargeable button cell battery
- Dimensions (ØxH): 45x285mm



75p

code LP0739102

Solar LED Garden Light

PRO-ELEC

- Solar light with white LED
- Supplied with rechargeable AAA battery
- Solar panel: 50mAh
- Brightness: 11,000 - 13,000MCD
- Dimensions (ØxH): 55x365mm



69p

code LP0739302

26cm Mosaic Solar Post Light

- Ideal for lighting pathways, driveways and entrances
- Stainless steel construction with mosaic detail
- 26cm Height
- Solar powered so no electricity or wiring required
- Features bright white LEDs
- Separate solar panel recharges battery by day
- Automatically comes on at dusk
- Eco-friendly with zero running costs



£3.84

code LH0373702

Solar Powered Meerkat Log Light

INCENSE

- Fitted with a white LED bulb
- Ideal for borders and pathways
- Wire free installation
- Solar powered rechargeable batteries
- Automatically activated at dusk
- Dimensions (HxWxD): 16x13x10cm



£3.76

code LH0384402

Solar Powered Garden Owl Light

INCENSE

- 2 Bright white LED bulbs
- Ideal for borders and pathways
- Wire free installation place in your borders
- Solar powered rechargeable batteries
- Automatically activated at dusk
- Dimensions (HxWxD): 26x15.5x17cm



£6.97

code LH0384302

Solar Powered Garden Owl Light

INCENSE

- Fitted with 2 bright white LED bulbs
- Supplied with 1x rechargeable battery
- Dimensions (HxWxD): 15x12x12cm



£3.98

code LH0384502

Dog with Solar Light



- Provides a fun way to illuminate your garden
- Built in solar panels to absorb natural light during the day
- No batteries or wires needed
- Environmentally friendly
- White LED
- 15cm Height

£5.69

code LH0375002

120W Electric Scooter



- Twist and go motorcycle controls
- Durable braking systems
- Reach speeds up to 16 km/h
- 240V 50/60Hz mains charger supplied
- Maximum load capacity: 80kg
- Platform dimensions (LxW) 570x130mm
- Length: 750mm
- Weight: 8kg • Suitable for age 14+

LH0176902 Black £46.95

LH0177002 Blue £43.50

LH0177102 Red £43.50

53cm Mosaic Solar Post Light

- Ideal for lighting pathways, driveways and entrances
- Stainless steel construction
- Pink or blue mosaic effect
- 53cm Height
- Solar powered so no electricity or wiring required
- Features bright white LEDs
- Separate solar panel recharges battery by day
- Automatically comes on at dusk
- Eco-friendly with zero running costs



LH0373502 Blue £3.98

LH0373602 Pink £3.98

26cm Mosaic Solar Post Light

- Powered by natural light
- Ideal for lighting up paths and patios
- A separate solar panel is included which recharges the unit by day
- Completely safe, no wires or batteries
- Environmentally friendly
- 26cm Height
- Available in white or blue



LH0374102 White £1.96

LH0374202 Blue £1.96

Disposable Barbecues

- Quick & easy to use with no mess & no hassle
- Simply use then safely dispose of
- Ready to cook on in approximately 20 minutes
- Provides around 1½ hours of cooking time
- Available in two sizes



LH0340002 25x31cm £1.75

LH0340102 48x30cm £3.50

Golf Ball Monogram Stamper

- Instantly personalise your golf balls
- 2 or 3 initial monogram
- Press-and-place self-inking stamper
- Convenient, dial-in letters
- Easy to choose your own monogram
- Reselect letters for your friends, family or foursome
- Features locking design for compact storage
- Sure-grip rubberised handle trim
- Stamp pad with non-toxic quick-dry ink

£2.98

code LH0128602

1KW 0.9LTR Travel Kettle

LLOYTRON



- Universal voltage
- Includes 2 plastic mugs
- Boil dry protection
- Automatic switch off
- Stainless steel element
- Power indicator light
- Power: 1000w
- Max. capacity: 0.9ltr

£9.75

code LH0337102

1.2KW Travel Hair Dryer

LLOYTRON



- 2 Speed and 2 heat settings
- Dual voltage: 110/240V
- Folding handle
- Narrow connector nozzle
- Safety cut-off
- Power: 1200W

£5.95

code LH0337002

3 Way Barbecue Brush



- Ideal for cleaning BBQs after use
- Plastic handle
- Stainless steel scraper
- Tough wire bristles
- Scouring pad

87p

code CP0605502

One battery powers every tool



4892210818430

RLT1825LI ONE+ Grass Trimmer

- 25cm cutting width
- EasyEdge edging function
- Auto-feed line
- Supplied with 1.3Ah Li-Ion battery and charger

£64.95

code SI1620702



4892210821249

OHT1855R ONE+ Hedge Trimmer

1. 55cm blade
2. 18mm cutting capacity
3. 5-position rotating rear handle
4. Body only (No charger or battery)

£69.99

code SI1764202

260W Grass Strimmer

Model: BG-ET 2620

- Robust 260W motor
- Two-hand operation
- Motor head can be rotated through 180°
- Twin line cutting
- Automatic bump line feed
- 200mm Cutting circle

£19.98

code SI1605002



Trimmer Line - 15m



	Diameter	
SI1668702	1.65mm	£0.89
SI1668802	2.4mm	£1.39
SI1668902	3mm	£1.79

Grass Strimmers

Model:

RLT4027/RLT5027

- Automatic feed spool head
- Telescopic shaft and fully adjustable front handle
- Built-in cord retention
- Livetool Indicator™ glows blue when plugged in



SI1621202	400W	£35.49
SI1693902	500W	£39.94

26cc Petrol Hedge Trimmer

Model: RHT2660R

- Powerful 26cc 2-stroke 0.8 Hp engine
- 5 Position rotating rear handle
- Dual reciprocating precision blade
- StartEasy™ carburettor for easy starting
- Blade length 600mm
- Max cutting capacity 28mm
- Supplied with 2 stroke oil mix, wrench

£132.96

code SI1621602



600W Hedge Trimmer

Model: BG-EH 6051


- Dual reciprocating blade for less vibration
- 180° Loop front trigger handle
- Two-hand safety switch with cutter stop
- Counter-rotating double-bladed safety cutters made of precision-ground steel
- Metal gearing
- Cable strain-relief clip
- Large hand guard
- Blade length: 510mm

£32.94

code SI1605402



550W Hedge Trimmer



Model: RHT555RSRSH

- Powerful and high torque 550W motor
- Well balanced and lightweight design with a rotating rear handle for multiple cutting positions
- Precision diamond ground blades
- Anti-jamming system prevents accidental blocking
- HedgeSweep attachment included for easy removal of clippings
- blades have tip protectors, to protect the blade during use along walls and hard surfaces
- Blade length 550mm
- Max. cutting capacity 26mm
- Cable Length: 6m

£53.97

code SI1764402

3000W Electric Blow Vac



Model:

RBV3000CESV

- Powerful 3000W Motor
- Telescopic tubes with double safety switching for easy storage and transport
- High airspeed, airflow and mulching ratio at low power consumption
- Live tool indicator glows blue when plugged into power supply
- GripZone rear handle and adjustable front handle for user comfort
- Variable Speed selection for added user control
- Large 45 litre collection bag
- Blow/Vac change lever
- Airflow speed - 320 km/h • Mulching ratio - 15:1
- Suction capacity - 14 cbm/min
- Supplied with 10 metre (38 feet) cable, Collection bag, Shoulder strap

£59.99

code SI1764602

26CC Petrol Blow Vac



Model: RBV26B

The easiest way to maintain and tidy your garden, as it features an impressive air speed of 380 km/h, which is capable of moving even wet leaves, ensuring your garden, pathways are always clean and tidy.

- Zip-start makes starting easy
- Powerful 2-stroke 26cc engine
- 50 Litre collection bag capacity
- Cruise control throttle allows to set and maintain desired speed during prolonged use to reduce user fatigue
- High velocity sweeper nozzle
- 2 Function settings: mulch/shred action that will compress the leaves and debris
- Blow speed 380 km/hr • Vac speed 380 km/hr
- Vacuum capacity 12m³/min

£99.98

code SI1764502

Gardening Essentials

16" Petrol Chainsaw

RYOBI



Model: RCS4240B

- Powerful 2 stroke 42cc 2.3 Hp engine
- 3 Point anti-vibration isolation for user comfort and reduced fatigue during prolonged use
- Fast acting chain brake for increased safety
- Tool-less chain tensioning system
- Automatic chain and bar lubrication
- Clear fuel and oil tank for easy view of fluid levels
- Chain bar length 400mm
- Supplied with Bar & chain oil, 2 stroke oil mix, wrench

£144.49

code SI1621302

14" Petrol Chainsaw

Einhell



Model: GH-PC 1535 TC

- Powerful 41cc 2-stroke engine
- Cordless, hassle free - no danger of cutting the cord and ideal for users that have difficulty accessing a power supply
- Full crankshaft for long term durability
- Auto choke, primer & electronic ignition for quick & easy starting
- OREGON guide-bar & chain with sprocket nose
- Chain catcher - prevents potential injury from derailed chain
- Chain brake/hand guard stops chain within milliseconds
- Automatic guide-bar and chain lubrication
- Anti-vibration system
- Centrifugal clutch for cutting attachment prevents stalling
- Chain oil capacity 210ml
- Fuel capacity 260ml
- Cutting capacity 350mm
- Supplied with fuel/oil mixing bottle, cutter rail cover, spark plug key

£68.98

code SI1683202

46cm Petrol Lawnmower

Makita



Model: PLM4626

- 4 Stroke 2.56hp petrol engine
- 460mm Cutting width
- Aluminium steel lined deck
- Low noise and clean exhaust emissions
- Low running cost
- Recommended for lawns of up to 1,000sq m

Engine Capacity: 140cc; Height of Cut: 30 - 75mm; Grass Box Capacity: 60 Litre; Weight: 28Kg

£249.96

code SI1678002

14" 2300W Chainsaw

RYOBI



Model: RCS2340

- High torque delivered by 2300W motor
- Tool-less blade change and adjustment
- Automatic chain lubrication
- Quick stop chain brake
- Rapid reaction kick-back brake
- Safety trigger, safety guard and hand guard
- Anti vibration system - minimises vibrations allowing you to work more efficiently


Voltage: 230V, Cutting Speed: 14 m/s, Bar Size: 400 mm, Lead Length: 8m, Power Rating: 2300W, Weight: 3.7Kg

£89.96

code SI1764302

25cc Petrol Grass Strimmer

Einhell



Model: GH-PT 2538 AS

- High-grade and low-vibration 2-stroke engine
- Cordless, hassle free - no danger of cutting the cord and ideal for users that have difficulty accessing a power supply
- Infinitely adjustable additional handle for easy/precise working
- Shaped long handle made of aluminium for tireless working
- Split shaft for easy transport and space-saving storage
- Twin line spool with automatic jog system, toolless changing
- Quick start through primer (manual fuel pump) and auto choke
- Large line protection cover
- Centrifugal clutch for cutting tool

Engine Capacity: 25cc, Output Power: 750W, Tank Capacity: 0.45 litres, Cutting Path Width: 380mm, Line Diameter: 2mm, Weight: 5.78kg

£69.97

code SI1682602

1200W 320mm Lawnmower

BOSCH



Model: ROTAK 32R

- Unique grass combs allowing cutting up to the edge
- 1200W Motor
- Cutting heights ranging from 20 to 60mm
- 31 Litre grass collection box
- Fold down handle for compact storage
- Rear roller for stripes
- Motor overload cut-out
- 10m Power cable
- Weight 6.6kg

£69.97

code SI1623102

16" 2000W Chainsaw

Einhell



Model: GH-EC2040

A lightweight and modern electric chainsaw features a largely maintenance-free construction.

- Tool-free chain tensioning and changing
- Metal gear for long life
- Ergonomic handle
- Sturdy stop claws made of metal
- Oil tank for automatic chain lubrication
- Kickback protection with mechanical instant chain brake
- Chain catch bolt
- Comes with bar, chain and chain protection cover

Voltage: 230V, Cutting Speed: 13.0 m/s, Bar Size: 375 mm, Chain Oil Capacity: 160 ml, Power Rating: 2000W

£59.98

code SI1682702

36V Li-Ion Cordless Lawnmower

Einhell



Model: GE-CM 36 LI

- High-quality, impact-resistant plastic housing
- Battery charge level indicator with 3 LEDs
- Cordless, hassle free - no danger of cutting the cord
- Batteries can be used for other Power X-Change products
- Central cutting height adjustment, 6 levels
- Height-adjustable push bar with 3 settings
- Folding handle for easy storage
- Wide wheels exert less stress on the lawn
- Grass box with level indicator
- Recommended for lawn areas up to 300 m²

Contents: 2x 18V 3Ah Li-Ion Batteries and two system high-speed chargers

Cutting Height: 25 - 75mm, Cutting Width: 360mm, Charge Time: 1 Hour, Capacity: 40 Ltr

£209.95

code SI1683702

Cordless 36V Li-Ion 370mm Lawnmower

BOSCH



Model: ROTAK 37 LI Ergoflex

- Cordless, powerful, hassle free - no danger of cutting the cord and ideal for users that have difficulty accessing a power supply
- Cutting width: 370mm
- Ergo-Flex system. Ergonomically shaped and adjustable handles for a better body posture
- Innovative grass combs. Cut close to the edge of walls, flower beds and lawns
- Hardened steel blades to cut effortlessly in long or wet grass
- Charge level indicator
- Grass collecting volume: 40 litres
- Cutting height: 20 - 70 mm
- Cutting height adjustment: 10, central
- Supplied with 36V 4Ah Li-Ion Battery and charger

£294.98

code SI1692302

2pc Patio Weeder Set



- Robust construction
- Ideal for weeding between patio slabs
- Length 270mm




£1.18

code SI1665402

Hand Trowel and Fork

- Antique finish ash handle
- Mirror polished head



SI1561002	Trowel	£3.94
SI1561102	Fork	£3.48

Forks and Spades



Digging Spade



Digging Fork



Border Spade

Border Fork

- Epoxy coated carbon steel head and socket
- D Type handle with soft grip

Border (% Size)		
SI1584102	Spade	£10.97
SI1584202	Fork	£10.97
Digging (Standard Size)		
SI1583902	Spade	£10.97
SI1584002	Fork	£10.97

Multi-Purpose Clearing Tool - Multi Shifter



A wide blade Multi shifter for clearing snow, leaves, water and many other materials. Moves snow and breaks solid ice. Faster and easier than a rake for collecting leaves, moves twigs, shrubs. Directs rain water in to drains, obliterates puddles helps to clear slush and mud, will slice and lift overgrown moss. Can also be used for mucking out stables push and lifts clean bedding, levels and aerates fresh bedding. The blade can also be used to compact and tidy edge of bedding.

- Ideal for both residential and commercial use
 - Wide 500mm blade
 - Moulded lip on the blade glides and prevents from digging in to the ground
 - Made from polypropylene, virtually unbreakable
 - Non-stick and easy to clean
 - Supplied with 1397mm wooden pole
- Dimensions:
- Blade (WxDxH) 500x40x200mm

£16.59

code SI1685002

Adjustable Grass Rake



- Locking latch on spreader
- Spreader - open 490mm, closed 180mm.

£5.97

code SI1541102

Telescopic Hedge Shears



- Tubular steel handles
- Carbon steel blades
- Soft feel grips
- Polished and lacquered blades
- Rust resistance
- Handle extends from 630 - 810mm
- Blade length 230mm

£17.49

code SI1568102

Weed Puller



- Model: W52 139910
- Removes weeds mechanically without the use of harmful pesticides
 - Four deep-reaching stainless steel claws which grab the tap root efficiently
 - Allows the user to work in an upright position
 - Dimensions (LxW) 988x300mm



£24.76

code SI1679202

SingleStep Secateurs ByPass Pruner



- Model: P26 111260
- Ideal for cutting young green wood
 - Well balanced design for steady cutting action
 - Non-Stick PTFE coated upper blade
 - Cutting capacity of 22mm

£11.98

code SI1678402

PowerGear Hook Head Bypass Lopper



- Model: L74 112290
- A mid sized lopper for tree pruning and other heavier cutting tasks
 - Handles are made from FiberComp™ to make them extremely lightweight and strong
 - Extra hard corrosion resistant steel blades
 - Non stick PTFE coated upper blade to reduce friction
 - Hook head blade design for heavy cutting of fresh wood
 - Cutting capacity of 38mm
 - Length 545mm

£32.98

code SI1678902

Hand Axe



- 1¼lb (0.57kg) High visibility hand axe with fibreglass shaft
- Drop forged head
- Grooved rubber grip
- 41cm Length

£3.94

code TL1030202

Telescopic Tree Pruner

- Hardened PTFE coated steel blades
- Carbon steel head
- Variable handle length 1350-2440mm
- Lopper for cutting branches up to 30mm
- Saw for cutting larger branches



£14.98

code SI1541602

Garden Spreader



Model: BG-SR 12
This multi-purpose garden spreader is ideal for spreading seeds, fertilizer quickly and easily.

- Double push bar for accurate and comfortable leading
- Mutual spring lock makes space-saving storage possible
- Housing made of sturdy corrosion proof plastics
- Adjustment lever for setting the spreading volume
- 450mm Wide container
- Holds 12 Litres of Volume



£13.94

code SI1664302

2400W Garden Shredder



- Model: BG-KS 2440
- Two twin sided cutting knives
 - Rapid shredding of branches up to 40mm in diameter
 - Tilting tube with protection locking
 - Robust mobile carriage and a bit hook for fixing garden rubbish bag
 - Input Power: 2400W
 - No Load Speed: 4,500/min
 - Max Branch: 40mm



£74.99

code SI1664402

Scarifier & Aerator



Model: BG-SA 1231

- A combine scarifier and aerator in 1 machine, you can remove moss and weeds with its rootings. When you use the unit as an aerator, the lawn surface will be scored for better water-draining and nutrient uptake.
- Easily change between 2 modes
 - 1200W Motor
 - Working width: 310 mm
 - Working depths of 3, 7, 9mm
 - 28 Litre Collection bag
 - Very low weight and four wheel castors
 - Foldable handle for easy transport and storage



£74.89

code SI1664202

Gardening Essentials

Multi-Purpose Wire




- Ideal for general use around the garden
- Ideal for tying, fixing, training and supporting

Plastic Coated Wire	Ø x L	
SI1665602	1mm x 30m	£1.19
SI1665902	2mm x 20m	£1.19
SI1665502	3mm x 5m	£1.19

Galvanised Wire		
SI1666002	1.2mm x 20m	£1.19
SI1666102	1.6mm x 15m	£1.19
SI1666202	2mm x 10m	£1.19

Galvanised Wire Mesh



Chicken Wire

Square

- Galvanised
- 13mm Mesh: (LxH) 4mx900mm
- 25mm Mesh: (LxH) 6mx900mm

Chicken Wire Mesh		
SI1669002	13mm Mesh	£7.33
SI1669102	25mm Mesh	£7.33
Square Wire Mesh		
SI1669402	13mm Mesh	£10.94
SI1669502	25mm Mesh	£10.94

Bamboo Canes



Bamboo Canes are a mainstay of any garden, allotment, kitchen garden or vegetable plot, lending essential support to plants.

	Length	Diameter	Pack Qty	
SI1669702	900mm	8mm	20	£3.85
SI1669802	1200mm	8-10mm	10	£4.31
SI1669902	1800mm	12-14mm	4	£4.50

Hanging Basket Bracket



- Black powder coated finish

£1.23

code SI1670302

Plant Pots and Trays



- Terracotta colour plastic plant pots and trays

Plant Pots	Diameter	
SI1670902	80mm (PK8)	£1.19
SI1671002	100mm (PK6)	£1.19
SI1671102	150mm (PK3)	£1.19
SI1671202	210mm (PK1)	£1.19
Trays		
SI1671302	100mm (PK10)	£1.19
SI1671402	200mm (PK3)	£1.19

Weed Control Fabric



- Stops weed growth in borders paving paths decking and under bark mulch

Standard:

- 8m x 1.5m 50gsm
- Ideal for use on plant beddings

Heavy Duty:

- 25m x 1m 100gsm
- Ideal for use with gravel, driveways decking

SI1668402	Standard	£3.94
SI1668502	Heavy Duty	£15.96

Heavy Duty Rubble Sacks



- Puncture resistant tough woven material
- Re-usable rubble sacks
- Ideal for use with bricks, sand and gravel
- SI1686802 is 70gsm 10 pack

Note: Stones Not Supplied

£3.20

code SI1686802

Hose & Cart Set

Ready assembled 50m of hose cart set, ideal for small workshops and gardens.

- Plastic drum to ensure that the cart stays rust free
- Soft grip towing handle
- Full size drum which rotates freely under load
- Supplied complete with 50m hose, tap fittings and spray nozzle

£39.94

code SI1615702

Gorilla Tubs



- Super strong handles

	Size	
TL1100402	14 Litre (Small)	£3.98
TL1100502	26 Litre (Medium)	£5.79
TL1100602	40 Litre (Large)	£7.34
TL1100702	75 Litre (X-Large)	£12.59

Garden Refuse Bag



- Garden refuse bag with two handles
- 55 Litre capacity
- Tough woven polythene fabric

£1.17

code SI1668202

Floor Standing Hose Sets



- Lightweight reel holds up to 25m of 12.5mm hose
- Supplied with quality hose, 2x hose end connectors, 1x threaded tap connector, and an adjustable nozzle

SI1564302	15m	£19.58
SI1564402	25m	£23.94

Hose Fitting Kit



Kit supplied with hose end connector, aquastop connector, threaded tap connector and adjustable spray nozzle.

£2.14

code SI1597702

Metal Spray Gun



- Comfortable ergonomic design with lockable on/off trigger
- Spray to jet adjustment

£3.45

code SI1649002

Brass Hose Fitting Starter Kit



Kit supplied with 1/2" - 3/4" tap adaptors, hose connector with shut off and without shut off, adjustable spray nozzle.

- Suitable for most garden hoses

£6.98

code SI1650302

Growbag Waterer



A grow bag waterer that keeps your plants & home-grown veg watered even while you're away. Sit your growbag on the four capillary spikes in the trough and the 15 litre reservoir keeps the roots wet.

- 15 Litre water reservoir
- Watering spikes pierce grow bag and keep plants constantly watered
- Indicator to monitor water level
- Base can be filled using watering can or hose pipe connector
- Supplied with cane holders to provide solid base for plant support
- Dimensions: (LxWxD) 954x395x95mm

£15.99

code SI1615602

Smart Blu-ray Player

TOSHIBA



Model: BDX2550KB

- Slimline Full-HD Blu-ray and DVD player
- Access Smart services such as BBC iPlayer, Netflix and Spotify when connected to your home network
- DVD upscaling to almost HD quality
- Supports Blu-ray video, BD-R/RE, DVD video, DVD±R/RW, VCD/SVCD, CD/CD-R/RW and AVCHD
- USB socket for multimedia playback
- Superb audio with Dolby True HD and DTS HD
- Connections: HDMI, USB, LAN and Coaxial digital audio
- Dimensions (HxWxD): 39x270x180mm

Contents: Blu-ray player, remote and user guide

£49

order code AV2503802

709271

HDMI DVD Player **Goodmans**



Model: GDVD3601HDMI

- Watch your DVDs in high definition quality
- HDMI output with upscaling function
- PAL and NTSC format playback
- 2 Channel output with Dolby Digital decoder
- Connections: HDMI, Scart, USB 2.0, AV out, coaxial audio out

Contents: DVD player, remote and user guide

£22.50

order code AV2552102

712241

7" Widescreen Portable DVD Player **SONY**



Model: DVP-FX780

- Enjoy your favourite DVDs wherever you go
- High resolution 7" widescreen display
- Supports DVD Video, DVD±R/RW, Audio CD and CD-R/RW playback
- Optimised audio with 4 sound modes
- AV output for a big screen TV experience
- USB Socket for digital movies and music
- Rechargeable battery with up to 4 hours playback
- Dimensions (HxWxD): 43x200x155mm

Contents: DVD player, car adaptor and user guide

£79

order code AV2324102

695824

Order online at
cpc.co.uk

DVD Player with USB Plus **LG**



Model: DP132

- Slimline DVD player with brushed metal housing
- DVD/DVD±R/RW/CD/CD-R/RW playback
- USB Audio playback and DivX support
- USB Direct recording and playback
- Connections: composite audio/video
- Dimensions (HxWxD): 38x250x203mm

Contents: DVD player, remote, 1x AAA battery, AV lead and user guide

£24.50

order code AV2443402

700847

Freeview Digital Receiver **Goodmans**



Model: GDB20TTS

- Receives UK Freeview TV and radio stations
- Full 7-day electronic programme guide
- Digital text and red button interactive services
- Easy installation with automatic setup
- RF Loop through
- Connections: 2x SCART, RF in/out

Contents: Freeview box, remote control and user guide

£22

order code AV2552202

712242

Micro Hi-Fi System **SONY**



Model: CMT-S20

- All-in-one system with CD, radio and USB
- Sleek and stylish, space-saving design
- 10W Total output power (2x 5W)
- Bass Boost function for deep, rich sound
- Audio CD and CD-R/RW playback
- FM Radio tuner with RDS
- Connect a smartphone, MP3 player or storage device via USB to access your digital music collection
- 3.5mm Line-in for portable music playback
- Dimensions (HxWxD): 132x170x210mm (main unit), 240x148x127mm (speakers)

Contents: Hi-Fi system, remote and user guide

£59

order code AV2324502

685211

20W Bluetooth Soundbar Speaker **Goodmans**



Model: GDSB02BT20

- Stylish soundbar speaker system
- Designed for use with TVs approx. 32"
- Bluetooth connectivity for wireless streaming
- 2.0 Channel system with 20W total output power
- Full function remote control
- Wall mountable (mounting guide included)
- Dimensions (HxWxD): 78x810x86mm

Contents: Soundbar, remote and user guide

Slim DVD Player **SONY**



Model: SR170B

- Slimline multi-format DVD player
- Compact size is ideal for the bedroom
- Supports DVD, DVD±RW, DVD DL, 8cm DVD, CD-R/RW, VCD, JPEG, MP3 and MPEG-4 playback
- Multi-disk resume feature for up to 6 disks
- Fast and slow playback with sound
- Full function remote control
- Coaxial digital out for Hi-Fi connection
- Dimensions (HxWxD): 39x270x207mm

Contents: DVD player, remote and user guide

£24.95

order code AV2323802

685209

Air Handheld DAB Radio **oves**

- Handheld digital DAB/FM radio
- Large backlit LCD display
- Stylish design with anti-slip casing
- 20 Preset stations
- Auto and manual tuning
- Sleep timer and auto time update
- Electronic volume control
- Up to 8hrs playback
- Powered by 2x AAA batteries (not included)
- Dimensions (WxHxD): 102x58x16mm

Contents: Radio, earphones, pouch and user guide



£19.95

order code AV2322202

684033

Micro Hi-Fi Shelf System **Q.MEDIA**



Model: QZ-116-AX

- Micro sized CD/Radio Hi-Fi shelf system
- Sleek matt black housing with metallic finish
- Audio CD/CD-R/RW playback with track display
- High Bass speakers with cloth grills
- Direct tune AM/FM analogue radio
- Precision rotary volume and tuning controls
- Headphone socket for private listening
- Additional 3.5mm Aux-in for MP3 players
- Dimensions (HxWxD): 94x133x177mm (main unit), 128x75x75mm (speakers)
- 2 Year manufacturer warranty

Contents: Hi-Fi system and user guide

£21.50

order code AV2442702

700895

Portable Boombox System with Bluetooth & NFC

SONY

Model: ZS-BTY52

- Wireless audio streaming with NFC and Bluetooth
 - Powerful stereo sound (2x 2.5W output)
 - Unique flat or vertical standing design
 - USB Socket for MP3 playback
 - AM/FM Radio with 30 presets
 - Dimensions (HxWxD): 159x398x220mm
- Contents:** Boombox, ac adaptor and user guide



£79

order code AV2325202

685954

Sky DAB Digital Radio

DAB OVES

- Compact DAB/FM digital radio
 - Large LCD display with blue backlight
 - 20 Presets for DAB/FM stations
 - Automatic time update
 - Electronic volume control
 - 2.5W Total output power
 - Telescopic antenna
 - Alarm, snooze and sleep timer functions
 - Headphone socket for private listening
 - Mini USB connection for software upgrade
 - Powered by mains adaptor or 4x AA batteries (not included)
 - Dimensions (HxWxD): 93x171x42mm
- Contents:** Radio, ac adaptor and user guide



£17.95

order code AV2323402

Prism DAB Digital Radios

MAGICBOX DAB

- DAB/FM digital radio with practical features
 - Various colours with soft touch finish
 - 20 Presets for DAB/FM stations
 - 2x 2W Stereo speaker output power
 - LCD Display for channel information
 - Handy sleep timer function
 - Headphone socket for private listening
 - Powered by mains, USB connection or 4x AA batteries (not included)
 - Dimensions (HxWxD): 140x240x85mm
- Contents:** Radio, ac adaptor, USB cable and user guide



AV2462802

Pastel Pink

AV2462902

Pastel Blue

£16.95

702213

Retro Style Portable Record Player

steeplephone

Model: SRP05TT

- Record players for retro music lovers
 - Retro look with 2-tone leather finish
 - Fully portable design with carry handle
 - 3 Speed turntable (33/45/78) with cue lever
 - AM/FM Analogue radio tuner
 - Twin integrated 3.5W RMS stereo speakers
 - Rotary controls for functions, volume and tuning
 - Headphone socket for private listening
 - USB Socket for PC/Mac connection
 - Connections: USB, L/R RCA, 3.5mm in/out
 - Dimensions (HxWxD): 158x420x280mm
- Contents:** Record player, ac adaptor, 45rpm adaptor, USB lead, line-in lead and user guide



£69

order code AV2322902

685221

Lightning Dock for iPhone 5/6

iLuv
Made for
iPod iPhone

Model: IMM388

- Stylish speaker dock with a premium finish
- Play and charge via the lightning connector
- 9W Speakers with full digital sound
- Passive radiator to reinforce deep bass
- Full range drivers for high power acoustics
- Convenient power, volume and music controls
- Aux input for connecting other audio devices



Note: iPhone for illustration only, not included

£25

order code AV2482402

705833

MobiOut Bluetooth Wireless Speaker

iLuv

- Wireless speaker with splash-resistant housing
- Rugged design for use at outdoor activities
- Sealed top-mounted controls for easy access
- High fidelity stereo drivers for deep, resonant bass
- Built-in microphone for making hands-free calls
- Additional 3.5mm Aux-in for MP3 players
- Also acts as a backup battery for smartphones



£27.95

order code AV2414302

697324

DAB Alarm Clock Radio with iPod Dock

DAB Goodman's

Model: GCR1881DABIP

- Sleek bedside clock radio with iPod dock
- Large dual line LCD display with icons
- Wake to alarm tones or DAB/FM radio
- 20 Presets for DAB/FM stations
- Dual alarm with 12/24 hour clock
- Snooze and sleep timer functions
- Headphone socket for private listening
- Fits Apple devices with 30-pin connector
- Aux-in connection for MP3 players
- Dimensions (HxWxD): 122x172x54mm

Contents: Radio, ac adaptor and user guide



£26.50

order code AV2414502

697326

Syren Portable Bluetooth Speakers

iLuv
Bluetooth

Model: ISP225

- Unique portable speakers featuring 360° sound
- Full range speaker with passive bass radiator
- Wireless streaming with Bluetooth and NFC
- Built-in microphone and speakerphone for convenient hands free phone calls
- Voice guidance for easy pairing setup
- Easy access volume and playback controls
- 3.5mm Aux-in for connecting other audio devices
- Li-ion battery provides up to 4 hours playtime



AV2482502

Black

AV2482602

Red

£18.95

705834

48" Full-HD LED TV with Freeview TOSHIBA

Model: 48L1433DB

- AMR+200 Active motion picture processing
- High Dynamic Contrast Ratio
- 8ms Response time (GTG), 300cd/m² Brightness
- Twin 8W Nicam stereo speakers
- Dolby Digital Plus and Virtual Surround Sound

Contents: LED TV, remote, 2x AAA batteries, 3.5mm adaptors, UK mains lead and user guide



£359

SAVE **£20**

WALL MOUNT
£29.95
code ST0219602

order code AV2465902

FULL HD 1920x1080	HDMI 3	Scart 1	USB 2	1 Year manufacturer's warranty
----------------------	-----------	------------	----------	--------------------------------------

40" Smart Full-HD LED TV TOSHIBA

Model: 40L3451DB

- Freeview HD digital tuner with 8 day EPG
- DLNA Media Server and Open Browser
- AMR 200 Active motion picture processing
- 25,000:1 Dynamic Contrast Ratio
- 2x 8W Stereo speakers with Dolby Digital Plus

Contents: LED TV, remote, 2x AAA batteries, 3.5mm adaptors, UK mains lead and user guide



£259

WALL MOUNT
£29.95
code ST0219602

order code AV2550402

FULL HD 1920x1080	HDMI 3	Scart 1	USB 2	1 Year manufacturer's warranty
----------------------	-----------	------------	----------	--------------------------------------

32" HD Ready LED TV with DVD Player TOSHIBA

Model: 32D1333DB

- DVD±R/RW and CD playback
- Digital noise reduction and 3D comb filter
- 2x 6W Nicam speakers with Dolby Digital Plus
- Dimensions (HxWxD): 498x745x215mm

Contents: LED TV, remote, 3.5mm adaptors, UK mains lead and user guide



£209

SAVE **£20**

WALL MOUNT
£16.49
code ST0219402

order code AV2479302

HD READY 1366x768	HDMI 2	Scart 1	USB 2	1 Year manufacturer's warranty
----------------------	-----------	------------	----------	--------------------------------------

24" HD LED TV with DVD Player TOSHIBA

Model: 24D1433DB and 24W1433DB

- AMR100 Active motion picture processing
- Digital noise reduction and 3D comb filter
- DVD±R/RW and CD playback
- VESA Wallmount compatible (75x75)

Contents: LED TV, remote, 2x AAA batteries, 3.5mm adaptors, UK mains lead and user guide



AV2503602 24D1433DB 24" with DVD £159.00
AV2465602 24W1433DB 24" without DVD £139.00

NEW

WALL MOUNT
£6.49
code ST0141402

HD READY 1366x768	HDMI 1	Scart 1	USB 2	1 Year manufacturer's warranty
----------------------	-----------	------------	----------	--------------------------------------

46" Full-HD LED TV with Freeview HD SHARP

Model: LC46LLD260K

- Integrated Freeview HD tuner with 7 day EPG
- Common Interface slot for subscription TV services
- 2x 8W Speakers with class D digital amplifier
- Dolby Digital Plus and DTS 2.0 digital audio output

Contents: LED TV, remote, mains lead and user guide



£329

WALL MOUNT
£29.95
code ST0219602

order code AV2423902

HD READY 1366x768	HDMI 2	Scart 1	USB 1	1 Year manufacturer's warranty
----------------------	-----------	------------	----------	--------------------------------------

32" HD Ready LED Smart TV with Freeview HD SHARP

Model: LC-32LE361K

- Share mobile content wirelessly with Miracast
- Supports Timeshift recording to USB storage
- Embedded wireless 802.11 a/b/g/n networking
- 2x 8W Speakers with built-in digital amplifier

Contents: LED TV, remote, mains lead and user guide



£199

WALL MOUNT
£4.99
code ST0299102

order code AV2476102

FULL HD or HD READY	HDMI 3	Scart 1	USB 2	1 Year manufacturer's warranty
------------------------	-----------	------------	----------	--------------------------------------

26" HD LED TV with DVD Player SEG

Model: LED2612

- 7 Day electronic programme guide (EPG)
- USB recording facility

Contents: LED TV, remote, 2x AAA batteries, 2x converter cables for AV and VpPr video, UK mains lead and quick start guide



£129

WALL MOUNT
£6.49
code ST0141402

order code AV2467502

FULL HD 1920x1080	HDMI 3	Scart 1	USB 1	1 Year manufacturer's warranty
----------------------	-----------	------------	----------	--------------------------------------

22" Full-HD LED TV with Freeview & DVD Player Haier

Model: LEY22T1000

- 7 Day electronic programme guide (EPG)
- 2000000:1 Contrast ratio
- 250cd/m² Brightness
- 5ms Response time
- Hotel mode, child lock and search functions
- Noise reduction with 3D digital comb filter
- Built-in 2x 3W Nicam stereo speakers
- Dimensions (HxWxD): 365x519x170mm

Contents: LED TV, remote, UK mains lead and user guide



£119

WALL MOUNT
£6.49
code ST0141402

order code AV2266402

FULL HD 1920x1080	HDMI 2	Scart 1	USB 1	1 Year manufacturer's warranty
----------------------	-----------	------------	----------	--------------------------------------

32" HD Ready LED TV with Freeview



Model: 32LB550B

- HD Ready 1366x768 display resolution
- Triple XD picture engine with Picture Wizard II
- Integrated Freeview TV tuner with 8 day EPG
- Smart Share screen sharing via MHL 2.0
- 2x 5W Speakers deliver cinema-like audio

Contents: LED TV, remote, batteries, UK mains lead and user guide



£179

order code AV2552002

WALL MOUNT
£4.99
code ST0299102

FULL HD	HDMI	Scart	USB	1 Year
1920x1080	2	1	1	manufacturer's warranty

HD LED TVs with Freeview



Models: LB550x Range

- Available in 32" or 42" screen sizes
- Triple XD Engine - Achieves the most advanced viewing experience and optimum picture quality
- 10W, 2.0 channel stereo speaker system
- Virtual Surround - Gives a surround sound effect for a more realistic sound experience
- Metallic design

AV2420102

- Full HD capability with 1920x1080 resolution display
- Freeview HD tuner built in

AV2420202

- HD capability with 1366x768 resolution display
- Freeview tuner built in



AV2420202	32"	32LB550U	£189.00
AV2420102	42"	42LB550V	£229.00

WALL MOUNT
£4.99
code ST0299102

HD READY	HDMI	Scart	USB	1 Year
1366x768	2	1	1	manufacturer's warranty

Full HD Large Screen LED TVs



Model: 47LB580V

- Smart sharing with Miracast, Smart Mobile Link (MHL) & WiDi
- Catch up with on demand TV, movie & sport
- 2x 10W stereo speakers with Virtual Surround Plus
- Triple XD engine
- Built-in Wi-Fi
- LG Magic Remote ready
- 12 Month manufacturer warranty



AV2419702	42"	42LB580V	£299.00
AV2419602	47"	47LB580V	£399.00

WALL MOUNT
£18.49
code ST0219502

FULL HD	HDMI	Scart	USB	1 Year
1920x1080	3	1	3	manufacturer's warranty

32" HD Ready LED TV with Freeview



Model: UE32H4000

- Slimline TVs with narrow bezel and gloss finish
- 100Hz Clear Motion Rate with digital noise filter
- Wide Colour Enhancer plus for natural colours
- Integrated tuner for Freeview channel reception
- ConnectShare Movie streams media direct from USB devices straight to the screen
- Full range, down firing speakers with Dolby Digital
- VESA Wall mount compatible

Contents: LED TV, remote, UK mains lead and user guide




£189

order code AV2432402

WALL MOUNT
£16.49
code ST0219402

HD READY	HDMI	Scart	USB	1 Year
1366x768	2	1	1	manufacturer's warranty

Wireless Full-HD Smart LED TVs



Model: UE40H5500

- Quad core processor for super fast response times
- Football Mode optimises picture and sound settings for a better football viewing experience
- Integrated Skype and social networking features
- View mobile content on your Smart TV with Allshare
- Full-HD display with Mega Dynamic Contrast ratio
- 100Hz Clear Motion Rate with digital noise filter
- Wide Colour Enhancer plus for natural colours
- Built-in wireless networking capability
- 2x 10W Speakers with DTS Premium Audio 5.1

Contents: LED TV, remote, UK mains lead and user guide



AV2433402	UE40H5500AKXXU	40"	£299.00
AV2433502	UE48H5500AKXXU	48"	£399.00

WALL MOUNT
£4.99
code ST0299102

FULL HD	HDMI	Scart	USB	1 Year
1920x1080	3	1	2	manufacturer's warranty

Wireless Full-HD Smart LED 3D TVs



- Premium narrow bezel design with black finish
- Quad core processor for super fast response times
- Wide Colour Enhancer plus for natural colours
- Large range of built-in Catch Up TV services
- Football Mode optimises picture and sound settings for a better football viewing experience
- Integrated Skype and social networking features
- View mobile content on your Smart TV with Allshare
- Smart View turns any compatible smartphone or tablet into a second screen
- 2x 10W Full range, down firing speakers
- 3D Sound with DTS Premium Sound 5.1

Contents: LED TV, Smart remote, standard remote, 2x active 3D glasses, UK mains lead and user guide



AV2433802	UE40H6400AKXXU	40"	£379.00
AV2433902	UE48H6400AKXXU	48"	£489.00

WALL MOUNT
£18.49
code ST0219502

FULL HD	HDMI	Scart	USB	1 Year
1920x1080	4	1	3	manufacturer's warranty

Projector Ceiling Mount



Model: **PSG03911**

- Universal projector ceiling mount
- Pitch & Roll: $\pm 15^\circ$
- Pivot: 360°
- Central screw adjusts pitch, roll & pivot all together for precise projector alignment
- Adjustable length arm brackets to fit different projector sizes
- Quick release feature for easy projector maintenance
- Ceiling drop: 89mm • Max. load: 20kg

£29.99

order code ST0336802

700621

Swivel VESA Mount LCD Wall Bracket

- Swivels at wall through 170°
- Tilts 180°
- Head will rotate through 360°
- Faceplate sits 130mm from the wall
- Max loading weight of 10kg
- Meets VESA mounting standard (75x75mm or 100x100mm)
- Supplied with wall mounting kit
- Instructions included. Easy to assemble

£9.95

order code ST0125802

476105

Fixed Anti-Theft LCD/Plasma Mounts



A range of fixed position LCD/Plasma screen mounts.

- Universal & VESA mounting patterns
- Safety bar system with anti theft design (padlock required)
- Built in level indicator
- Supplied with all the fixings & spacers to mount screen to wall
- Mounting profile: 26mm
- Max screen weight: 45kg

Model: **PS-ATWB42F**

- Fits 23" to 42" LCD/Plasma screen TVs
- Max. hole pattern (WxH): 400x240mm
- Max. VESA: 400x200

Model: **PS-ATWB47F**

- Fits 26" to 47" LCD/Plasma screen TVs
- Max. hole pattern (WxH): 400x400mm
- Max. VESA: 400x400

Model: **PS-ATWB60F**

- Fits 32" to 60" LCD/Plasma screen TVs
- Max. hole pattern (WxH): 600x400mm
- Max. VESA: 600x400

Model: **PS-ATWB63F**

- Fits 37" to 63" LCD/Plasma screen TVs
- Max. hole pattern (WxH): 800x400mm
- Max. VESA: 800x400

Model: **PS-ATWB70F**

- Fits 42" to 70" LCD/Plasma screen TVs
- Max. hole pattern (WxH): 1050x400mm
- Max. VESA: 1050x400

ST0281102 23"-42" PS-ATWB42F **£8.40**

ST0281202 26"-47" PS-ATWB47F **£9.45**

ST0281302 32"-60" PS-ATWB60F **£11.55**

ST0281402 37"-63" PS-ATWB63F **£13.65**

ST0281502 42"-70" PS-ATWB70F **£14.70**

Flat Screen Desk Mount, Double Arm



Model: **PSG03906**

- Suitable for 12" to 24" monitors
- VESA Compatibility: 75 and 100
- Tilt: $\pm 40^\circ$
- Max. Arm extension: 457mm
- Pivot (Pole/Arm/Screen): $360^\circ/360^\circ/180^\circ$
- Pole height: 327mm
- Integrated cable management
- Simple installation with mounting hardware included
- Supplied with desk & grommet mounting clamps
- Max. Screen weight: 8kg

£36.50

order code ST0336302

704429

Tilting Anti-Theft LCD/Plasma Mounts



A range of tilting LCD /Plasma screen mounts.

- Universal & VESA mounting patterns
- Safety bar system with anti theft design (padlock required)
- Built in level indicator
- Supplied with all the fixings & spacers to mount screen to wall
- Mounting profile: 59mm
- Tilt: -15° to $+10^\circ$
- Max screen weight: 45kg

Model: **PS-ATWB42T**

- Fits 23" to 42" LCD/Plasma screen TVs
- Max. hole pattern (WxH): 400x240mm
- Max. VESA: 400x200

Model: **PS-ATWB47T**

- Fits 26" to 47" LCD/Plasma screen TVs
- Max. hole pattern (WxH): 400x400mm
- Max. VESA: 400x400

Model: **PS-ATWB60T**

- Fits 32" to 60" LCD/Plasma screen TVs
- Max. hole pattern (WxH): 600x400mm
- Max. VESA: 600x400

Model: **PS-ATWB63T**

- Fits 37" to 63" LCD/Plasma screen TVs
- Max. hole pattern (WxH): 800x400mm
- Max. VESA: 800x400

Model: **PS-ATWB70T**

- Fits 42" to 70" LCD/Plasma screen TVs
- Max. hole pattern (WxH): 1050x400mm
- Max. VESA: 1050x400

ST0281602 23"-42" PS-ATWB42T **£13.00**

ST0281702 26"-47" PS-ATWB47T **£15.00**

ST0281802 32"-60" PS-ATWB60T **£16.00**

ST0281902 37"-63" PS-ATWB63T **£18.00**

ST0282002 42"-70" PS-ATWB70T **£19.00**

Slimline Full Motion LCD/LED/Plasma Mount 23" - 42"


Model: **LMT404SSFM**

- Fits 23" to 42" flat panel screens
- VESA compatible: 100x100, 200x200, 400x400
- Low profile Pan and tilt
- Max pan 45° (Depending on TV size)
- Max 12° tilt • All mounting hardware included
- Max screen weight: 25kg

£17.95

order code ST0231502

Fixed LCD TV Wall Brackets - Up to 70"



Models: **PS-FWB80-44, -64**

- Heavy duty fixed position wall brackets
- Single piece wall mount frame
- Large access holes for hidden connector wall plates
- Simple 'hook-on' arms with safety clamps
- Distance from wall: 22mm
- Max. Screen weight: 80kg

PS-FWB80-44

- Fits 32" to 55" flat panel screens
- VESA compatibility: 200x200mm to 400x400mm

PS-FWB80-64

- Fits 37" to 70" flat panel screens
- VESA compatibility: 200x200mm to 600x400mm

ST0372802 32"-55" PS-FWB80-44 **£11.50**

ST0372902 37"-70" PS-FWB80-64 **£13.50**

Adjustable Drop, Flat Screen Ceiling Mount with Tilt



Model: **PS-FCM50-64S, -64L**

- Flat ceiling TV mounts with adjustable drop
- Fits most 37" to 70" flat panel screens
- VESA compatibility: 200x200 to 600x400
- Tilt: 0° to -25°
- Swivel: 360°
- Screen levelling: $\pm 3^\circ$
- Integrated cable management
- Cover plate included for smart installation
- Simple 'hook-on' arms with screw clamps
- Mounting hardware included
- Max. Screen weight: 50kg

PS-FCM50-64S

- Adjustable ceiling drop: 0.56m - 0.9m (in 50mm increments)

PS-FCM50-64L

- Adjustable ceiling drop: 1.06m - 1.56m (in 50mm increments)

ST0373302 PS-FCM50-64S **£37.50**

ST0373402 PS-FCM50-64L **£44.50**

Full Motion LED TV Wall Bracket - Up to 70"



Model: **PS-FMWB45-64**

- Heavy duty and stylish full motion wall bracket
- Fits most 37" to 70" flat panel screens
- VESA compatibility: 200x200 to 600x400mm
- Dual arm extension for increased stability
- Distance from wall: 53-510mm
- Tilt: -15° to $+5^\circ$ • Swivel: $\pm 60^\circ$
- Level adjustment: $\pm 2.5^\circ$
- Cable management system
- Max. Screen weight: 45kg

£54.50

order code ST0373702

712382

Tilting LCD TV Wall Brackets - Up To 70"



Models: **PS-TWB80-44, -64**

- Heavy duty tilting wall brackets
- Single piece wall mount frame
- Large access holes for hidden connector wall plates
- Simple 'hook-on' arms with safety clamps
- Tilt: -10° to $+5^\circ$
- Distance from wall: 53mm
- Max. Screen weight: 80kg

PS-TWB80-44

- Fits 32" to 55" flat panel screens
- VESA compatibility: 200x200mm to 400x400mm


PS-TWB80-64

- Fits 37" to 70" flat panel screens
- VESA compatibility: 200x200mm to 600x400mm

ST0373002 32"-55" PS-TWB80-44 **£14.95**

ST0373102 37"-70" PS-TWB80-64 **£16.95**

LCD TV Pedestal Stand - 40"-70"



Model: **PS-PST70**

- Universal TV pedestal, perfect for when you need to change a wall mounted screen to table top use or for replacing any lost or broken TV pedestals.
- Fits 40" to 70" flat panel screens
- VESA compatibility: 200x200 to 600x400

- Black glass base
- Black steel tubular upright with multiple height settings for mounting plate
- Black steel mounting plate & fixing arms
- Max screen weight: 36kg
- All mounting hardware and fixings included

- Base dimensions (WxD): 550x280mm
- Max height: 700mm (top of mounting arms)

- Upright fixing position heights: 332mm, 377mm, 422mm, 687mm (measured from base plate to centre of mounting plate)

£46.95

order code ST0372702

712376

Gooseneck Magnifier

- Versatile magnifier complete with mounting bracket
- Ideal for hands-free operation
- Dioptre: 3x
- Arm Length: 510mm




£3.39

order code PY3110502

543240

Folding Magnifier

- 60mm magnifier with pliable frame
- Ideal for printed circuits or map reading
- Fixed focus
- Dioptre 5x
- Folds flat when not in use



99p

order code PY3110302

539527

VS529 16MP Digital Camera

Vivitar



- User friendly point-and-shoot camera
- 16.1MP Sensor with 5x optical zoom
- 2.7" Colour LCD display
- Face detection and anti-shake features
- Video recording with audio
- SD/SDHC Memory card slot
- Rechargeable Li-ion battery
- Dimensions (HxWxD): 60x100x30mm

Contents: Camera, charger, USB cable, strap, software and user guide

£32.95

order code PY3197302

707552

iS829 16MP Digital Camera

Polaroid



- Slim and lightweight optical zoom camera
- 16.1MP image sensor with 8x optical zoom
- Enhance your photos with a selection of easy to use settings and filter effects
- 720p HD video recording with sound
- Face detection and red eye reduction
- 2.7" LCD Preview screen
- MicroSD/SDHC Memory card slot
- Powered by rechargeable Li-ion battery
- Dimensions (HxWxD): 60x100x30mm

Contents: Camera, Charger, USB cable, strap, software and user guide

£41.95

order code PY3197502

710646

Recording Journey Camera

- HD in-vehicle video journey recorder
- Up to 16 hours on 32GB SD card (not provided)
- Provides quality video evidence in case of accident/incident disputes
- Infrared night vision feature with motion sensing activation
- Continuous loop recording on SD card (not provided)
- 2.5" Screen compact in-car digital video recorder
- AVI HD video
- Simple USB 2.0 - hi-speed PC connection for fast downloading
- Real time on screen information

£23.80

order code CP0626002

694633



Selfie Stick

- Handheld lightweight stainless steel selfies telescopic arm kit
- Ideal for use with most digital cameras and smartphones
- Very lightweight, portable and easy to carry
- Anti-rust stainless steel
- Extends from 20 - 97cm
- Rotates 360°
- East adjustment to any angle
- Security wrist strap
- Take perfect self portraits anywhere



£3.98

order code LH0416602

706630

PowerShot A2600 16MP Digital Camera

Canon

HOT DEAL



- Slim and stylish 16MP camera with metal exterior
- 28mm Wide angle sensor with 10x ZoomPlus
- 720p HD recording with dedicated movie button
- Digital Image Stabilisation
- Smart Auto mode recognises 32 scenes
- Face Detection with Live View Control
- Get creative with fun special effects
- Large 3" Quick-bright LCD display
- SD/SDHC/SDXC Memory card slot
- Powered by Li-ion battery (included)
- Dimensions (HxWxD): 56x98x20mm
- Weight: 135g

Contents: Camera, battery, charger, software and user guide

£59.95

order code PY3201102

711212

25 Piece Telescope and Microscope Kit

Vivitar



- Observe the largest stars or the smallest molecules
- Kit includes a refractor telescope, a 900x power microscope and accessories
- The telescope is great for observation and includes 60x and 120x eyepiece lenses
- Lightweight, durable construction
- Hassle free, screw-type assembly
- Adjustable full size tripod for the telescope

Contents: Microscope, telescope, tripod, eyepieces, finder scopes, slide covers and specimen trays

£19.98

order code PY3196602

701632

iE090 18MP Dual Screen Waterproof Cameras

Polaroid



- Unique cameras ideal for adventurous use
- Dual screen design features a 2.7" rear preview screen and a 1.8" front display
- 18MP Image sensor with 5x digital zoom
- Waterproof up to 10 Feet (3m)
- Shockproof up to 4 Feet (1.1m)
- MicroSD Memory card slot
- Powered by 2x AAA batteries (included)

PY3197602 Blue

PY3197702 Red

PY3197802 Yellow



£48.50

707575

PowerSeeker Refractor Telescope

CELESTRON

Model: PowerSeeker 40AZ

- Perfect for budding and amateur astronomers
- Designed for terrestrial and astronomical observation
- Clear, crisp images with fully coated glass optics
- Improved magnification with the 2x Barlow lens
- Easy setup with pre-assembled aluminium tripod
- Built-in accessory tray
- Supplied with SkyX planetarium software



Technical Data

Optical Design
Aperture
Focal Length
Finderscope
Eyepiece 1
Eyepiece 2
Mounting
Weight

Refractor
40mm
500mm
2x20
20mm, 25x Mag.
8mm, 63x Mag.
Altazimuth
0.5kg

£22.59

order code PY3172402

671952

10x Pocket Magnifier



- Pocket size folding magnifier
- Ideal for reading books and maps
- Lens diameter: 40mm

99p

order code PY3155602

613582

Extendable Pocket Tripods

Vivitar



- Strong tripods with sleek, pocket size design
- Suitable for most 35mm and digital cameras with a standard tripod socket
- Extendable legs give up to 6" extra height
- 360° Rotating ball-head
- Non-slip rubber feet

701787

PY3196002 Black

PY3196102 Purple

PY3196202 Red

£2.29

Camera Spy Pen

WE EYE-SPY



- Live out your very own James Bond fantasy
- Working pen with built-in digital video recorder
- Records to MicroSD cards (2GB included)
- USB connection for charging and data transfer
- Integrated rechargeable battery

Contents: Pen, MicroSD card, USB cable and user guide

£22.50

order code PY3185702

688902

Tripod - 3-Way Head

hama
The smart solution.



Models: STAR Series

- For photo and video
- 3-Way tripod head with quick release plate
- 3-Section tripod legs
- Crank for continuously variable height adjustment of centre column
- Rubber feet
- Aluminium legs
- Supplied with a carry bag
- Spare quick release plate available

Technical Data

Model
Diameter - Legs
Closed Length
Fully Extended Length
Max. Load
Weight:

STAR61
20mm
600mm
1530mm
3.0kg
1.22kg

£9.99

order code ST0191702

614828

Indoor LTE Aerial

LLOYTRON

- Superior UHF & VHF reception for TV and FM / DAB radio
- Freeview compatible
- Built-in LTG filter, blocks unwanted 4G mobile phone signals from interfering with your TV reception
- 3 Stage amplifier
- Built-in low noise, high gain booster, up to 50dB gain
- Mains powered (AC adaptor supplied)
- Dimensions: 165x165mm

£11.92

order code AP0287402

702953

Yagi UHF TV Aerials

4G Ready

- Covers T band frequency range (Ch21-60)
- Unique impedance matched dipole
- Lightweight durable construction
- Easy assembly
- 20x (RX20) or 12x (RX12) element models
- Group A (Ch21-37) option also available

695768

AP0275102	RX20	£8.95
AP0296302	RX20 Group A	£8.95
AP0275202	RX12	£5.25
AP0284402	RX12 Group A	£5.65

Wideband TV OPTIMA Aerials

4G Ready

- 4G Rejection - tuned for Ch21-60
- F-Connector baluns
- 15 Element 10dB gain
- 20 Element 12dB gain
- Braced reflectors

689038

AP0255602	15 Element	£5.45
AP0255702	20 Element	£7.98

32 Element Outdoor Aerial Kit (4G Filtered)

4G Ready

- Suitable for all UK Digital TV
- 4G Filtered to remove interference from 4G mobile phone signals
- For moderate and strong signal strength areas
- Can be loft or outdoor mounted
- Gain 12dB

Contents: 1x Tilting aerial clamp, 1x L cranked pole, 1x pole mounting bracket, 10m digital coax cable and clips, 1x coax plug

£12.48

order code AP0249702

679920

Compact Tri-Boom Ultra High Gain Aerial

Labgear

4G Ready



Designed tuned to maximise signal reception whilst reducing potential interference from 4G masts. New reflector bracket for simpler, quicker assembly. New X-dipole design with printed circuit balun and secure F-type cable connection.

- High forward gain: 11.5dB
- Very directional performance
- Tuned to channels 21-60 (470-790MHz)
- Rejects 4G interference
- Compact enough for loft installation
- Supplied with tilting mast-clamp

£19.95

order code AP0282002

697077

64 Element Aerial Kit (4G Filtered)

4G Ready



- High gain - suitable for weak signal areas
- Integrated 4G filter removes interference and channel loss from your TV caused by 4G mobile phone signals
- Receives all locally available digital TV signals
- Suitable for outdoor or loft installation
- Fixing kit included


£27.30

order code AP0248902

681789

64 Element Aerial Kit

SAC



Triple boom design gives the performance of an aerial twice its size.

- 4G LTE filtering
- Superb TV digital aerial with all the bits required to complete an aerial installation
- Elements: 64
- F Connection
- Channel: 21 - 60 (wideband)
- Frequency: 470 - 786MHz
- Gain: 15dB
- Front back ratio: 28dB
- Assembled length: 1045mm

Contents: 6x6 Wall bracket, 4x masonry screws and plugs, 4x wood screws, 2x 'V' bolts, 10m coax cable with cable clips, aerial clamp, 2x twist 'F' connectors, 1x coax plug & aerial 'F' connector weatherproof boot.

£22.90

order code AP0286702

698912

Outdoor Digital Dome Aerial Kit (4G Filtered)

SLX

4G Ready

- A compact digital aerial with built in signal booster
- 4G Filtered to remove interference from 4G mobile phone signals
- Lightweight design, easier to mount than conventional aerials
- Gain of 20dB
- Receives FM, DAB radio and TV signals
- Supplied complete with bracket, power supply, cable, plugs and clips



£28.72

order code AP0249602

681791

TV Aerial Extension Kit

KONEKTA



- Coaxial extension kit
 - Run two TVs from a single aerial
- Contents:** 15m cable, Y splitter and cable clips

£1.98

order code AP0273302

696753

T & K Wall Brackets

PRO-SIGNAL



Heavy duty Galvanised T & K wall brackets designed for large aerial installations.

654268

	Size	Stand Off	
AP0227702	12"	10"	£7.99
AP0227802	18"	16"	£11.15
AP0229002	24"	22"	£12.25
AP0229102	36"	34"	£27.98

TV Aerial Lead + Coupler

KONEKTA

- Plug-to-plug coaxial cable
- Supplied with coaxial coupler, extends existing cable

59p

order code AP0273202



696752

Aluminium Aerial Masts

PRO-SIGNAL

A range of straight aluminium masts suitable for supporting TV and other types of aerials.



691601

18 Gauge

AP0227902	5ft x 1"	£2.45
AP0228002	6ft x 1"	£2.82
AP0228102	6ft x 1.25"	£3.54

16 Gauge

AP0228202	6ft x 1.25"	£4.29
AP0228302	8ft x 1.5"	£7.25
AP0228402	10ft x 1.5"	£9.24
AP0273702	10ft x 2"	£13.38
AP0274202	12ft x 1.5"	£11.98
AP0274402	12ft x 2"	£15.74
AP0274702	16ft x 2"	£22.31
AP0273802	20ft x 2"	£27.98

Super Heavy Duty - 16 Gauge

AP0274002	6ft x 1.5"	£6.90
-----------	------------	-------

Stand-Off Wall Brackets

PRO-SIGNAL

The brackets are used with V bolts to firmly secure a mast to the wall. Manufactured from steel and available in silver painted or galvanised finish.



652016

Painted	Bracket	Stand Off	
AP0226002	6"x6"	4.5"	£1.78
AP0226102	6"x9"	6.5"	£2.59
AP0226202	9"x9"	6.5"	£3.69
Galvanised			
AP0226302	6"x6"	4.5"	£2.15
AP0226402	6"x9"	6.5"	£3.25
AP0226502	9"x9"	6.5"	£4.69
AP0226602	12"x12"	9.5"	£7.89
AP0226702	12"x18"	15.5"	£9.27

TV 90° Coax Plug to 90° Coax Socket Leads

VALUE LINE

- Coaxial cables suitable for connecting a coax wall socket to your TV or similar device
- 90° Plugs and sockets
- Available in several lengths with black or white jacket



710596

AP0298602	Black	1m	£0.66
AP0298702	White	1m	£0.66
AP0298802	White	1.50m	£0.70
AP0298902	Black	2m	£0.71
AP0299002	White	2m	£0.71
AP0299102	Black	3m	£0.76
AP0299202	White	5m	£1.23
AP0299302	Black	5m	£1.23
AP0299402	White	10m	£1.60
AP0299502	Black	10m	£1.60
AP0299602	White	15m	£2.21

TV Coax Leads



High quality TV aerial leads with gold plated connectors, pure copper conductors and shielded RG59/ U 75Ω cable.



645789

Plug to Socket

AV1416802	0.5m	£0.79
AV1416902	1m	£0.92
AV1417002	1.5m	£1.05
AV1417102	2m	£1.15
AV1417302	5m	£1.82

Plug to Plug

AV1417502	0.5m	£0.72
AV1417602	1m	£0.89
AV1417702	1.5m	£1.08
AV1417802	2m	£1.17
AV1417902	3m	£1.55
AV1418002	5m	£2.09
AV1418102	10m	£3.59

F Plug to Plug Coax Leads



F Type plug to plug leads suitable for satellite connections. Feature black RG59 cable with pure copper conductors



481376

AV1862202	0.5m	£0.59
AV1418202	1m	£0.65
AV1418302	2m	£0.99
AV1418402	3m	£1.35
AV1418502	5m	£1.92
AV1366202	10m	£2.89

F Plug to F Plug Coax Leads

- Gold plated moulded F connectors
- Suitable for satellite connection




679725

AP0246102	1.5m	£0.59
AP0246202	2m	£0.65
AP0246302	3m	£0.75
AP0246402	5m	£0.99
AP0246502	10m	£1.75

F Plug to F Plug Coax Leads

- Nickel plated moulded F connectors
- Suitable for satellite connection



679923

AP0246602	1.5m	£0.49
AP0246702	2m	£0.61
AP0246802	3m	£0.72
AP0246902	5m	£0.89
AP0247002	10m	£1.64

TV Signal Boosters (4G Compatible)



- Ideal for digital and analogue TV signals
- 4G filtered to remove interference from 4G mobile phone signals
- Compact design with separate power adaptor
- Blister packed

AP0249202	1 Way	18 dB	£6.99
AP0249302	2 Way	15 dB	£7.34
AP0249402	4 Way	12 dB	£7.62
AP0249502	6 Way	9 dB	£7.85

TV Signal Boosters (4G Compatible)



- Increases your TV or FM/DAB aerial signal
- Integrated 4G filter removes interference and channel loss from your TV caused by 4G mobile phone signals
- Boosts signals even in poor reception areas
- Variable gain control for optimum performance
- Can be used to boost the signal from DVDs and satellite receivers
- Connect your Hi-Fi tuner to the booster for improved FM/DAB reception
- Free standing or wall mountable



681029

AP0247102	SLx 1-Way	£7.19
AP0247202	SLx 2-Way	£7.56
AP0247302	SLx 4-Way	£9.85
AP0247402	SLx 6-Way	£12.95
AP0247502	SLx 8-Way	£14.29

Signal Boosters (4G Filtered)



- Range of TV and signal boosters
- Designed to amplify and distribute digital TV/Radio signals to up to two TVs/Tuners
- Integrated 4G filter removes interference and channel loss from your TV caused by 4G mobile phone signals
- Boosts signals even in poor reception areas
- Flat gain response across full frequency spectrum ensure optimum digital reception
- Two separate dedicated in/outs for VHF and UHF
- Fully compatible with Sky™/Sky+™ & Digi-Eye/Digi-Link remote control extender systems
- Surge, spike & short circuit protection
- TETRA Filters reduce interference from emergency service radios
- Free standing or wall mountable
- 10-12dB gain



681354

AP0248002	2 Way	£14.72
AP0248102	4 Way	£16.25
AP0248202	6 Way	£18.99
AP0248302	8 Way	£19.67
AP0248602	F Type 4 Way	£17.64
AP0248702	F Type 6 Way	£19.96
AP0248802	F Type 8 Way	£22.29

Digital Link Magic Eye



- Sky compatible digital link eye
- Compact eye designed for flat screens
- F connector
- IEC coax TV connection
- Power indicator

£3.98

order code AP0287202

699461



681002

DigiLink Amplifiers



- Mains powered DigiLink amplifiers provide the power to build bigger systems without over-driving your satellite receiver, or they can work straight from an aerial. Each unit also has a separate input for radio as well as a DTV input.
- 2-Inputs and 4-, 6- or 8-out options
 - 4G filtering on DTV input to reduce interference
 - Suitable for distributing TV and radio signals
 - Compatible with DigiLink Eye
 - Gain per port 8dB



693945

AP0279602	4-Way	£14.89
AP0279702	6-Way	£19.15
AP0279802	8-Way	£19.78

Coaxial Outlet Plate

- Double flush fitting outlet plate with integral female coaxial sockets. The face plates have standard fixing centres and are supplied with fixing screws. The double outlet plates have 2 separate inputs.
- Non-Isolated



69p

order code AP0001202

604770

Splitters



- High quality indoor Splitters
- F type connections
- DC pass on all ports
- Integral earth point

680882

AP0243802	AS02	2 Way	£1.54
AP0243902	AS03	3 Way	£2.19
AP0244002	AS04	4 Way	£2.45
AP0244102	AS06	6 Way	£4.54
AP0244202	AS08	8 Way	£5.25

Mini HD Satellite Receiver with Card Slot



Model: S1600CHD

- Digital satellite receiver with CONAX card slot
- High Definition with HDMI upscaling 1080p
- PVR functionality (Record, Timeshift) to external USB 2.0 device
- Ethernet for Home Networking/Updates
- Wi-Fi supported, Dongle sold separately
- MPEG-2 / MPEG-4 Digital & Fully DVB Compliant
- Powerful Blind Scan
- Now & Next, 7/14 day EPG (where available)
- 5000 Channels TV and Radio programmable
- 8 Favourite Service Groups
- Multi-language OSD • Multi Satellite Search
- Parental control for channels
- Easy to use Menu System
- USB 2.0 Host Support (JPEG/MP3/AVI)

£44.90

order code AP0249902

680881

AP0287302	WiFi Dongle	£9.99
-----------	-------------	-------

I/O-LINK



- Creates a tvLink enabled RF output for new Sky HD set top boxes with no RF2 output
- Ideal to use tvLink products on new HD Sky boxes
- Once installed the iO-Link can be connected to an in home distribution for viewing at multiple TV locations

£9.99

order code AP0252502

685895

Flat Screen Infra Red Remote Eye Sensor



- Designed for LCD/Plasma TVs
- Compatible with remote link amplifiers and Sky Digital satellite receivers



654264

AP0188102	Black
AP0206802	Silver

£3.75

I/O Link, Dual Output



Designed to restore RF output functionality to Sky HD set top boxes with no RF output.

- Compact design for discreet installation
- Dual outputs for TV distribution
- Compatible with IR control for multiple locations
- DC input to power link amplifiers via PSU (12V power supply sold separately)



698441

AP0285902	Link	£17.97
AP0286002	PSU	£8.97

Elliptical Mk4 Satellite Dishes



- Suitable for Sky and Freesat installations
 - Sky approved Mk4 elliptical satellite dishes
 - Perforated reflectors for discreet installations
 - Tilt/skew adjustment
 - Supplied with wall mount bracket
 - Polyester powder coated reflectors and bracketry
 - LNB and pole mount kit sold separately
- Note: LNB shown not supplied**

689040

44cm R1 (England/Wales)

AP0272702	Single Unit	£9.99
AP0272802	6 Pack Kit	£49.95

60cm R2 (Scotland)

AP0272902	Single Unit	£16.75
AP0273002	5 Pack Kit	£56.48

Accessories

AP0273102	Pole Mount Kit (10 Pack)	£7.99
AP0218402	Quad LNB	£12.25

2/4/8 Way VGA Splitters-350MHz



- **Input:** 1x VGA plug
- **Outputs:** 2, 4 or 8x VGA sockets
- Available in 2, 4 or 8 way versions
- 350MHz Bandwidth
- Supports resolutions up to 2048x1536
- Compatible with VGA, SVGA, XGA, Multi-Sync and TFT-LCD monitors
- Simultaneous monitor display
- Daisy-chain support
- Enhanced video signal with a maximum cable distance up to 65m
- Plug and play, no extra software needed
- Power LED indicator
- Metal enclosures with rubber feet
- All connections on rear
- Supplied with AC power adaptor
- Dimensions (WxHxD): 130x42x75mm (2 way) & 200x42x75mm (4 & 8 way)

	Outputs	
AV1906402	2	£10.50
AV1906502	4	£11.75
AV1906602	8	£13.60

HDMI Splitter - 2 Port



Compact 1 to 2 HDMI splitter, which distributes the input of the HDMI signal into 2 identical outputs simultaneously.

- Full 1080p HD resolution
- HDCP1.0/1.1 & HDMI 1.2a
- Supports 1.65Gbps/165MHz Bandwidth
- VGA Resolution: 640x480, 800x600, 1024x768 & 1920x1200
- DTV/HDTV, 480i/576i/480p/576p/720p/1080i/1080p
- Easy to use, no settings
- Extend signals up to 15m
- Longer distances achieved by cascading two units
- Front panel power/output 1 & 2 LED indication
- Gold plated contacts
- Powered by 5V UK mains adaptor (included)
- Dimensions (HxWxD): 154x70x23mm
- Weight: 42g

£18.90

order code AV1852402 534239

HDMI Splitters



Models: PSG03675/6

- 1 to 2 or 1 to 4 Full HD HDMI splitters
- View 1 source simultaneously on upto 2 or 4 screens
- HDMI 1.4a with 3D & HDCP 1.2 compliant
- 1080p/1080i/720p/576p/576i/480p/480i HD resolution support
- 24/36bit Deep colour support
- DTS-HD/trueHD/LPCM7.1/AC3/DTS/DSD audio format
- Built in equalisation on up to 20m cable output
- Easy to install & operate
- LED Indication of input, outputs & power
- Metal body construction with gold plated HDMI connectors
- Supplied with power adaptor
- Dimensions (WxHxD): 111x24x75mm

AV2157402	1 to 2	£23.05
AV2157502	1 to 4	£44.57

HDMI Splitters 1 to 4 & 1 to 8 - Full 3D & 4Kx2K (340MHz)

- Distribute 1x HDMI signal to up to 4 or 8 HDMI Outputs simultaneously
- Full 3D & 4Kx2K resolution
- 1080p HDMI outputs
- 340MHz/3.46Gbps Per channel bandwidth & 12bit per channel deep colour
- HDCP 1.3 Compliant
- Supports uncompressed audio such as LPCM & compressed audio such as DTS Digital, Dolby Digital (including DTS-HD and Dolby True HD)
- On/Off & Reset switch on front
- Gold plated HDMI connectors with LED indication
- Robust metal housing

Model: PSG03772, 1 to 4 HDMI Splitter

- **Input:** 1x HDMI socket
- **Outputs:** 4x HDMI sockets
- Dimensions (WxHxD): 100x70x23mm

Model: PSG03773, 1 to 8 HDMI Splitter

- **Input:** 1x HDMI socket
- **Outputs:** 8x HDMI sockets
- Dimensions (WxHxD): 100x120x23mm

IR Remote Control Extender

Model: PSG03706

- Control your AV sources from another room
- Converts IR signals to RF which allows signals through floors and walls
- Compact lightweight design
- Simple plug & play
- Supplied with 3 in-line infra-red eye extenders on a 3.5m lead
- 70m Range (depending on building structure)
- Dimensions (WxHxD): 71x24x80mm

£13.44

order code AV2182702 651804

IR Repeater Kit

- Provides one IR receiver input and six IR emitter outputs
- Works with all major brands of audio/video IR remote controls
- 12VDC Status input jack and LED indicator
- 3.5mm Jack sockets for receiver and emitters
- Detachable terminal block for wiring emitters without 3.5mm jack plug
- Powered by 12V, 500mA AC/DC adaptor (included)

Kit supplied with IR connection block, PSU, IR receiver, dual IR emitter & user guide

£23.63

order code AV1877202 543714

Additional Emitters

AV0383902	Up to 4m	£4.86
AV0384002	Up to 10m	£5.72
AV0384102	Side Firing	£5.91
AV1783902	Universal	£4.46
AV1784002	Dual Blinking	£8.93

In-Line HDMI 3 to 1 Auto Switch



- **Inputs:** 3x HDMI 19-pin female inputs
- **Outputs:** 1x HDMI 19-pin female output
- HDMI 1.1, HDMI 1.3, HDCP1.1 & DVI 1.0 compliant
- Automatic selection of input when HDMI source is switched on or manual selection via push switch on main unit
- Supports: PC, VGA, SVGA, SXVGA (1280X1024) & UXGA (1600X1200, 1920X1200) resolutions
- Supports HDTV: 480i/p, 576i/p, 720p & 1080i/p formats
- LED output indicators
- Simple Plug and Play
- Self powered by HDMI connection
- HDMI input cable: 20M max
- Dimensions (WxHxD): 90x20x58mm
- Lead length: 0.5m • Weight: 85g

£11.75

order code AV1869702 551676

4 to 1 HDMI Amplifier Switcher



- Connect up to 4 HDMI devices to one HDMI output
- Inputs selectable manually by touch button on unit, Auto function or via supplied remote control
- 1x Source input on front for portable devices
- Inputs/Outputs: HDMI sockets
- Suitable for full 1080p HD resolution
- Simple plug & play, no settings required
- HDMI 1.3b with HDCP pass through
- 480i, 576i, 1080i Interlaced & 480p, 576p, 720p, 1080p Progressive HDTV resolutions
- 250MHz/2.25Gbps Per channel (7.5Gbps all channels) bandwidth
- 12 Bit Per channel (36bit all channel) deep colour
- Supports DTS Digital, Dolby Digital, (including DTS-HD & Dolby True HD) compressed audio & LPCM uncompresses audio
- Metal body for better EMI elimination & gold plated contacts
- Supplied with remote & power adaptor
- Dimensions (WxHxD): 155x23x69.5mm
- Weight: 265g

£23.50

order code AV1997902 612650

Digital to Analogue Audio Converter



- Optical/ coaxial to stereo L/R audio converter
- Converts digital coaxial or optical (TOSLink) to stereo audio (2x phono) outputs
- Inputs: 1x Phono (coaxial) & 1x optical (TOSLink)
- Outputs: 2x Phono (RCA)
- Simple plug & play, no settings required
- 32, 44.1, 48 & 96kHz sampling rate
- 24 Bit S/PDIF Incoming bit stream on L/R channels
- Metal body for better EMI elimination & gold plated contacts
- Supplied with power adaptor

£20.03

order code AV1997502 612648

VGA+L/R Audio to HDMI Converter



A VGA & L/R audio to HDMI signal converter which allows computers output to be displayed on large HDMI equipped HD TVs

- **Inputs:** VGA socket and 2x phono sockets
- **Output:** HDMI socket
- Supports VGA resolutions up to 1280x1024
- Supports HDTV resolutions up to 1080P
- LED indication on signal detection
- Plug and play, easy to install
- Dimensions (WxHxD): 89x29x68mm
- Supplied with power adaptor and user manual

Supports PC VGA/RGB but not compatible with laptops or HDMI devices earlier than v1.2

£26.27

order code AV1850102 532335

HDMI to AV (Phono) Converter



Model: PSG03635

A HDMI to AV converter which converts digital HDMI signals into analogue composite video and L/R audio signals.

- Converts HDMI input into composite video L/R audio output
- Up to 1080p HDMI resolution
- Up to NTSC/480i or PAL/576i analogue composite Video output
- For use with non-HDCP compliant content
- Uncompressed R/L Audio output support
- PAL/NTSC Switch on output
- LED Indication on signal In & Out
- Simple plug & play
- Metal body with gold plated connectors
- **Input:** HDMI socket
- **Output:** 3x Phono (RCA) video & L/R audio
- Dimensions (WxHxD): 100x24x102mm
- Supplied with power adaptor & user manual

£36.50

order code AV2135502 645436

VGA + L/R Audio to HDMI Converter with Scaler

Model: PSG03649

A VGA & L/R audio to HDMI converter with scaler which allows a computers output to be displayed on large HDMI equipped HD TVs. Features a built in scaler function which fixes the HDMI output to 1280x720p resolution no matter what the VGA output resolution is set to.

- **Inputs:** 1x VGA & 2x Phono (RCA) sockets
- **Output:** 1x HDMI socket
- Fixed 1280x720p output resolution
- Supports VGA resolutions upto 1920x1440
- LED indication on signal detection
- Plug and play, easy to install
- Dimensions (WxHxD): 88x26x68mm
- Supplied with power adaptor and user manual

£23.95

order code AV2138002 647393

5.8GHz A/V Sender with IR Extender



- Send audio and video signals to different locations around the home via 5.8GHz wireless technology
- IR extender allows you to control A/V sources from another room

Supplied with transmitter, receiver, 2x scart to 3.5mm 4P jack cables, IR emitter, IR receiver, 2x mains adaptors and a users guide.

AV1869302	A/V Sender Kit	£26.50
AV2096102	Additional Receiver	£16.95

Wireless HDMI Sender with HDMI Loop Through



Model: XDHDMI

Using spread spectrum technology the DigiSender XDHDMI will work flawlessly alongside Wi-Fi, Bluetooth devices, games controllers and many other wireless devices in your home.

- HDMI Throughpass
- **Input:** 1x HDMI socket
- **Outputs:** 2x HDMI sockets & 3.5mm Stereo jack socket
- Range: 150m (Free-Air), 40m (Nominal)
- Stunning DVD quality video
- Crystal clear Hi-Fi stereo sound

£98.95

order code AV2136602

641840

Stereo Audio Over CAT5

Send stereo audio signals over a standard UTP CAT5 cable.

- Connections: 2x Phono sockets (stereo audio) & 1x RJ45 socket
- Gold plated phono sockets
- Passive, requires no power
- Maximum cable length: 152m
- **Used in pairs but sold individually**

£9.19

order code AV1746002

527980

A/V Over CAT5 with IR Extender

Send composite video, stereo audio and IR remote signals over a standard UTP CAT5 cable.

- Connections: 3x phono sockets (composite video and stereo audio), 1x RJ45 socket & 3.5mm jack IR sockets
- Allows two devices to be controlled by original remote controls
- Gold plated phono & RJ45 connectors
- Maximum cable length: 300m (CAT5e UTP cable)
- Powered by 12V, 500mA AC/DC adaptor (included)
- Supplied in pairs Rx+Tx

£23.50

order code AV1876802

VGA Over CAT5

AV1837202: Monitor Side

Send VGA signals over a standard UTP CAT5 cable.

Maximum cable length:

- VGA (640x480): 137m
- SVGA (800x600): 106m
- XGA (1024x768): 76m
- SXGA (1280x1024): 60m

AV1837102: PC side

- Connections: 1x SVGA plug & RJ45 socket

AV1837202: Monitor side

- Connections: 1x SVGA socket & RJ45 socket

• **Used in pairs but sold individually. A pair must include one PC side balun and one monitor side balun.**

VGA+Audio Over CAT5 Kit



- Send VGA & Audio signals over standard UTP CAT5/CAT6 cable
- Features a VGA loop out at the sender end which lets you view your output on any existing monitor
- 1920x1200 Maximum resolution
- Up to 300m range (using CAT5E/6 UTP cable)
- Adjustable gain (brightness) & peak (skew) to adapt for different length of UTP cables
- Simple plug & play
- Supplied with sender, receiver, 2x power adaptors & mounting brackets

Sender

- **Input:** VGA socket & 3.5mm stereo jack socket
- **Output:** VGA socket, 3.5mm stereo jack socket & RJ45 socket

Receiver

- **Input:** RJ45 socket
- **Output:** VGA socket & 3.5mm stereo jack socket

£36.95

order code AV1998002

612651

HDMI Over CAT5



Send HDMI signals along 2 CAT5E/6 network cables to a display up to 60m away

- 30m Maximum range while maintaining 1080p signal using CAT6 cables
- 60m Maximum range while maintaining 480p signal using CAT5E/6 cables
- Supports resolutions up to 1080p
- HDCP & HDMI 1.2a compliant
- Auto adjustment of signal feedback, equalisation and amplification
- Easy installation & no settings
- Powered by 5V/2A power supply (included)

£16.43

order code AV1849602

532282



526382

AV1837102 PC Side - VGA Plug

£19.50

AV1837202 Monitor Side - VGA Socket

£19.50

HDMI Over CAT5 with IR Extender



Send HDMI & IR signals along 2 CAT5E/6 network cables to a display up to 100m away

- 50m Maximum range while maintaining 1080p signal using CAT6 cables
- 100m Maximum range while maintaining 480p signal using CAT5E/6 cables
- Supports resolutions up to 1080p
- HDCP & HDMI 1.2a compliant
- Auto adjustment of signal feedback, equalisation and amplification
- Easy installation & no settings
- Powered by 5V/2A power supply (included)

Contents: HDMI transmitter & receiver, IR transmitter & receiver, power supply and operating instructions

£34.50

order code AV1849702

532283

TOSLink Optical Leads



A range of TOSLink plug to plug optical leads available with either 4mm or 5mm cable.

464961

4mm Cable

AV1859302	0.5m	£0.82
AV1434402	1m	£0.90
AV1434502	1.5m	£0.82
AV1434602	2m	£1.31
AV1434702	3m	£1.63
AV1434802	5m	£2.05
AV1434902	10m	£2.50

5mm Cable

AV1859402	0.5m	£0.89
AV1435102	1.5m	£1.16
AV1435202	2m	£1.66
AV1435302	3m	£1.97
AV1435402	5m	£2.68

HDMI Over Single CAT5E/6 Kits



Send HDMI signals along a single Cat5e/6 network cable to displays up to 50m away at 1080p resolution.

- 50m Maximum range while maintaining 1080p signal using a single Cat5e/6 cable for each receiver
- HDMI 1.2a Compliant
- 165MHz/1.65Gbps per channel (4.95Gbps all channel) bandwidth
- 8 Bit Per channel (24bit all channel) deep colour
- Supports uncompressed 2 channel LPCM audio
- Simple plug & play, no settings required
- Powered by 5V/2A power adaptors (included)
- Dimensions: (WxHxD): Receivers - 65x25x100mm

Contents: Sender, receivers, power adaptors & user manual

PSG03636, 1 to 2 Kit

- 1x Sender, 2 receivers & 3x power adaptors
- Dimensions (WxHxD): Sender: 100x25x102mm

PSG03637, 1 to 4 Kit

- 1x Sender, 4 receivers & 5 power adaptors
- Dimensions (WxHxD): Sender: 270x40x182mm

PSG03636, 1 to 8 Kit

- 1x Sender, 8 receivers & 9x power adaptors
- Dimensions (WxHxD): Sender: 440x45x202mm

645799

AV2135602	1 to 2	£67.50
AV2135702	1 to 4	£110.50
AV2135802	1 to 8	£195.50

Phono Plug to Plug Leads-Coaxial

A composite video or digital audio connection lead manufactured from RG59 cable, 75Ω coaxial cable. Pure copper conductors.

476076

AV1859602	0.25m	£0.37
AV1414502	0.5m	£0.43
AV1414602	1.2m	£0.79
AV1414702	2m	£1.02
AV1414802	3m	£1.11
AV1414902	5m	£2.42
AV1415102	10m	£3.19
AV1371402	15m	£4.57
AV1415202	20m	£6.39
AV1371502	25m	£6.80
AV1415302	30m	£8.19
AV1415502	50m	£14.37

HDMI Over Single Cat5e/6

Model: PSG03630

Send HDMI signals along a single Cat5e/6 network cable to a display up to 50m away at 1080p resolution.

- 50m Maximum range while maintaining 1080p signal using Cat5e/6 cables
- HDMI 1.2a Compliant
- 165MHz/1.65Gbps per channel (4.95Gbps all channel) bandwidth
- 8bit Per channel (24bit all channel) deep colour
- Supports uncompressed 2 channel LPCM audio
- Auto adjustment of signal feedback, equalisation and amplification
- Simple plug & play, no settings required



- Powered by 5V/2A power adaptors (included)
- Dimensions (WxHxD): 65x26x100mm

Contents: Sender, receiver, 2x power adaptors & user manual

£41.50

order code AV2135002

691662

Two Phono Plugs to Two Phono Plugs



- Pure copper conductors

464956

AV1411302	0.5m	£0.36
AV1383802	1m	£0.42
AV1383902	1.5m	£0.90
AV1384002	2m	£0.91
AV1384102	3m	£1.06
AV1384202	5m	£1.52
AV1383002	7m	£1.68
AV1384302	10m	£2.05
AV1384402	15m	£2.73
AV1384502	20m	£4.15
AV1384602	25m	£6.04

2x Phono Plugs to Plugs



Hi-fi leads featuring pure copper conductors and gold plated connectors with colour coded over-mouldings and strain reliefs. Suitable for L+R stereo audio connections between equipment.

502145

AV1383102	1m	£0.55
AV1383202	2m	£0.89
AV1383302	3m	£1.31
AV1383402	5m	£0.99
AV1383502	7m	£1.52
AV1383702	10m	£1.60
AV1383602	15m	£2.25

3x Phono Plugs to Plugs



For stereo audio+video connections. Pure copper conductors.

464952

AV1860002	0.15m	£0.42
AV1860102	0.25m	£0.46
AV1386202	0.5m	£0.50
AV1388002	1m	£0.91
AV1386302	2m	£1.04
AV1386402	3m	£1.52
AV1388102	5m	£1.73
AV1386102	7m	£1.84
AV1386502	10m	£2.63
AV1386602	15m	£3.52
AV1386702	20m	£4.41
AV1386802	25m	£5.78

**Trade prices
on over 100,000
stocked products**

Stereo 3.5mm Jack Plug to Stereo 3.5mm Jack Plug



- Pure copper conductors

495563

AV1860702	0.25m	£0.45
AV1364502	0.5m	£0.53
AV1364602	1.2m	£0.74
AV1364702	2m	£0.85
AV1580202	3m	£1.02
AV1364802	5m	£1.15
AV1364902	7m	£1.84
AV1365002	10m	£1.96
AV1365102	15m	£2.88
AV1365202	20m	£2.99
AV1365302	25m	£3.40

2.5mm Jack Plug to Plug



With pure copper conductors. Available in mono or stereo types.

651782

Mono		
AV1363302	1m	£0.64
AV1363402	2m	£0.74
Stereo		
AV1363002	2m	£0.93
AV1363102	3m	£1.08
AV1363202	5m	£1.13

3.5mm Stereo Jack Plug to Plug



Manufactured from twin core cable with pure copper conductors and gold plated connectors.

502141

AV1365502	1m	£0.68
AV1365602	2m	£0.89
AV1365702	3m	£1.37
AV1365802	5m	£1.58
AV1365902	10m	£1.79
AV1366002	15m	£2.05

3.5mm Stereo Jack Plug to Plug Leads-Twin Core



3.5mm Stereo Jack Leads - Slim



- 3.5mm Stereo jack plug to plug leads
- Slim flexible cable with slim connector bodies
- Ideal for recessed jack connections
- Gold plated contacts
- Available in black or 1m white

667989

Black		
AV2250102	500mm	£0.62
AV2250202	1m	£0.68
AV2250302	1.5m	£0.75
AV2250402	2m	£0.81
White		
AV2250502	1m	£0.48

Stereo 3.5mm Jack Plug to Socket Leads



Mini headphone extension. Black. Pure copper conductors.

462419

AV1863102	1m	£0.59
AV1863202	2m	£0.68
AV1863302	2m (Gold Plated)	£0.74
AV1370302	3m	£0.83
AV1370402	5m	£1.56

Stereo 3.5mm Jack Plug to 2x Phono Plugs



For stereo audio connections. 3.5mm Stereo jack plugs are commonly found on PC sound cards and portable audio equipment. Pure copper conductors.

464949

AV1378202	1m	£0.58
AV1378402	1.2m	£0.68
AV1378502	2m	£0.81
AV1378602	3m	£0.95
AV1378702	5m	£1.21
AV1378802	7m	£1.73
AV1378902	10m	£2.60
AV1379102	20m	£3.64
AV1379202	25m	£4.32

3.5mm Stereo Jack Plug to Plug

- Twin core 3.5mm stereo jack plug to plug leads
- Moulded plugs & strain reliefs

609638

AV1979802	1m	£0.44
AV1979902	1.5m	£0.50
AV1980002	2m	£0.68
AV1980102	3m	£0.70
AV1980202	5m	£1.19
AV1980302	10m	£2.00

Coloured XLR Patch Leads - 1m



- Coloured 3-pin XLR plug to socket patch leads
- 2 Core screened cable
- Available in red, yellow, blue, & black coloured cable
- Lead Length: 1m

647394

AV2110902	Red	£1.48
AV2111002	Yellow	£1.48
AV2111102	Blue	£1.48
AV2111202	Black	£2.03

XLR Microphone Leads



- 3-Pin XLR plug to socket microphone leads
- Tough, two core screened cable
- Cable diameter: 6mm
- Pins connections: 1:1, 2:2 and 3:3
- Black or nickel XLR connectors
- Pure copper conductors
- 1.5m, 3m, 6m & 10m Black connector leads also available as retail versions on hangers

636549

Black Connectors

AV1762802	0.3m	£2.07
AV1762902	0.5m	£1.75
AV1763002	0.75m	£2.24
AV1763102	1m	£2.34
AV1436202	1.5m	£2.81
AV1436302	3m	£3.31
AV1436402	6m	£5.05
AV1436502	10m	£6.31
AV1436602	15m	£9.10
AV1436702	20m	£10.31
AV1436802	30m	£13.12
AV1436902	40m	£17.14
AV1437002	50m	£20.09

Retail Packed - Hanger

AV1911102	1.5m	£3.54
AV1911202	3m	£3.83
AV1911302	6m	£6.05
AV1911402	10m	£6.68

Nickel Connectors

AV1763202	0.3m	£1.97
AV1763302	0.5m	£1.65
AV1763402	0.75m	£2.24
AV1763502	1m	£1.85
AV1437102	1.5m	£2.81
AV1437202	3m	£3.48
AV1437302	6m	£4.82
AV1437402	10m	£6.39
AV1437502	15m	£8.98
AV1437602	20m	£10.31
AV1437702	30m	£13.13
AV1437902	50m	£19.88

3.5mm Stereo Jack Plug to 2x Phono Plugs

Stereo audio splitter leads, ideal for use with PCs and portable audio equipment.

AV1860802	0.15m	£0.29
AV1860902	0.25m	£0.34
AV1861002	0.5m	£0.40
AV1721902	1m	£0.42
AV1722002	1.8m	£0.37
AV1722102	3m	£0.68
AV1722202	5m	£1.05
AV1722302	10m	£2.06

3.5mm Stereo Jack Plug to 2x XLR Plugs



Audio adaptor cable for connecting consumer audio equipment such as PCs & MP3 players to professional audio equipment such as mixers & multi-track recorders.

- Unbalanced 3.5mm stereo jack plug to left & right XLR plugs
- Metal XLR connectors with rubber strain reliefs
- Available in 1m or 3m lengths

AV1927102	1m	£1.73
AV1927202	3m	£2.21

XLR Socket to Plug Leads



3-Pin XLR leads for balanced audio and microphone connections. Features flexible, two core screened cable with pure copper conductors.

AV2345802	0.5m	£1.38
AV1422502	1m	£2.01
AV1422602	2m	£2.21
AV1422702	3m	£2.42
AV1422802	5m	£3.04
AV1422902	6m	£3.30
AV1423002	10m	£4.89
AR7089202	20m	£5.67

Balanced XLRPULSE Splitter Leads



Balanced XLR splitters with flexible PVC insulated leads.

XLR Socket To 2x XLR Plugs		
AV1758602	250mm	£3.61
XLR Plug To 2x XLR Sockets		
AV1758702	250mm	£3.56

BNC Plug to Plug Leads



A range of BNC plug to plug leads for video interconnections. Manufactured from RG59, 75Ω cable with pure copper conductors.

AV1861902	0.15m	£0.79
AV1862002	0.25m	£0.69
AV1862102	0.5m	£0.72
AV1411402	1m	£1.03
AV1411502	1.5m	£1.04
AV1411602	2m	£1.10
AV1411702	3m	£1.47
AV1411802	5m	£2.39
AV1411902	10m	£3.66
AV1412002	20m	£5.69
AV1412102	30m	£8.81
AV1412302	50m	£12.71

Cat5 Audio Video Networking Leads



- RJ45 Plug to RJ45 Plug Cat5 networking leads
- Ideal for AV over Cat5 systems

Black		
AV1866902	0.3m	£0.39
AV1867002	0.5m	£0.44
AV1612702	1m	£0.54
AV1612802	2m	£0.71
AV1612902	3m	£0.89
AV1613002	5m	£1.76
AV1613102	10m	£3.59
AV1867102	15m	£4.36
AV1613202	20m	£5.81
AV1613302	30m	£6.55
AV1613402	40m	£9.91
AV1613502	50m	£13.35

White		
AV1714102	1m	£0.47
AV1714202	2m	£0.78
AV1714302	3m	£0.92
AV1714402	5m	£1.43
AV1714502	10m	£3.09
AV1867202	15m	£4.05
AV1714602	20m	£5.49
AV1714702	30m	£7.52
AV1714902	50m	£12.86

VGA+Audio Leads

- VGA and audio signals in one lead
- Separate VGA and 3.5mm jack connectors on ends
- Neat and tidy connection from PC to LCD/plasma TV or projector
- Plug to plug gold plated connectors



AV1841702	1m	£3.58
AV1841802	2m	£4.57
AV1841902	3m	£5.61
AV1842002	5m	£7.73
AV1842102	10m	£10.25

SVGA Leads - Fully Wired



- Fully wired SVGA cables
- Plug to plug or plug to socket connectors
- Double shielded leads with molded plugs
- Lengths 15m and above have ferrite filters

Plug to Plug		
AV2176302	2m	£2.69
AV2176402	3m	£3.69
AV2176502	5m	£4.69
AV2176602	10m	£7.95
AV2176702	15m	£12.95
AV2176802	20m	£16.90
AV2176902	25m	£21.62
AV2177002	30m	£26.95
AV2177102	50m	£41.95

Plug to Socket		
AV2177202	2m	£2.99
AV2177302	3m	£3.99
AV2177402	5m	£4.79
AV2177502	10m	£8.95
AV2177602	15m	£12.55
AV2177702	20m	£14.95
AV2177802	25m	£21.16
AV2177902	30m	£23.89
AV2178002	50m	£41.95

Plug to Plug SVGA Leads - Fully Wired



- Fully wired plug to plug SVGA leads
- Double shielded leads with molded plugs
- Lengths 15m and above have Ferrite filters

AV2242502	0.5m	£1.67
AV2242602	1m	£1.98
AV2242702	1.5m	£2.65
AV2242802	2m	£3.00
AV2242902	3m	£3.67
AV2243002	5m	£5.13
AV2243102	10m	£8.34
AV2243202	15m	£12.07
AV2243302	20m	£14.73
AV2243402	25m	£18.59
AV2243502	30m	£20.79
AV2243602	50m	£33.06

HDMI Leads



- Moulded HDMI plug to plug leads
- HDMI High Speed
- Gold plated contacts

AV2060302	0.5m	£1.00
AV2060402	1m	£1.21
AV2060502	2m	£1.77
AV2060602	3m	£2.05
AV2060702	5m	£2.53

HDMI Leads



HDMI male (19pin) to HDMI male (19pin) cables. Pure copper conductors.

AV1867302	0.15m	£0.95
AV1867402	0.3m	£1.31
AV1867502	0.5m	£1.47
AV1715002	1m	£1.79
AV1715102	1.5m	£2.95
AV1715202	3m	£3.86
AV1715302	5m	£4.66
AV1715502	10m	£9.44
AV1867602	15m	£11.34


HDMI Leads



- Moulded HDMI 19-pin plug to plug
- Gold plated connectors and contacts
- Suitable for DVD players, digital TVs, LCDs etc.

AV1867702	0.15m	£1.47
AV1867802	0.3m	£1.79
AV1867902	0.5m	£1.22
AV1715602	1m	£2.05
AV1715702	1.5m	£2.89
AV1715802	2m	£3.43
AV1715902	3m	£4.15
AV1716002	5m	£5.78
AV1716202	10m	£7.82
AV1868002	15m	£8.75

High Speed with Ethernet HDMI Leads



- Moulded HDMI plug to plug leads
- HDMI High speed with ethernet
- Gold plated contacts

AV2060902	0.5m	£1.04
AV2061002	1m	£1.42
AV2061102	1.5m	£1.73
AV2061202	2m	£2.21
AV2061302	3m	£2.33
AV2061402	5m	£3.20
AV2061502	10m	£7.09

HDMI Leads

- High Speed



- HDMI High Speed plug to plug leads
- Superior quality 24AWG/0.51mm conductors
- Moulded plugs & strain reliefs
- Gold plated contacts

704551

AV2356802	1m	£1.95
AV2356902	1.5m	£2.34
AV2357002	2m	£2.68
AV2357102	3m	£3.55
AV2357202	5m	£4.75
AV2357302	10m	£8.44

HDMI Leads



- Moulded HDMI 19-pin plug to plug
- Gold plated contacts
- Suitable for digital TV interconnects

467725

AV1477902	0.5m	£1.84
AV1478002	1m	£3.03
AV1478102	1.5m	£3.69
AV1478202	2m	£3.91
AV1478302	3m	£4.74
AV1478502	7m	£8.43
AV1478602	10m	£10.44
AV1478702	15m	£19.13
AV1587302	20m	£23.56

HDMI Plug

to Plug Leads



- HDMI specification compliant
- Moulded HDMI 19-pin plug to plug
- Pure copper conductors
- Suitable for digital TV interconnects

476074

AV1477502	0.5m	£1.84
AV1738102	1m	£2.05
AV1477602	1.5m	£2.25
AV1472702	2m	£2.68
AV1472802	3m	£4.35
AV1477702	7m	£6.76
AV1473002	10m	£8.77
AV1477802	15m	£15.23
AV1587202	20m	£24.50

Active HDMI Leads

- Active HDMI plug to plug leads
- Active circuitry built into moulded HDMI connectors
- Better signal & picture quality
- Simple plug and play, powered by HDMI source
- Gold plated connectors

AV2122102	15m	£22.58
AV2122202	20m	£28.33
AV2122302	30m	£51.87

HDMI Plug

to Plug Leads with Ferrite Suppressors



- HDMI specification compliant
- Moulded HDMI 19-pin plug to plug
- Gold plated contacts
- Fitted with ferrite suppressors
- Suitable for Digital TV interconnects

502348

AV1478802	1m	£2.56
AV1478902	2m	£3.14
AV1479002	5m	£5.71
AV1479102	10m	£10.24
AV1587402	15m	£19.55
AV1587502	20m	£27.38

HQ HDMI

Metal Plug to Plug Leads



High quality HDMI plug to plug leads which have metal bodies and gold plated contacts.

- Ideal for HD applications

543394

AV1871502	1m	£5.20
AV1871602	1.5m	£4.95
AV1871702	2m	£6.04
AV1871802	3m	£6.28
AV1871902	5m	£7.81
AV1872002	10m	£10.45

HDMI Leads

with Metal Connectors



- High Speed with Ethernet HDMI plug to plug leads with metal connectors
- Gold plated contacts
- Moulded strain reliefs

667982

AV2252202	0.5m	£2.89
AV2252302	1m	£3.11
AV2252502	2m	£3.55
AV2252602	3m	£4.00
AV2252702	5m	£4.40
AV2252802	10m	£8.45
AV2252902	15m	£10.25



651788

HDMI Leads

- High Speed




- HDMI High Speed plug to plug leads
- Stylish, all metal, black chrome connectors with moulded strain reliefs
- Gold plated contacts

698703

AV2343202	1m	£2.38
AV2343302	1.5m	£2.69
AV2343402	2m	£2.90
AV2343502	3m	£2.95
AV2343602	5m	£3.82
AV2343702	10m	£6.10

High Speed

Flat HDMI Leads with Ethernet Support



- High speed HDMI leads with ethernet support
- HDMI Plug to plug
- Meets & surpasses requirements of HDMI
- Moulded plugs with gold plated connectors

614838

AV1976102	1m	£2.89
AV1976202	2m	£2.70
AV1976302	3m	£4.71
AV1976402	5m	£6.32
AV1976502	10m	£14.19

High Speed

HDMI Leads with Ethernet



ThinWire series High Speed HDMI leads with Ethernet which feature ultra compact HDMI connectors.

- Small and thin 18mm x 16 mm x 8mm head shell
- Short connector allows slim TVs to sit flush against the wall
- Supports all HDMI devices, including the latest 3D technology
- Delivers 100% picture quality, well beyond 1080p, as the latest 3D technology
- Supports all resolutions including 1080P, 1440P & 2160p
- Tested to 17.8 Gbps
- Supports Audio Return Channel
- 10m & 15m Lengths include an active chipset to boost signal and maintain superior performance
- Oxygen-free conductors with 24k gold contacts


698710

AV2282502	1.5m	£2.88
AV2391602	10m	£20.48
AV2391702	15m	£22.88

HDMI Plug to Plug Lead

- HDMI v1.4
- Supports standard, enhanced, or HD video, plus multi-channel digital audio
- Suitable for 3D gaming & home theatre applications
- Ethernet & Audio Return Channel
- Flexible moulded collars and gold connectors
- Length: 0.5m

4k HDMI Leads



- High Speed with Ethernet
- 5.5mm diameter lead with small aluminium headshell
- Supports all HDMI devices
- Full support for 4k HD & 1080p/2160p resolutions
- Active chipset in 10m & 15m leads to boosts the signal to maintain superior performance
- Easy to install due to its tiny size
- Full 3D support
- Supports Audio Return Channel
- Triple shielded to completely reject interference
- Pure oxygen-free conductors for ultimate conductivity
- 24k Gold contacts
- Tested to 17.8 Gigabit

694391

AV2387002	0.5m	£2.65
AV2387102	1.5m	£3.73
AV2387502	10m	£21.61
AV2387602	15m	£19.25

4K HDMI Leads



- High Speed with Ethernet
- 5.5mm diameter lead with small aluminium headshell
- Supports all HDMI devices
- Full support for 4K HD & 1080p/2160p resolutions
- 10m & 15m Lengths include an active chipset to boost signal and maintain superior performance
- Easy to install due to its tiny size
- Full 3D & 4K support
- Supports Audio Return Channel
- Triple shielded to completely reject interference
- Pure oxygen-free conductors for ultimate conductivity
- 24k Gold contacts
- Tested to 17.8 Gigabit

703500

AV2387702	0.5m	£2.65
AV2448202	1m	£3.39
AV2387802	1.5m	£3.38
AV2448402	4m	£4.59
AV2388002	5m	£5.39
AV2388102	7.5m	£7.19
AV2388302	15m	£20.89

Phono Plug

to Plug Leads – RG59



High quality phono plug to plug leads suitable for composite video and digital audio connections. Features RG59 cable and gold plated contacts.

481231

AV1428402	1.5m	£0.79
AV1428502	3m	£1.47
AV1428602	5m	£2.05
AV1428702	10m	£3.10



79p
order code AV2555302

712834

Flat HDMI Lead - Braided 1.5m

CABLE POWER



HDMI HIGH SPEED WITH ETHERNET

- High Speed with Ethernet
- Flat cable perfect for discrete routing, e.g. under carpets
- Braiding for superior protection from abrasion
- Aluminium headshell
- Supports all HDMI devices
- Full support for 4k HD & 1080p/2160p resolutions
- Full 3D support
- Supports Audio Return Channel
- Triple shielded to completely reject interference
- Pure oxygen-free conductors for ultimate conductivity
- 24k Gold contacts
- Tested to 17.8 Gigabit

£3.35

order code AV2388802

696305

HQ 3.5mm Jack Plug to Plug Leads

pro-SIGNAL

High quality audio leads with 3.5mm jack type connections. Feature gold plated contacts and OFC cable.

542488

AV1696102	500mm	£0.84
AV1427402	1m	£0.92
AV1427502	2m	£1.00
AV1427602	3m	£1.63
AV1427702	5m	£2.03
AV1427802	10m	£2.56
AV2188902	15m	£2.84
AV2189002	20m	£3.89

HQ 3.5mm Stereo Jack Plug to 2x Phono Plugs

pro-SIGNAL

High quality 3.5mm stereo jack to 2x phono plugs suitable for stereo audio connections. Feature gold plated contacts with OFC cables.

481229

AV1426902	1m	£1.65
AV1427002	2m	£1.89
AV1427102	3m	£2.03
AV1427202	5m	£3.70
AV1427302	10m	£4.11
AV2189102	15m	£4.83
AV2189202	20m	£5.83

3-Way Phono Adaptors

A 3x phono socket to socket adaptor available with either gold or nickel plated contacts and colour coded insulations for L+R stereo and composite video.

454154

AV1543902	Nickel	£0.69
AV1555502	Gold	£1.02

HQ 2x Phono Plugs to Plugs

pro-SIGNAL



High quality leads with 2x phono (RCA) type plugs for stereo audio interconnections. Feature colour coding, gold plated contacts and OFC cables.

481234

AV1865902	500mm	£1.69
AV1425602	1m	£2.17
AV1425702	2m	£2.56
AV1425802	3m	£2.91
AV1425902	5m	£4.07
AV2189302	15m	£4.99
AV2189402	20m	£6.03

HQ TV Coax Leads

pro-SIGNAL



High quality coaxial leads for PAL type TV connections. Features gold plated contacts and OFC cable.

651637

Plug To Socket

AV1428802	2m	£1.77
AV1754402	3m	£2.14
AV1754502	5m	£2.75

Plug To Plug

AV1754602	2m	£1.77
AV1754802	5m	£2.67

HQ HDMI Plug to Plug Leads

pro-SIGNAL



High quality HDMI leads which have metal bodies and gold plated contacts.

522223

AV1720402	1m	£2.73
AV1720502	1.8m	£3.04
AV1720602	3m	£3.50
AV1720702	5m	£4.07
AV1720802	7m	£4.89

3.5mm Jack Socket to 2.5mm Jack Plug Adaptors

pro-SIGNAL



543171

	Socket	Plug	
	Stereo	Stereo	
AV1535402	3.5mm	2.5mm	£0.61
	Mono	Stereo	
AV1727602	3.5mm	2.5mm	£0.68

3.5mm/6.35mm Mono Jack Adaptor

pro-SIGNAL



6.35mm Mono plug adaptor.

612869

AV1520202	3.5mm Mono	£0.39
AV1726802	3.5mm Stereo	£0.35
AV1520302	Phono	£0.25

2.5mm Jack Plug, Gold Plated



Shielded metal construction. Gold plated contacts. Supplied in packs of 2.

£1.53

order code AV1578102

698733

3.5mm to 6.35mm Jack Adaptors

pro-SIGNAL



Long bodied, 3.5mm jack socket to 6.35mm (1/4") stereo jack plug adaptors. Full metal gold or nickel plated and plastic bodies available.

527940

	Socket Type	Body	
AV1727102	Stereo	Gold	£0.58
AV1521502	Stereo	Nickel	£0.42
AV1521302	Mono	Plastic	£0.42

Phono Adaptors/Gender Changers



A range of plug to plug and socket to socket adaptors with either nickel or gold plated contacts. The adaptors are available with gold plated contacts (**Note:** AV1540702 are all metal, gold plated connectors, AV1542802 and AV1542902 have gold plated contacts. Both have plastic bodies).

481503

CN0054502	Plug to Plug	£0.44
	Plug to Plug - Gold Plated Contacts	
AV1542802		£0.29
AV1522702	Socket to Socket	£0.24
	Socket to Socket - Gold Plated Contacts	
AV1542902		£0.29
All Metal - Gold Plated		
AV1540702	Socket to Socket	£1.19

F Adaptors

pro-SIGNAL



- 2x F Female to 1x F male
- Brass or zinc body

663767

CN1610702	Brass Body	£0.39
CN1610802	Zinc Body	£0.19

Phono Plug to Socket Adaptors - 90°

pro-SIGNAL



With coloured bodies and gold plated contacts.

516896

AV1725002	Black	£0.49
AV1725102	Red	£0.49
AV1725202	White	£0.49
AV1725302	Yellow	£0.49
AV1725402	Green	£0.49
AV1725502	Blue	£0.33

Panel Mount Phono Sockets - Unified Shells

pro-SIGNAL



- Unified diecast shells
- Socket to socket connections
- Gold plated contacts
- 22.5mm Cutout required for either front or rear mounting
- Available in red, black, white or yellow colour coded insulators

652131

AV2115002	Red	£1.49
AV2115102	Black	£1.49
AV2115202	White	£1.49
AV2115302	Yellow	£1.49

F Socket to 2x F Socket T Adaptor

pro-SIGNAL



663180

CN1610202	Brass Body	£0.39
CN1610302	Zinc Body	£0.19

BNC Adaptor Female to Double Male

pro-SIGNAL



- Brass body, nickel plated
- Gold plated contacts

79p

order code CN1601902

663781

Phono Adaptor to TV Coaxial

- PAL Female to RCA Male



19p

order code CN1611802

693120

Phono Socket to Coaxial Type Adaptors



628036

AP0179202 Phono Socket BNC Plug	£0.21
AV1550902 Phono Socket BNC Socket	£0.36
AV1539102 Phono Socket F Plug	£0.34
AV1546602 Phono Socket F Socket	£0.40
AV1540902 Phono Socket TV Plug	£0.71
AV1541002 Phono Socket TV Socket	£0.48

Phono Plug to Coaxial Type Adaptors



A range of phono (RCA) type adaptors for use in audio, video and communications systems

691658

From	To	
AV1550802 Phono Plug	BNC Plug	£0.44
AV1522202 Phono Plug	BNC Socket	£0.36
AV1551202 Phono Plug	F Socket	£0.44
AV1556802 Phono Plug	TV Plug	£0.46
AV1540802 Phono Plug	TV Socket	£0.42

Phono (RCA) to 6.35mm (1/4") Jack Adaptors



Phono (RCA) socket to 6.35mm (1/4") mono jack plug adaptors. Available in plastic or all metal body.

656638

AV1520302	Plastic	£0.25
AV1729002	Metal	£0.45

2x Phono Sockets to 3.5mm Jack Plug



526961

AV1548502	3.5mm Mono	£0.44
AV1729602	3.5mm Stereo	£0.50

BNC to Phono Adaptor



A gold plated BNC plug to phono socket adaptor.

59p

order code AV1730102

543320

Dual Phono Adaptor



- Standard spacing widths
- 2x Sockets

39p

order code AV1534702

612873

XLR Adaptors



- A range of XLR adaptors to suit many different applications
- Metal bodies & nickel plated contacts

613461

From XLR Plug	To	
AV1457502	XLR Plug	£1.59
AV1530402	Phono Plug	£1.79
AV1557702	Phono Socket	£1.79
	6.35mm (1/4") Jack Socket - Mono	£1.43
AV1549302	6.35mm (1/4") Jack Socket - Stereo	£1.84
	6.35mm (1/4") Jack Plug - Mono	£1.46
AV1519702	6.35mm (1/4") Jack Plug - Stereo	£1.63
AV1549102	Mini XLR Plug	£2.29
From XLR Socket	To	
AV1457602	XLR Socket	£2.29
AV1528402	Phono Plug	£1.59
AV1530302	Phono Socket	£1.59
	6.35mm (1/4") Jack Plug - Mono	£1.29
AV1519802	6.35mm (1/4") Jack Plug - Stereo	£1.79
	6.35mm (1/4") Jack Socket - Mono	£1.89
AV1519902	6.35mm (1/4") Jack Socket - Stereo	£2.26
AV1520002		

XLR Male To 6.35mm Jack Plug



High quality, metal construction.

698221

AV1519702	Mono	£1.46
AV1549102	Stereo	£1.63

XLR Male To 6.35mm Jack Socket



High quality, metal construction.

698222

AV1549302	Mono	£1.43
AV1549402	Stereo	£1.84

**Order online at
cpc.co.uk**

Scart Adaptors - Switched




Scart plug to 3x phono socket adaptors with integral IN or OUT switches. AV1542502 has an additional 4-pin Mini DIN (S-VHS) socket.

475892

AV1542402	3x Phono Sockets	£1.20
	3x Phono + 4-pin Mini DIN Socket	£1.19

HDMI Adaptors



- A range of HDMI Adaptors
- Compact moulded bodies with gold plated connectors

655723

AV1998502	A 90° Plug to Socket	£1.68
AV2191402	B 270° Plug to Socket	£1.81
AV1977402	C 90° Plug to Socket	£2.68
AV1977502	D 270° Plug to Socket	£2.31
AV1873802	E 180° Swivel Plug to Socket	£1.56
AV1926102	F 2x 180° Swivel Plug to Socket	£4.15
AV1926202	G 360° Swivel Plug to Socket	£3.78
AV1612502	H HDMI Socket to DVI-D (DL) Plug	£3.50
AV1612602	I HDMI Plug to DVI-D (DL) Socket	£2.63
AV2122402	J HDMI Socket to Micro 'D' Plug	£1.89
AV1878402	L HDMI Socket to Socket	£1.40

HDMI 270° Plug to Socket Adaptor



Moulded 270° HDMI plug to socket adaptor with gold plated contacts.

£1.29

order code AV2250902

667985

USB A to A Faceplate Adaptor Lead



- USB A Socket to socket adaptor lead
- Suitable for wallplates, floor boxes and other AV installations
- Can be used as a coupler
- Compact moulded design
- Lead length: 140mm

67p

order code AV2328502

704380

HDMI Faceplate Adaptor Lead



- HDMI Socket to socket adaptor lead
- Suitable for wallplates, floor boxes and other AV installations
- Can be used as a coupler
- Compact moulded design
- Lead Length: 160mm

£1.65

order code AV2328802

704384

Cable/Faceplate Assembly with HDMI



Time and cost saving cable assembly and faceplate with HDMI. All cables are fully pre-assembled to the face plate with socket connectors. Ideal for interactive whiteboards, large screens and other PC based multimedia systems.

- Brushed steel faceplate mounts on a standard UK 2G electrical back box (surface box supplied)
- Faceplate connections clearly marked

697378

Cable Assemblies:	Lengths
End A (Trailing) End B (Faceplate)	
HDMI 19 Pin Socket	HDMI 19 Pin Socket 0.2m
USB A Type Plug	USB B Type Socket 5m
3x Phono Plugs	3x Phono Sockets 5m/10m/15m/20m
S-Video Plug	S-Video Socket 5m/10m/15m/20m
3.5mm Stereo Plug	3.5mm Stereo Socket 5m/10m/15m/20m
SVGA Plug	2x SVGA Sockets (Y Configuration) 5m/10m/15m/20m

AV2319102	5m	£39.95
AV1875502	10m	£43.95
AV2421602	15m	£69.95
AV2421702	20m	£89.95

1G/2G Brush Plates



- Face plates with black brushes
- For use wherever cables pass through walls to keep the outlet looking clean & tidy
- Mount straight onto wall or onto UK back box (not included)
- Available in 1G or 2G UK faceplate sizes
- 1G Cable entry dimensions (WxH): 50x40mm
- 2G Cable entry dimensions (WxH): 100x40mm

658260

AV2216402	1G Brushplate	£1.98
AV2216502	2G Brushplate	£2.19

1G/2G White Brush Plates



- White Faceplates with white brushes
- For use wherever cables pass through walls to keep the outlet looking clean & tidy
- Mount straight onto wall or onto UK back box (not included)
- Available in 1G or 2G UK faceplate sizes
- 1G Cable entry dimensions (WxH): 50x40mm
- 2G Cable entry dimensions (WxH): 100x40mm

695582

AV2319802	1G Brushplate	£1.59
AV2319902	2G Brushplate	£2.19

1G/2G Brush Plates - Vertical



- 1G or 2G Vertical brush plates with white brushes
- For use wherever cables pass through walls to keep the outlet looking clean & tidy
- Mount straight on to wall or on to UK back box (not included)
- Cable entry dimensions (WxH): 20x55mm
- Available in 1G or 2G versions

698992

AV2249702	1G	£1.69
AV2375102	2G	£3.09

1G/2G UK Brush Plates



Face plates with black brushes. For use wherever cables pass through walls to keep the outlet looking clean & tidy.

- Available in 1G or 2G UK faceplate sizes
- White, Brushed Chrome or Polished Chrome versions available
- Use behind TVs and other AV equipment to avoid unnecessary connections and terminations
- Suitable for pre-terminated cables going to LCDs & Plasma screens
- Space saved by eliminating plug and socket connections means that LCDs and Plasmas can be placed closer to the wall
- Mount straight onto wall or UK back box (not included)
- 1G Cable entry dimensions (WxH): 50x40mm
- 2G Cable entry dimensions (WxH): 100x40mm

547122

White		
AV1909302	2G UK	£2.25
Brushed Chrome		
AV2061602	1G UK	£7.29
AV2061702	2G UK	£7.65
Polished Chrome		
AV2061802	1G UK	£7.40
AV2061902	2G UK	£9.05

Stereo Ear Phones



- These stereo earphones combine a lightweight design, premium sound quality and maximum comfort.
- Soft silicone earbuds for a perfect and comfortable fit
 - Suitable for a wide variety of audio devices
 - Available in silver or black

651808

AV2205902	Silver	£1.04
AV2206002	Black	£1.04

Lightweight Stereo Headphones



- Lightweight
- All plastic construction
- Available in three lead lengths

651437

Technical Data		
Frequency Response	22Hz - 18kHz	
Impedance	32Ω	
Sensitivity	98dB ±3dB	
Driver Diameter	2x 27mm	
Lead Lengths	1.2, 1.8, 3m	
Connector Type	3.5mm, Stereo Jack Plug, 90°	
Weight	31g	

AV1877702	1.2m	£0.77
AV1877802	1.8m	£0.80
AV1877902	3m	£0.91

Multimedia Stereo Headphones

Stylish stereo headphones with low profile foam padded earcups for extra comfort.

- 27mm Drivers with Neodymium magnets to give excellent sound quality
- Adjustable plastic headband
- Flexible, miniature cable



Technical Data

Frequency Response	20Hz - 20kHz
Impedance	32 Ω
Sensitivity	102dB
Power	100mW
Lead Length	1.2m
Connector Type	3.5mm Stereo Jack Plug

£1.29

order code AV2386602

703065

Kids Volume Limiting Stereo Headphones



- Headphones suitable for children
- Built-in volume limiter to protect child's ears
- Soft cushion ear pads for comfort
- Available in Hello Kitty or Thomas & Friends designs

702983

Technical Data		
Frequency Response	20Hz-20kHz	
Impedance	32Ω	
Sensitivity	85dB±3dB	
Driver Size	30mm	
Cable Length	1.2m	
Connector	3.5mm Stereo Jack Plug, 90°	

AV2460702	Hello Kitty	£9.75
AV2460802	Thomas & Friends	£9.75
AV2505002	Frozen	£9.75
AV2505102	My Little Pony	£9.75
AV2505202	Monster High	£9.75
AV2505302	Ninja Turtles	£9.75
AV2505402	Batman	£9.75
AV2505502	Superman	£9.75

Preston Contact Centre

8am - 7pm Mon to Fri
9am - 5pm Saturday

Now open Bank Holidays

Call us on
08447 88 00 88

Stereo Hi-Fi Headphones

hama

Model: HK-3031

Plug in, Sit back and Relax in comfort with Hama over-ear headphones

- Ideal for Hi-Fi with increased carrying comfort
- Perfectly fitting, closed ear padding, ideal protection against ambient noise
- Adjustable, padded headbands and single-sided cable for increased carrying comfort
- Oxygen Free Copper (OFC) inner conductor for better single transfer and crystal clear clarity
- Supplied with gold plated 3.5mm to 6.35mm (1/4") stereo jack adaptor



Technical Data

Frequency Response	20Hz - 20kHz
Impedance	32Ω
Sensitivity	113dB
Speaker Diameter	40mm
Connector	3.5mm Jack Plug, Gold Plated
Cable Length	2m

£3.95

order code AV2137602

642569

Professional Stereo Headphones with Volume Control

High quality stereo headphones that offer superb, clean sound quality and comfort.

- Ideal for Hi-Fi listening and monitoring applications
- 40mm Drivers deliver a deep bass sound
- Adjustable padded headband and earcups for added comfort
- Single side cable entry
- In-line volume control
- OFC Litz cable and gold plated connector for optimum signal transfer
- Supplied with gold plated 3.5mm to 6.35mm stereo jack adaptor



Technical Data

Frequency Response	20Hz - 24kHz
Impedance	32 Ω
Sensitivity	102dB
Power	500mW
Lead Length	1.8m
Connector Type	3.5mm Stereo Jack Plug

£8.49

order code AV2384102

696353

DJ Headphones

SUNNHEISER

Model: HD201

- Powerful stereo sound
- Rich, crisp bass
- Good attenuation of ambient noise



Technical Data

Frequency Response	21Hz-18kHz
Impedance	24Ω
SPL	108dB

£14.95

order code AV1193102

475794

Stereo Portable Recorder

Model: DR-05

The DR-05 offers portable, high-quality stereo recording in MP3 or WAV format using microSD/SDHC media (2GB included).

- Switchable filter to minimize unwanted low-frequency noise (40Hz, 80Hz, 120Hz)
- Manual recording level setting for music and field recording
- 3 Automatic level controls during recording: Peak Reduction, Auto Level, Limiter
- 2 Second pre-recording buffer
- 5 or 10 Second timer delay
- Variable speed playback (50–200%) without changing pitch
- Playlist feature to play files in a certain order
- MP3 ID3 tag display (up to version 2.4)
- Stereo mic/line input with plug-in power
- Headphone/line output
- Built-in loudspeaker
- Built-in 1/4" stand adaptor

£65

order code DP3244302

655287

DP3261002 PS-P515U AC Adapter **£24.50**

Stereo Portable Recorder with 2GB MicroSD Card

Model: H1

- Brilliant stereo recording, now in your pocket
- Recording format: WAV & MP3
- Playback format: WAV & MP3
- X/Y microphone pattern captures stereo sound
- Linear PCM recording at up to 24-bit/96kHz quality
- Includes 2GB MicroSD card & supports microSDHC cards up to 32GB
- 3.5mm Input socket for external microphones & line level sources
- BWF allows time stamping & track markers to be added
- Continuous operation for about 10 hours on one AA battery (included)

£62

order code DP3152702

636542

Accessory

DP3169602 Accessory Pack **£22.00**

Personal PA System

Model: WAP-3

Waistband amplifier, consisting of 1 headband microphone, 1 active speaker, 1 plug-in charger, supplied without batteries/rechargeable batteries.

- Designed as a "girdle bag" with adjustable snap-in strap
- Electret headband microphone
- 5W output
- Battery operation/rechargeable battery operation, charging of the rechargeable batteries is done via the supplied plug-in charger and without removing the rechargeable batteries
- Operating time with fully charged batteries approx 6-8 hours
- Power supply 9V DC current (6x AA size)
- Supplied without batteries

£19

order code DP2909402

609748

H1 Stereo Portable Recorder Accessory Pack



The Zoom official H1 accessory pack for the H1 Handy Recorder features an array of accessories that will make your H1 recordings even easier to capture. The windscreens will reduce the occurrence of background noises eg wind, as well as keep the H1's X/Y mics clean. The USB connector type AC adapter is easy way to charge your H1, or use the USB cable to connect your H1 to any Mac or PC computer. The APH-1's adjustable tripod stand is compatible with the H1's fixed tripod mount, making the H1 versatile in a variety of stationary functions. The kit also comes with a mic clip adapter allowing your H1 to be easily attached to any standard mic stand.

Zoom H1 accessory pack includes:

- Windscreen
- AC adapter (USB type)
- USB cable
- Adjustable tripod stand
- Padded-shell case
- Mic clip adapter

£22

order code DP3169602

631101

Portable Recorder with Phantom Power



Model: DR-40

The DR-40 packs four-track recording, adjustable condenser microphones, XLR mic inputs, phantom power and extended battery life into a portable WAV/MP3 recorder using microSD/SDHC media (2GB included).

- 4-Track recording
- Switchable filter to minimize unwanted low-frequency noise (40Hz, 80Hz, 120Hz)
- Manual or automatic recording level setting
- 3 Automatic level controls during recording: Peak Reduction, Auto Level, Limiter
- 2 Second pre-recording buffer
- Auto recording start and stop by input level
- 5 or 10 Second record timer delay
- Variable speed playback (50–150%) without changing pitch
- Playlist feature to play files in a certain order
- MP3, ID3 tag display (up to version 2.4)
- Stereo XLR/TRS mic/line input with phantom power
- Headphones/line output
- Built-in monitor loudspeaker
- Built-in reverb effect (6 presets, can be applied to input or output signal)
- Built-in 1/4" Stand adapter
- Optional RC-10 remote allows for either wired or wireless control (DP3244802)

£119

order code DP3244502

655292

DP3244802 RC-10 Remote **£26.00**

DP3261002 PS-P515U AC Adapter **£24.50**

Portable Desktop PA System



Model: DT50

- Self contained desktop format PA system
- Comprehensive solution for a range of applications
- Includes 2 VHF hand held microphones (174.1 & 175.0MHz)
- Integral USB/SD/FM media player
- Compact moulded polypropylene cabinet
- Mains or rechargeable battery operation

Technical Data

LF Driver	8" Reinforced Paper Cone
HF Driver	2x 25mm Balanced Dome
Output Power	50W RMS
Frequency Response (Mic)	40Hz-15kHz
S/N Ratio	85dB
Battery	12V DC 2.3Ah Lead Acid, up to 8 hours battery life
Power Supply	110-240V AC, 50/60Hz
Dimensions	380x295x220mm
Weight	7.2kg

£105

order code DP3283502

696116

Transit Bag for DT50



Model: 952.403

Carry bag for DT50 portable PA unit made from heavy duty nylon with 10mm padding. Flaps for control/input panels and carry handle are secured with hook & loop fasteners and side slots accommodate the shoulder strap attachments.

- Tailored for DT50 portable PA system
- Openings for carry handle and shoulder strap
- Access to all functions for in-bag operation
- Zip pocket for leads and accessories
- Dimensions: 400x290x250mm
- Weight: 570g

£9.99

order code DP3284802

696118

Portable PA System with 2x Wireless Microphones



Model: QR12PA/QR15PA

The QR series is a complete PA portable unit using a pair of VHF hand held microphones. Idea for schools, large halls and conferences. The retractable trolley handle and rear wheels make it easy to move between stage and vehicle.

- Mic volume, echo, bass, treble, master volume controls
- 2x VHF hand held microphones 174.1MHz & 175.0MHz
- 35mm pole mount
- Integral USB/SD media player
- Mains/rechargeable operation
- Max 8hrs battery life
- Optional neckband microphones with beltback transmitters (sold separately)

632235

DP3170802 12" PA System **£120.00**

DP3170902 15" PA System **£175.00**

Optional Neckband Mics

DP3254302 174.1MHz **£11.00**

DP3254402 175.0MHz **£11.00**

10W Megaphone



Model: MP20

The MP20 from Pulse is a 10W handheld megaphone with wrist strap and folding handle for easy storage.

- Power rating (RMS): 10W
- Projection range: Up to 100m depending on conditions
- Power on/off switch
- Alarm on/off switch
- Volume slider control
- Microphone/music switch
- Power supply: 4x1.5V D size batteries (not included)
- Dimensions (ØxL): 155x245mm
- Weight: 490g (excl.batteries)

£4.75

order code LS0404502

668191

25W Megaphone with Shoulder Strap

Model: MP50X

The MP50X from Pulse is a 25W handheld megaphone with detachable shoulder strap and a CB style anti-howl microphone with coiled lead.

- Power rating: 25W
- Projection range: Up to 500m depending on conditions • Siren on/off switch
- Volume control
- Microphone on/off switch with slide lock
- Power supply: 8x1.5V D size batteries (not included) or 12VDC (adaptor not included)
- Dimensions (ØxL): 230x345mm
- Weight: 1.36kg (excl.batteries)

£19

order code LS0404702

668193

Portable PA System with iPod Dock

PULSE

Model: TREKKER i300

- The ultra portable TREKKER i300 from PULSE is ideal for schools, parties and general music playback from a range of audio sources including iPod's® featuring the 30-pin Apple® connector.
- Built-in rechargeable battery for up to 8 hours use
 - Powerful 30 watts peak output
 - Two-way system with 8" woofer and dome tweeter
 - Retractable trolley handle plus ultra smooth wheels for ultimate portability
 - High quality microphone and lead included
 - Multiple input options
 - iPod dock with charging system
 - Spring loaded handles
 - Battery level indicator
 - Tough, protective metal front grille and corner guards
 - 35mm (1 3/8") top hat for stand mounting (stand not included)



£102.50

order code DP3219702

648502

7x 5W Quad Colour LED Light Effect

edj



Model: Slimline 7Q5

- Housing 7 Quad (RGBW) 5W LEDs, the Slimline 7Q5 give smooth colour mixing from rich saturated hues to subtle pastel shades. The stylish compact housing has been designed for easy transportation and installation, and the twin bracket is perfect for free standing or rigging applications. The 4 push button LED menu allows easy access to the functions including DMX, master/slave, sound active and stand alone.
- 7x 5W quad-colour LEDs (RGBW)
 - Beam angle: 25°
 - 400Hz refresh rate
 - 0 - 100% dimming with variable strobe
 - DMX channels: 2/3/4 or 7 selectable
 - Static colour, colour change, colour fade, auto run, sound active, master/slave and DMX
 - 4 push button menu with LED display
 - 3-pin XLR in/out sockets
 - IEC Power in/out sockets
 - Convection cooled
 - Available in black or white
 - Power consumption: 62W
 - Power supply: 100-240V, 50-60Hz
 - Dimensions: 202x99x224mm
 - Weight: 2.5kg

DP3300902 Black
DP3310402 White

£63

681382

Stage Wash - 18 x 8W

Model: Q Colour

Utilising Quad RGBW LED technology the LEDJ Q Colour adds washes of colour to stages and performers.

- DMX channels: 4 / 6 selectable
- Sound active, auto, master/slave and DMX modes
- 18 x 8W Quad-colour LEDs • Static colour selection
- 3 Push button LED display • 0-100% dimming
- Beam Angle: 25° • Fan cooled
- Robust metal housing
- Power supply: 240V



£218

order code DP3182902

RGB Cluster Laser Effect

KAM

Model: Ultracluster RGB

The ultimate in controllable star cluster lasers. Powerful red, green and blue lasers with multi-star clusters and on-board switchable red, green & blue effects.



- Choose between any combination of colours via 3 buttons
- Easy-to-use 4 button remote control
- Wide angle floor-to-ceiling stars and patterns
- Lasers: Red: 200mW/650nm, Green: 50mW/532nm, Blue: 100mW/445nm
- Operating Modes: DMX, Sound-to-Light and Auto
- Programmed animated patterns
- Sound-to-Light mode via built-in microphone • 5 Channel DMX
- 4 Button on-board control panel with LED
- Robust metal housing
- Adjustable hanging bracket
- Fan cooled operation
- Lockable safety key switch
- IEC mains input
- Power supply: AC 100V-240V 50/60Hz
- Dimensions (WxHxD): 144x149x235mm (including bracket)
- Weight: 1.4kg

£105

order code DP3405902

710922

12W LED Moving Head Light Effect

edj

Model: Inno Pocket Spot

The Inno Pocket Spot is a mini moving head with a bright 12W LED source. Its compact size and light weight makes it ideal for mobile entertainers, small club and bars or any mobile production. Featuring 7 colours plus white, 7 fixed gobos plus spot and separate colour wheels, the Inno Pocket Spot offers fast moving beams and colour changes. It has a pan and tilt inversion mode that makes one head do the opposite of another when linked together.



- 3 Modes: DMX, sound active & internal show
- 2 DMX channel modes: 9 & 11 channels
- 4 Built-in shows • Gobo shake effect
- Gobo scroll mode • Beam angle: 13°
- 540° pan/ 230° tilt (16-bit)
- 5 Selectable dim curves (standard, stage, TV, architectural & theatre)
- Pulse effect; random strobe slow to fast
- Dimming: 0-100% • Fan cooled
- Omega bracket included
- Linkable: DMX via 3-pin XLR cable
- Power consumption: 26W @120V, 27W @230V
- Multi-voltage operation: 100-240Vac, 50/60Hz
- 12W white LED source (rated at 50,000 hrs)
- Dimensions (LxWxH): 159x147x265mm
- Weight: 3kg

£155

order code DP3359802

698540

7x8W Quad LED Moving Heads

EQUINOX

Model: Fusion 50

- 7x 8W Quad-colour LEDs (RGBW)
- Beam angle: 40°
- Pan: 540°, Tilt: 180°
- 9 DMX channels
- 4 Push button menu with LED display
- Auto, sound active & master/slave modes
- 0-100% dimming and variable strobe
- 3-Pin XLR & IEC in/out sockets
- Fan cooled
- Supplied with hanging bracket
- Power consumption: 85W
- Power supply: 110-240V
- Dimensions: 249x173x173mm
- Weight: 3.6kg



DP3400302 Black **£120.00**
DP3400402 White **£120.00**

712292

XLi Series Power Amplifiers

EQUINOX



Models: XLI800, XLI1500, XLI2500 & XLI3500

The XLi Series of power amplifiers from Crown represents a new era in affordable, quality power amplification. All four models in the series are powerful, rugged and reliable. They are suited for musicians, DJs, and entertainers as well as houses of worship, discos, and pubs.

- Stereo/parallel/bridge-mono mode
- User selectable input sensitivity - 0.775V and 1.4V
- Efficient forced-air cooling prevents excessive thermal buildup
- Electronically balanced RCA and XLR inputs; binding post and Speakon outputs
- Two level controls, power switch, power LED, and 6x LEDs which indicate signal presence, clip and fault for each channel
- Protection against shorts, no-load, on/off thumps and radio-frequency interference
- 1 Year, no-fault, fully transferable manufacturer's warranty

Technical Data 688004
XLI800 XLI1500 XLI2500 XLI3500

Stereo Mode (per channel)
4Ω 300W 450W 750W 1350W
8Ω 200W 330W 500W 1000W

Bridged Mono Mode
8Ω 600W 900W 1500W 2700W
Dims (WxHxD) 483x315x89mm
Weight 11.4kg 12.7kg 13.5kg 19.5kg

DP3315402 XLI800 **£176.67**
DP3315502 XLI1500 **£217.50**
DP3315602 XLI2500 **£328.33**
DP3315702 XLI3500 **£590.00**

XENYX 802 Mixing Console

behringer



- 2 State-of-the-art XENYX Mic Preamps
- Neo-classic "British" 3-band EQs
- 1 Post fader FX send
- 1 Stereo aux return for FX applications
- Main mix outputs plus separate control room, phones and stereo CD/tape outputs
- CD/tape inputs assignable to main mix or control room/phones outputs

£35

order code DP2920702

636519

900W Smoke Machine

KAM

Model: KSM1100 V2

- Horizontal smoke machine with LED FX.
- 900W Heater
 - 3x Red LEDs operate on output
 - Illuminated 0.8 litre tank with sensor
 - 3 Minute warm up time
 - Low fluid indicator
 - Smoke output: 10,000 Cu ft/min (approx)
 - Dimensions (WxDxH): 266x174x150mm (not including bracket)
- Contents:** 1x KSM1100 V2, 1x wired remote, 1x instruction manual and 1x mains cable



£65.50

order code DP3362002

704900

DJ MIDI Controller + Software

Numark



Model: MixTrack Quad

- 4 Channels of control and built-in audio interface
- 16 Multi-colour rubber pads with Loop, Sample, and Hot Cue Modes
- Colour customizable dual-zone platters with touch-sensitivity
- Crossfader, 3-band EQ, and music navigation controls
- 16 Effects controls for flanger, phaser, echo, and more
- Built-in audio system connects with headphones, mic, and PA
- Pitch and Sync controls for seamless and easy mixing
- Standard MIDI for use with most popular DJ software
- Class compliant with both Mac and PC (no driver required)
- USB powered (no power adapter required)
- Includes Serato DJ Intro (4-channel version) software
- Dimensions (WxHxD): 464x51x264mm
- Weight: 2.2kg

£165

order code DP3373702

712293

CD/USB/SD Player

citronic



Model: CDUSB-2

- Single front load CD player
- 20 Seconds anti-shock protection
- Up to 16% pitch adjustment
- Jog/scratch wheel
- Playback of compressed audio on CD
- Selectable elapsed or time remaining display
- 2U 19" rack-mountable
- Power consumption: 20W
- USB input v.2.0 320GB max (500GB self-powered)
- SD card slot SD cards up to 8GB
- IR remote control
- Output connection L+R RCA
- Frequency response: 20Hz-20kHz (±2dB)
- S/N ratio: >90dB
- THD: <0.1%
- Remote: 2x AAA battery (included)
- Dimensions (WxHxD): 482x94x260mm
- Weight: 3.35kg

£105

order code DP3367402

700640

Disco/PA Cabinet Speakers

PULSE



Model: PVS Series

The PULSE PVS series are ideal as an entry level speaker for DJs, Karaoke or even home party use.

- Tough carpet covering
- Inputs/links: 1x locking speaker socket, 1x pair of binding posts, 1x 6.35mm (1/4") jack socket
- 35mm Stand mount

601882

Model	PVS10
Peak Power:	200W
Woofer Size:	10"
Impedance:	8Ω

Model	PVS12	PVS15
Peak Power:	300W	400W
Woofer Size:	12"	15"
Impedance:	8Ω	8Ω

LS0358802	PVS10	£31.50
LS0358902	PVS12	£37.00
LS0359002	PVS15	£50.00

12"/15" Passive PA Loudspeakers

KAM



Model: ZP12 & ZP15

- 2-Way passive PA speakers
- 12"/15" inch woofers
- Professional Piezo tweeters
- Reinforced corners
- Full metal grille

682347

Technical Data		
Model	ZP12	ZP15
Speaker		
Speaker Size	12"	15"
Power Rating	150W RMS	200W RMS
Weight:	12kg	18.5kg

LS0410902	ZP12	£40.83
LS0411002	ZP15	£55.00

12"/15" Passive PA Speakers

KAM

Models: RZ12 & RZ15

A range of two way injection moulded passive PA speakers with steel chassis and titanium diaphragms.

- Speakeron 35mm pole mount input connections
- Nominal impedance: 8Ω

Technical Data		
Model	RZ12	RZ15
Power (Max)	800W	1000W
Power (RMS)	200W	250W
HF Driver	2.5"	3"
Bass Driver	12"	15"

LS0443902	RZ12	£74.00
LS0444002	RZ15	£82.50

Dual 4" Curved Loudspeaker

JBL



Model: CONTROL NOW

With its contemporary curved design the Control Now provides a stylish look with plenty of versatility. With the ability of multiple units been connected together these speakers are perfectly suited for bookshelf or wall mounting, 90° or 270° corner mounting, plus the option of being suspended in a 360° ring.

- Dual 100mm (4") woofers
- 19mm (3/4") Titanium-laminate tweeter
- Power handling: 50W (300W peak)
- Contemporary, curved design with versatile mounting configurations
- Combinable into half-round or full 360° round clusters
- Black finish & grille

Technical Data

Frequency Response (-6dB)	80Hz - 30kHz
Power	50W (300W Peak)
Impedance	8Ω
Sensitivity	90dB

£59

order code LS0402802

659358

5" Active Speakers

qtxsound



A range of high performance 2-way stereo speakers with built-in amplifiers. They have a heavy duty vented design for high power and deep bass response and are ideal for use as studio or DJ monitors. They are supplied in pairs with mounting brackets and connecting leads.

- 13.3cm (5.25") bass driver
- 2.5cm (1") Neodymium dome tweeter
- Built-in amplifier (40Wrms power)
- Mounting brackets included
- One powered and one slave speaker
- 5m speaker cable included

696121

LS0414402	Black
LS0414502	White

£42

3", 4" & 5" Active Monitor Speakers with Bluetooth

SAMSON



Models: MediaOne BT3, BT4, BT5

Samson's MediaOne Active Studio Monitors are the ideal speakers for all your multimedia needs and feature the ability to connect to your smart phone, laptop or tablet via Bluetooth.

- 2 Way active studio monitors
- Rear-vented, precision-tuned ports
- 3", 4" & 5" Polypropylene cone woofers
- 1" Silk dome tweeters
- Front panel LED indicator, level control, headphone output and stereo input
- Back panel Bluetooth pairing button, RCA inputs, passive monitor terminals and AC power connector
- AV shielded for multimedia applications
- Speaker cable included

Technical Data 711101

Model	BT3	BT4	BT5
Driver (LF)	3"	4"	5.25"
Power (RMS/Peak)	2x15W/30W	2x20W/40W	2x20W/40W
Dimensions (WxDxH)mm	167x199	200x231	229x282
	x140	x169	x205
LS0454702	BT3		£66.00
LS0454802	BT4		£92.00
LS0454902	BT5		£125.00

LUCAS Nano 300 Speaker System

HK

Model: LUCAS NANO 300

LUCAS NANO 300 is probably the world's smallest, lightest and pound-for-pound loudest PA.

- Portable lightweight powered PA system
- Suitable for PA, Musicians & DJs
- 230 Watts of amplified power
- Single sub unit with built in mixer and amplifier
- 2 Satellite speakers which can be fixed together

Technical Data

Subwoofer	8"
Bass Driver	
Output Power	160W @ 2Ω
Connectors	XLR/6.35mm jack combo, RCA, 3.5mm jack
	Outputs & Link: 6.35mm jack
Dimensions (WxHxD)	300x390x420mm
Weight	8.3kg

Array Speaker (2pcs)	3.5" Broadband speaker
Speaker	
Output Power (single/double)	35W @ 8Ω / 70W @ 4Ω
Dispersion (HxV)	60°x40°
Dimensions (WxHxD)	130x130x115mm
Weight (lower/upper)	1kg each

£375

order code DP3370302

705662

LUCAS Nano 600 Speaker System

HK

Model: LUCAS NANO 600
LUCAS NANO 600 is the world's first crossover PA, it can be deployed either as a space-saving mono column or as a stereo system with remarkably detailed spatial resolution.

- Portable lightweight powered PA system
- Suitable for PA, Musicians & DJs
- 460 Watts of amplified power
- Single sub unit with built in amplifier and 3ch mixer
- 2 Satellite speakers which can be fixed together

Technical Data

Subwoofer	10"
Bass Driver	
Output Power	300W @ 8Ω
Connectors	XLR/6.35mm jack combo, RCA, 3.5mm jack
	Outputs & Link: 6.35mm jack

Dimensions (WxHxD) 350x490x470mm

Weight 13.9kg

Array Speaker (2pcs)

Speaker (Low/Mid)	4.5"
Speaker (Mid/High)	1"
Output Power (single/double)	80W @ 8Ω / 160W @ 4Ω
Dispersion HxV	90°x(+10°/-45°) / 90° x 60°
Dimensions (WxHxD)	145x145x135mm
Weight (lower/upper)	1.2kg each

£610

order code DP3370402

705669

12" & 15" 800W Active Speakers with Bluetooth

ALTO

Models: TS112W, TS115W

Active 800 Watt 2-way 12" or 15" Speaker System with a 1" compression driver, bluetooth connectivity & ultra-efficient 800 Watt Class D powered 2-way speaker system for live performance, DJs and corporate events.

- Stream audio wirelessly from iPad, iPhone, iPod touch, Android devices and more
- Use as traditional PA loudspeaker or as floor wedge monitor
- Two mic/line combo inputs with independent volume controls
- Stand and pole-mountable or flyable

Technical Data

Model	TS112W	TS115W
Power (Max)	800W	800W
Power (RMS)	400W	400W
Bass Driver	12"	15"
Tweeter	1"	1"
Connectors	XLR / Line	XLR / Line
LS0455302	TS112W	£215.00
LS0455402	TS115W	£232.00

QT Series Active Bass Speakers

qtxsound

Models: QT15SA, QT18SA

Active subwoofers with integral amplifier and adjustable low pass filter in rugged, carpet covered wooden cabinet.

- Adjustable cut-off frequency
- Integral 35mm pole-mount
- Side mounted carrying handles
- Connections: XLR (in/out)

Technical Data

Model	QT15SA	QT18SA
Woofer	15" (380mm)	18" (450mm)
Power (RMS/Max)	150W / 600W	250W / 1000W

LS0452802	15"	£74.95
LS0452902	18"	£95.75

Compact Shotgun Microphone

Model: Videomic Pro

The RØDE Videomic Pro raises the bar set by the original RØDE Videomic, by combining broadcast quality audio with an ultra compact and lightweight ergonomic design.

- Professional grade shotgun microphone
- 3.5mm Stereo mini-jack output (dual mono)
- Two step High Pass Filter (flat, 80Hz)
- Three position level control (-10dB, 0, +20dB)
- Powered by a 9V PP3 Battery (battery not included)
- Up to 70 hours from one 9V battery
- Camera shoe mount with 3/8" thread
- Broadcast recording quality condenser microphone
- Integrated foam mounting
- Integrated foam windshield
- Dimensions (HxWxD): 95x43x150mm
- Weight: 85g

£115

order code MP3450002

623479

X/Y Stereo On-Camera Microphone

Model: Stereo VideoMic

- Broadcast sound quality
- Rugged cast aluminium body
- Videographers may use true stereo recording techniques in the field with ease.
- The X/Y configuration enables the SVM to capture the true ambience of the recording space
- High level of rear rejection and low noise.
- Fitted with a shoe mount
- The SVM offers 9V battery operation, an LED battery status indicator
- High pass filter switch, and a -10dB pad switch
- Suited for all video applications including Electronic News Gathering (ENG), Weddings, Sports Events & Interviews

£124

order code MP3412402

484593

MP3413302 Carry Case

£12.45

Podcaster - Broadcast Quality USB Microphone

Model: Q1U

- High quality broadcast sound
- Dynamic capsule (neodymium) 28 mm
- 18-Bit Resolution, 8KHz to 48KHz sampling
- Windows and Mac compatible
- Tight Cardioid pattern for superior off axis sound rejection
- Powered from USB bus
- Includes microphone stand mount and a 3m USB cable
- Internal capsule shock mounting
- 3.5mm stereo headphone jack output with volume control
- Full 10 year manufacturer's guarantee
- Dimensions (HxWxD): 56x52x215mm
- Weight: 610g

Technical Data

Type	Dynamic (neodymium) 28mm
Max SPL	115dB
Frequency Response	40 Hz - 14 kHz
Pickup pattern	Cardioid
Signal/Noise	>78dB
Sensitivity	-51dB re 1V/Pa (2mV @ 94dB SPL) ±3 dB
Power Supply	USB

£115.50

order code MP3413902

489628

Portable USB Condenser Microphone

Model: Go Mic Direct

Samson's Go Mic Direct is the ideal portable audio solution for Skype, FaceTime, voice recognition software, as well as recording audio for YouTube videos, lectures, podcasts and webinars. The Go Mic Direct also features the Samson Sound Deck Noise Cancellation Software (Mac OS X/Windows), allowing you to capture pristine, accurate vocal communications and recordings in any environment.

- Portable USB condenser microphone
- Ideal for Skype, FaceTime and voice recognition software
- Great for mobile podcasting, audio for YouTube, recording music and more
- Mac OS X and Windows compatible, no driver installation required
- Ultra-compact design with retractable USB connector that won't block surrounding ports
- Compatible with most computer-based digital audio software
- Dual 10mm microphone capsules
- 16-bit, 44.1kHz resolution
- Smooth, flat frequency response of 20Hz-20kHz
- iPad and USB bus powered
- Protective carry case included
- Dimensions: 42x19x42mm
- Weight: 29.3g

£31.50

order code MP3501602

712297

USB Condenser Microphone

Model: Meteorite

Samson's Meteorite is the universal solution for capturing high-quality recordings on your computer. Meteorite is ideal for podcasting, creating audio for YouTube videos and recording music on your favourite software or Apps. Also, when combined with the iPad using Apple's Lightning USB Camera Adapter or Camera Connection Kit (30-pin), the Meteorite is a great tool for recording on the go.

- 14mm Diaphragm USB condenser microphone
- Perfect for high-quality recording in desktop and home studio environments
- Ultra-clear voice capture for Skype, FaceTime and voice recognition software applications
- Plugs directly into any computer with a USB input, no driver installation required
- Compatible with most computer-based digital audio software
- Cardioid pickup pattern
- 16-bit, 44.1/48kHz resolution
- Smooth, flat frequency response of 20Hz-20kHz
- Integrated USB cable
- iPad and USB bus powered
- Chrome-plated body
- Removable magnetic base for optimal desktop positioning
- Dimensions: 50x67mm
- Weight: 118g

£29.15

order code MP3501502

712296

Studio USB Condenser Microphone

Model: C01U PRO

The C01U Pro is the most convenient way to get high-quality audio on your computer. Its large, 19mm diaphragm captures all the subtle nuances of your voice in a variety of applications. Whether you're a musician or aspiring video or podcast producer, the C01U Pro will instantly increase the audio quality of your musical recordings, YouTube videos and podcasts. It also makes for superior singer-songwriter demos and accurate speech-to-text results.

- Large, 19mm diaphragm ensures pristine studio-quality audio
- Headphone output for zero-latency monitoring
- Ideal for recording music, ADR work, Sound Foley, voice-overs, audio for YouTube videos
- Vastly improves Skype, FaceTime, VoIP applications and speech-to-text dictation software
- Supercardioid pickup pattern
- Smooth, flat frequency response of 20Hz-18kHz
- 16-bit, 44.1/48kHz resolution
- Solid die-cast metal construction
- Shock-mounted mic element
- Peak LED indicator
- Plug-and-play, no driver installation required
- Compatible with most recording software and apps
- USB bus powered via Mac, PC or iPad
- Includes tripod stand, swivel mount and USB cable
- Dimensions: 54x180x54mm
- Weight: 1.15kg

£40.50

order code MP3501702

711415

Dynamic Vocalist Microphone

Model: DM18

- Handheld microphone with dynamic capsule
- Ideal for karaoke and vocal applications
- Machined metal body
- Built-in on/off switch
- Supplied with 4m XLR to 6.35mm mono jack lead (unbalanced)

Technical Data

Type	Dynamic
Frequency Response	40Hz-17kHz
Output Impedance	600Ω
Sensitivity	-55 dB
Dimensions (LxDia.)	183x49mm
Weight	330g

£7.15

order code MP3480502

680188

XM8500 Dynamic Vocal Microphone



- Dynamic vocal microphone with smooth mid-frequency presence rise for excellent vocal projection
- Shock mount system to reduce handling noise
- Integrated spherical wind and pop noise filter
- Ultra-low distortion for a super clean sound
- Microphone stand adaptor included

£15.80

order code MP3350902

636471

UHF Handheld Radio Microphone

Model: S4.4 Series

- 4 Switchable frequencies
- Licence free in the UK on channel 70
- LEDs on the receiver showing Power On, AF Peak level, RF Level and Diversity Channel A or B
- High quality cardioid dynamic head microphone
- Power LED, on/off and frequency selection on transmitter
- Front mounted antennae and variable gain
- Jack plug & balanced XLR output
- Locking 3.5mm jack socket on transmitter
- Headset microphone ideal for active users
- Transmitter battery life is in excess of ten hours

£115

order code MP3387402

467699

4 Way UHF Wireless Microphone System



Model: KWM Quartet

A professional USB rechargeable microphone UHF wireless system, consisting of 4 handheld microphones and a 19" rack mountable receiver.

- 19" Rack mount modular receiver design
- LED status indicators
- 2x Removable/adjustable antenna
- 4x Colour coded microphone transmitters
- Working distance: 100m
- 4x Balanced XLR, 1x 6.35mm Jack unbalanced audio outputs
- USB charging for microphones (2 at a time)
- Three year warranty

£190.50

order code MP3507802

710858

2.4GHz Wireless Mic System



Model: MICLINK WIRELESS

- Universal XLR transmitter converts any Lo-Z dynamic microphone into a wireless system
- Simple single-button pairing of transmitter/receiver; connects in seconds
- Enjoy up to 60ft (18.3m) of reliable connectivity and over 6 hours of battery life
- Lithium-ion powered transmitter conveniently recharges via USB
- Connect up to 5 wireless systems simultaneously
- Reliable 2.4GHz spectrum; 14 Channels
- Compact receiver with 6.35mm (1/4") out and antenna; powered via battery (AAAx3) or included AC adapter
- Ideal for all but the largest sound environments: Small to medium stages, karaoke, public speaking, weddings, business presentations


£49.15

order code MP3506102

712298

Micron DJ Booth System

EQUINOX



Model: MICRON DJ Booth & Overhead Kit


This ultra lightweight, aluminium Equinox MICRON DJ Booth system comes supplied with a sturdy shelf, cross bars, overhead kit, carry bag and white lycra cover so the booth can be lit from behind with a vast array of light effects (not included). The overhead kit supplied in this system allows the user to create a full light show without the need to have separate lighting stands.

- Compact and lightweight design
- Frame: Aluminium
- Optional black cloth cover available separately
- Optional TV mounting bracket available separately
- Optional LED and Tri-LED starcloths available separately

710914

STO368902	Micron DJ Booth	£229.00
STO369002	LED Starcloth	£135.00
STO369102	TV Mounting Bracket	£29.00
STO369202	Tri-LED Starcloth	£165.00
STO369302	Black Cloth Cover	£48.00

DJ Stand with Lighting Bar



Model: DJ-MTS 4

A fabulous DJ stand with high flexibility and stability. The total weight is just 17kg so can easily be carried around to all set ups. It needs just 5-8 minutes to build up the complete system. The 2 integrated lighting stands with T-Bars can be removed if not needed.

- Adjustable feet
- Height of first table rails: 57cm
- Height of second table rail: 93cm
- Width of stand system (without T-Bars): 126cm
- Depth of the system: 38cm
- Minimum height of T-Bars: 211cm
- Maximum height of T-Bars: 251cm
- The 2 T-Bars can be connected with screws to a width of 260cm
- Distance from one rail to the next: 32cm
- Maximum vertical load for T-Bars: 30kg

£65.50

order code ST0310402

683562

Laptop Stand

PULSE

Model: LTS

The LTS is a universal laptop stand, ideal for DJs and musicians. The variable width of the stand allows almost any size of notebook to be set up safely. Stand height can also be adjusted to suit your needs.

- Black metal body
- Rubberised bearing area
- Includes two mounting clamps
- Adjustable height: 235-320mm
- Adjustable width: 230, 255 & 280mm
- Weight (without/with clamps): 1.76/2.48kg


£13

order code ST0309302

683563

Compact Light Stand

PULSE



A compact light stand ideal for the smaller effects lights

- 3 Section lighting stand with T-Bar
- Steel construction
- 25mm T-Bar with 4 mounting points
- T-Bar length: 950mm
- Adjustable height: 1100-2500mm
- Maximum load: 25kg
- Folded dimensions: 120x1090x120mm
- Weight: 4.46kg

£18

order code ST0131302

636620

Lightweight Lighting Stand

RHINO



Model: STAN20A

The Rhino silver aluminium light stand, is a lightweight aluminium lighting stand with dual locking mechanisms.

Ideal for small light effects and parcans.

- Silver finish
- Tube diameter: 35mm
- Dual locking mechanism
- Supplied with a 1205mm T-Bar
- Adjustable height: 1693-3800mm
- Length: 1660mm (closed)
- Maximum footprint: 1043mm
- Maximum load: 30kg
- Material: Aluminium
- Weight: 3.4kg


£29

order code ST0237002

679432

LG350 Truss Stand

RHINO



Model: TRUS01

- Portable lighting truss stand ideal for mobile DJs
- Easy set up
- Tripod stands extend to 3.5m
- 2x 1.5m 'I' beams create a 3m trussing span
- Max. Load: 40kg (evenly distributed)
- Weight: 23.4kg

£74

order code ST0351602

696011

Aluminium Speaker Stand - 40kg

PULSE



Model: PLS00011

- Lightweight aluminium construction
- Strong build quality
- Tube diameter: 35mm
- Maximum load: 40kg
- Adjustable height: 1000-1800mm
- Locking pin
- Rubber feet
- Folded dimensions: 1045x130x130mm
- Weight: 2.44kg
- Optional carry bag (see DP29592)
- Satin black finish

£13.95

order code ST0130402

683588

40kg Steel Speaker Stand



Model: RHSAMS001A

- 35mm steel speaker stand
- Black powder coated
- Adjustable height with locking pin
- Height: 1230-1980mm
- Maximum load: 40kg
- Weight: 4kg

£20

order code ST0335602

712299

Short Microphone Stand with Boom

PULSE



Model: PLS00042

- All metal construction
- Folding, tripod metal base with rubber feet
- 5/8" Thread with locking nut
- Thumb screw clamp for boom arm and tripod base
- Height: 460mm
- Boom length: 525mm
- Supplied with cable clips and 5/8" to 5/8" adaptor

£7.50

order code ST0160202

636598

One Handed Operation Microphone Stand

HO-PMB

MODEL: MICS5

- 1-Hand height adjustment
- Colour: Black
- Mic holder included
- Adjustable height: 95-160cm
- Weight: 1.4kg

£12.95

order code ST0226502


638351

MB55 Microphone Boom Stand

KINSMAN

Model: MB55

This versatile, black anodised, boom microphone stand is fully adjustable for both height and angle, with a large span tripod base and non-slip rubber feet for maximum stability. It has an easily accessed chrome locking bar for the boom arm and a cable clip on main stand section.



Technical Data

Minimum Height	32" (81.3cm)
Maximum Height	62" (157.5cm)
Boom Length	31" (78.7cm)

£19

order code ST0058002

712300

Microphone Anglepoise Boom Arm

CITRONIC

Model: 180.102UK

A professional microphone boom arm with desk clamp for studio or broadcasting use.

- Rotates 360°
- Features spring retraction and a lockable hinge
- Microphone clip supplied
- For desks with a maximum depth of 50mm
- Reach: 1010mm Max
- Load: 5kg Max
- Thread adaptor: 5/8"
- Weight: 690g

£17.50

order code ST0369702

712301

**Call us on
08447 88 00 88**

Loudspeaker Cabinet Spikes - Extra Slim



Cabinet speaker spikes for the 'acoustic decoupling' of loudspeaker cabinets from mounting surfaces. Each spike sits on a locating disk and has an adjustable height to compensate for uneven surfaces. Fixing is via drive in spikes. Height: 43 to 41.5mm.

623898

LS0119502	Gold Plated	£8.50
LS0119602	Black Chromium	£8.50

Loudspeaker Cabinet Spikes - Fine



Cabinet speaker spikes for the 'acoustic decoupling' of loudspeaker cabinets from mounting surfaces, especially solid type floors. The spikes have threaded inserts for screwing into the cabinets which also allow the height of each spike to be adjusted. Black burnished finish.

£2.75

order code LS0119702

712302

Anti-Vibration Mountings



A set of 8 anti-vibration, rubber plates for use with speaker cabinets, turntables and other audio equipment. Dimensions (WxHxD): 40x9.5x40mm.

£3.50

order code LS0058402

712307

Karaoke Mixer Kit



A compact, stylish unit that converts your CD/DVD player into a karaoke system to make that party go with a swing.

- Includes 2 dynamic microphones
- Echo control
- Tone control (treble)
- Volume control for each microphone
- RCA phono inputs/outputs for audio and video connection
- Dual microphone inputs (6.3mm)
- Supplied with 2x 3.0m mic leads and 1.5m RCA phono leads
- Mains adaptor supplied

£13.25

order code DP3316002

696284

Cabinet Feet



A range of rubber and plastic feet for loudspeaker cabinets.

539532

Size (Dia.xH)mm	Hole Size mm	Pack price/pack (8)
-----------------	--------------	---------------------

Rubber Feet					
LS0163302	38x10	06.2	4	£1.50	
LS0163202	38x20	06.2	4	£2.25	
LS0163402	19x8	03.5	20	£3.00	
LS0163502	39x16	06.2	4	£1.40	

Drum Stick Bag



Model: 173.595UK

- High quality padded drum stick bag
- Zip fastener which closes when bag is folded in half
- 3 Pockets are stitched into the lining to allow storage of separate pairs of sticks or beaters
- Separate outside pocket for other accessories
- 2 Adjustable straps with clips allow the opened bag to be slung from a floor tom
- An over-stitched webbing handle and a removable shoulder strap are included for portability
- Dimension (open): 490x495x25mm
- Dimension (closed): 250x495x40mm
- Weight: 340g

Note: Drum sticks not included

£6

order code DP3378902

707699

Firebird Acoustic Guitar

Model: AF227A-D7

This high quality 39" full size acoustic cutaway guitar from Jack Strings is perfect for players of all levels and standards. High Quality materials have been used to produce this guitar, so whether you are new to playing or are a seasoned player you will be amazed at the sound quality. Comfortable to hold and easy to play the Firebird comes with allan key to adjust the truss rod, to suit your style of playing.


- 39" Full size cutaway acoustic guitar
- Top: Linden Plywood
- Back: Linden Plywood
- Sides: Linden Plywood
- Fingerboard & Bridge: Rosewood
- Machine Head: Die-cast chrome
- 6 Steel strings
- ABS binding
- White brass frets
- Gloss black finish with firebird design

£43

order code DP3368902

705664

7A Drumsticks



- A range of high grade 7A drum sticks
- Available in maple, oak or walnut
- Sold in pairs

694347

DP3307902	Maple	£1.40
DP3308002	Oak	£1.60
DP3308102	Walnut	£4.50

Mini Bubble Machine



Model: 160.562UK

A colourful bubble machine which can be either mains or battery operated, suitable for childrens parties

- Colourful lightweight plastic
- Retractable handle
- Child safe
- DC mains adaptor supplied
- Can be operated from 2x C batteries (not included)
- Rotation: 5rpm
- Fluid capacity: 140ml
- Power supply: 3Vdc 800mA
- Dimensions: 150x175x215mm
- Weight: 594g

£11

order code DP3378302

708280

DP2684202	Bubble Fluid - 5L	£8.25
-----------	-------------------	-------

Mini LED Strobe - Battery Powered



Model: MINI LED STROBE

A battery powered LED strobe, housed in a robust ABS casing with adjustable mounting bracket. On the rear is a rotary control for adjusting the rate from 0-10 flashes per second.

- Battery powered
- 2x Very bright white LEDs
- Variable flash rate up to 10 flashes/second
- Adjustable mounting bracket
- Lightweight plastic housing
- Power: 6Vdc
- Batteries: 4x AA (Not included)
- Dimensions: 52x95x130mm
- Weight: 134g

£2.85

order code DP3279802

711010

Preston Contact Centre
8am - 7pm Mon to Fri
9am - 5pm Saturday
Now open Bank Holidays

LED Rotating Effect Bulb

KAM



Model: Moonbulb

- Fill the room with coloured points and beams
- RGB moving beam effects
- Easy plug and play operation
- Bright output
- Ideal for bedrooms and parties
- Plugs into existing light fittings
- Edison Screw (ES) fitting as standard
- Supplied with Bayonet Cap (BC) and Small Edison Screw (SES) adaptors
- Dimensions (ØxH): 75x155mm

£6.83

order code DP3368102

703857

Order online at
cpc.co.uk

400W Fog Machine with On/Off Remote

ATMOTEC



Model: VS400

This compact smoke machine is ideal for small venues, house parties and mobile DJs.

- Warm up time: approx 2 min
- Tank Capacity: 0.25L
- Remote control with On/Off function
- Dimensions: 240x144x150mm
- Weight: 1.75kg

£24

order code DP3275102

701822

DP2908502	5L Light Fluid	£10.50
DP2908602	5L Medium Fluid	£11.50

400W Foam Machine

HQ-POWER



- Power supply: 230VAC / 50Hz
- Output: 30m³/min
- Tank capacity: 1L
- Dimensions (WxHxD): 119x342x190mm
- Weight: 3.2kg

£42

order code DP3176402

639445

iPad mini with Retina Display

- 7.9" LED-backlit Multi-Touch IPS display with higher resolution than an HDTV
- 2048x1536 pixel resolution at 326 pixels per inch (ppi)
- Fingerprint-resistant oleophobic coating
- Powered by the new A7 chip with 64-bit architecture
- 5MP iSight camera and FaceTime HD camera
- Dual microphones for improved audio reception
- Full-HD video recording with stabilisation
- Ultra-fast wireless performance with MIMO technology
- Bluetooth v4 and Dual Band Wi-Fi 802.11 a/b/g/n wireless networking
- Connections: Lightning connector, 3.5mm headphone socket and Nano Sim-Card Tray (Cellular models only)
- Rechargeable lithium polymer battery with up to 10 hours battery life web surfing on Wi-Fi
- Dimensions (HxWxD): 200x134.7x7.5mm
- Weight: 331g (Wi-Fi) 341g (Wi-Fi & Cellular)
- 1 Year manufacturer warranty

Contents: iPad, lightning to USB cable, USB power adaptor and user guide

Space Grey Wi-Fi

SB0537002 16GB

Silver Wi-Fi

SB0537102 16GB

PRICE CUT

£209

690203

Iconia A1 8" Quad Core Tablets

Model: A1-810

- Sleek, stylish and fully featured Android tablets
- Ideal for web browsing, multimedia and gaming
- Quad core processor for smooth performance
- Capacitive 8" HD touchscreen
- LED backlit display with IPS technology
- 5MP Camera with Full-HD video recording
- 16GB Internal storage and MicroSD support
- Wireless 802.11 b/g/n and Bluetooth 4.0
- High capacity rechargeable Li-ion battery
- Dimensions (HxWxD): 146x209x11mm

Contents: Tablet PC, ac adaptor and user guide

SB0533002 White
SB0568902 Grey

£59

8" Quad Core Tablet PC with Keyboard

Windows 8.1

Model: M8077

- Designed for power and portability; Windows tablet supplied with bluetooth keyboard case
- Genuine Windows 8.1 preloaded
- Includes 12 month Microsoft Office subscription
- 8" Capacitive IPS display (1280x800)
- Next generation Bay Trail SoC with quad core Intel Atom Z3735G CPU
- CPU speeds up to 1.83GHz with Burst Technology
- 1GB DDR3 System RAM and Intel HD graphics
- 16GB Internal storage and MicroSD slot
- 2MP Front and 2MP rear cameras
- Wireless 802.11b/g/n and Bluetooth 4.0 connectivity
- Connections: Micro USB, Mini HDMI and 3.5mm headphone output
- High capacity 4700mAh Li-polymer battery
- Dimensions (HxWxD): 125x206x10mm

NEW

£99.95

order code SB0567902

712394

10.1" Quad Core Android Tablet



SAVE £5

Model: MT10222G

- High quality Android tablet with sleek black design
- Quad core processor and Android KitKat 4.4.2 OS
- 1GB RAM for improved speed and app performance
- Crisp 10.1" capacitive display with 1024x600 resolution
- 8GB Storage and MicroSD slot (supports up to 32GB)
- 2MP Rear camera and front facing webcam
- Wireless 802.11b/g/n and Bluetooth 4.0 connectivity
- High capacity rechargeable battery
- Dimensions (HxWxD): 149x258x10mm

£74.95

order code SB0557402

704942

Galaxy Tab 3 Lite 7" Tablet

- Thin, lightweight design and up to 8 hours of battery life
- Enjoy access to over a million apps and games from the Google Play store
- 7" High resolution 1024x600 touchscreen
- 1.2GHz Dual core processor with 1GB RAM
- 8GB Storage and MicroSD slot (supports up to 32GB)
- Android 4.2.2 Jelly Bean OS with Touchwiz UI
- Rear camera with 2MP resolution
- Wireless 802.11b/g/n and Bluetooth connectivity
- High capacity 3600mAh rechargeable battery
- Dimensions (HxWxD): 193x116x10mm

£89

order code SB0549702

SB0528202 Folio Stand Case

699326

£10.95

iPad Air



PRICE CUT

- 9.7" LED-backlit Multi-Touch Retina display with IPS technology
- 2048x1536 pixel resolution at 264 pixels per inch (ppi)
- Powered by the new A7 chip with 64-bit architecture
- Enhanced app experience with the M7 Motion coprocessor
- 5MP iSight camera and FaceTime HD camera
- Full-HD video recording with stabilisation
- Ultra-fast wireless performance with MIMO technology
- Bluetooth v4 and Dual band Wi-Fi 802.11 a/b/g/n wireless networking
- High speed cellular connectivity - network speeds up to LTE supported
- Connections: Lightning connector, 3.5mm headphone socket and Nano Sim-Card Tray (Cellular models only)
- Rechargeable lithium polymer battery with up to 10 hours battery
- 1 Year manufacturer warranty

Contents: iPad, lightning to USB cable, USB power adaptor and user guide

Space Grey Wi-Fi

SB0538602 16GB

Silver Wi-Fi

SB0538702 16GB

£269

690202

Quad Core 8" Tablet PC

Model: EM-I8080-D

- The perfect mix of power and portability
- Genuine Windows 8.1 (64-bit) preloaded
- Includes Microsoft Office 365 Personal subscription
- Stunning 8" Capacitive IPS display (1280x800)
- Next generation Intel Atom Z3735G CPU
- CPU speeds up to 1.83GHz with Burst Technology
- 1GB DDR3 System RAM and Intel HD graphics
- 32GB Internal storage and MicroSD slot
- 2MP Front and 2MP rear cameras
- Wireless 802.11b/g/n and Bluetooth 4.0 connectivity
- Connections: Micro USB, Micro HDMI and 3.5mm headphone output
- High capacity 4000mAh Li-polymer battery
- Dimensions (HxWxD): 215x125x9mm

Note: Office 365 subscription is for 12 months

£82.50

order code SB0560602

706745

Galaxy Tab 3 10.1" Tablets

- Enjoy great viewing on the wide 10.1" touchscreen
- Stunning high definition, 1280x800 resolution display
- Do 2 things at once with split-screen functionality
- Built-in surround sound for impressive audio playback
- Enjoy access to over a million apps and games from the Google Play store
- Explore music, movies, games and books with Samsung Hub
- Android 4.2 Jelly Bean OS with enhanced Touchwiz UI
- 1.6GHz Dual core processor with 1GB RAM
- 16GB Storage and MicroSD slot (supports up to 64GB)
- Twin cameras; 3MP rear and 1.3MP front
- Dual-band wireless 802.11a/b/g/n networking
- Bluetooth, Wi-Fi Direct and MHL connectivity
- High capacity battery with up to 9 hours of use
- Dimensions (HxWxD): 176x243x8mm

SB0551102 Black
SB0551202 White

£189

700887

CS2800406 Galaxy Tab 3 10.1 Folio Stand

£11.95

MultiPad Thunder 7" Dual Core Android Tablet

Model: PMT3377_WI

- Ready to use with Android KitKat 4.4
- Bright, high resolution 7" display (1024x600)
- High performance dual core Intel Atom processor
- 1GB RAM ensures faster loading times and navigation
- PowerVR SGX GPU for enhanced video and graphics performance
- 8GB Internal storage and MicroSD slot (up to 32GB)
- Built-in 2MP rear and 0.3MP front cameras
- High speed wireless connectivity
- Optimised power management for longer battery life
- Connections: Micro USB and 3.5mm headphone
- Dimensions (HxWxD): 115x190x10mm

Contents: Tablet, ac adaptor, USB cable and user guide

£42.95

order code SB0563302

709179

Computer, Office and Telecommunications

14" Dual Core Chromebook

Model: H6Q28EA#ABU

- Built-in virus protection with multiple layers of security
- Free office software with Google Docs, Sheets, and Slides
- Multiple user accounts with complete parental control
- Access the software on your PC or Mac from your Chromebook by using Chrome Remote Desktop
- Brightview 14" HD WLED display (1366x768)
- Intel Celeron 2955U CPU with Intel HD graphics
- 4GB DDR3 RAM, 32GB onboard M.2 SSD storage
- 100GB Cloud storage with Google Drive
- Stereo speakers with High Definition audio
- HP TrueVision HD slim webcam
- Digital microphone with echo cancellation
- Wireless 802.11 a/b/g/n and Bluetooth 4.0 connectivity
- Connections: 2x USB 3.0, 1x USB 2.0, HDMI and mic/headphone combo
- 4 Cell Li-polymer battery with Smart AC adaptor
- Dimensions (HxWxD): 22x344x240mm
- 1 Year manufacturer warranty

Contents: Chromebook, UK mains adaptor, battery and user guide

£249

order code SB0559602

705977

15.6" TravelMate P256-M Core i3 Notebook

Model: NX.V9MEK.004

- 15.6" HD LED backlit display (1366x768)
- Windows 7 Professional (64-bit) preloaded (available through downgrade rights from Windows 8 Pro)
- Dual core Intel Core i3-4030U 1.9GHz CPU
- 4GB DDR3 RAM, 500GB HDD storage
- SuperMulti DVD±RW optical drive
- Built-in webcam with microphone
- Integrated SD Memory card reader
- Wireless 802.11 a/b/g/n and Gigabit wired networking
- Connections: 1x USB 3.0, 2x USB 2.0, HDMI, VGA, RJ45, mic and headphone
- 6 Cell rechargeable Li-ion battery
- Dimensions (HxWxD): 30x382x253mm
- 1 Year manufacturer warranty

Contents: Notebook, UK mains adaptor, battery and guide

£309

order code SB0562802

708937

15.6" Core i5 Notebook

Model: X555LA-XX273H

- 15.6" HD LED backlit display (1366x768)
- Dual core Intel Core i5-4210U 1.7GHz CPU
- 4GB DDR3 RAM, 1TB HDD storage
- Integrated Intel HD 4400 graphics
- SuperMulti DVD optical drive
- SD Memory card reader
- Built-in webcam and microphone
- Stereo speakers with SonicMaster technology
- Wireless 802.11b/g/n and wired Gigabit networking
- Connections: 2x USB 3.0, 1x USB 2.0, HDMI, VGA, RJ45 and mic/headphone combo port
- Powered by 2 cell Lithium ion battery
- Dimensions (HxWxD): 26x382x256mm
- 1 Year manufacturer warranty

Contents: Notebook, UK mains adaptor, battery and user guide

£345

order code SB0563802

710799

14" Celeron Dual Core Notebook

Model: N142

- 14" HD Ready LCD display (1366x768)
- Genuine Windows 8.1 (64-bit) preloaded
- Next generation Bay Trail M platform with dual core Celeron N2808 1.6GHz CPU
- 2GB DDR3 RAM, 500GB HDD storage
- Intel HD graphics onboard
- Built-in webcam with microphone
- Integrated 4-in-1 memory card reader
- Wireless 802.11 b/g/n and wired Ethernet networking
- Connections: 2x USB 2.0, HDMI, RJ45 and headphone
- Powered by 2 cell Lithium ion battery
- Dimensions (HxWxD): 13x352x232mm
- 1 Year manufacturer warranty

Contents: Notebook, UK mains adaptor, battery and user guide

£179

order code SB0568002

712444

15.6" Dual Core Celeron Notebook

Model: X551MAV-BING-SX1017B

- 15.6" HD Anti-glare display (1366x768)
- Genuine Windows 8.1 (64-bit) preloaded
- Dual core Intel Celeron N2840 2.16GHz CPU
- 4GB DDR3 RAM, 1TB HDD storage
- Integrated Intel HD graphics
- SD/MMC Memory card reader
- SuperMulti DVD±RW DL optical drive
- Wireless 802.11 b/g/n and 10/100 wired networking
- Connections: 1x USB 3.0, 1x USB 2.0, HDMI, VGA, RJ45 and combo audio jack
- Powered by rechargeable Lithium ion battery
- Dimensions (HxWxD): 37x380x251mm
- 1 Year manufacturer warranty

Contents: Notebook, UK mains adaptor, battery and user guide

£199

order code SB0567702

712386

15.6" Aspire V5-573 Core i5 Notebook

Model: NX.MC2EK.007

- 15.6" Acer HD LED backlit display (1366x768)
- Genuine Windows 8.1 (64-bit) preloaded
- Intel Core i5-4200U Dual core 1.6GHz CPU
- 4GB DDR3L RAM, 1TB HDD storage
- Integrated Intel HD 4400 graphics
- Built-in webcam with microphone
- SD Memory card reader
- Wireless 802.11 a/b/g/n, Bluetooth 4.0 HS and wired Gigabit networking
- Connections: 1x USB 3.0, 2x USB 2.0, HDMI, DisplayPort, RJ45, mic and headphone
- Powered by 4 cell Lithium ion battery
- 1 Year manufacturer warranty

Contents: Notebook, UK mains adaptor, DisplayPort to VGA adaptor and user guide

£359

order code SB0556702

703878

15.6" Core i3 Notebook

Model: J4T67EA#ABU

- 15.6" BrightView HD LED backlit display (1366x768)
- Genuine Windows 8.1 (64-bit) preloaded
- Dual core Intel Core i3-4005U 1.7GHz CPU
- 4GB DDR3 RAM, 500GB HDD storage
- SuperMulti DVD±RW optical drive
- Intel HD Graphics onboard
- Integrated stereo sound system
- Built-in webcam with microphone
- Wireless 802.11 b/g/n, Bluetooth 4.0 and Gigabit wired networking
- Connections: 3x USB 2.0, HDMI, VGA, RJ45, mic and headphone
- Powered by rechargeable Li-ion battery
- Dimensions (HxWxD): 25x378x259mm
- 1 Year manufacturer warranty

Contents: Notebook, UK mains adaptor, battery and user guide

£259

order code SB0564202

711137

17.3" Core i3 Windows 8.1 Notebook

Model: X751LA-TY031H

- 17.3" HD+ LED backlit display (1600x900)
- Genuine Windows 8.1 (64-bit) preloaded
- Intel Core i3-4010U 1.7GHz CPU
- 4GB DDR3 RAM, 500GB HDD storage
- Integrated Intel HD 4400 graphics
- SuperMulti DVD optical drive
- Integrated SD/MMC memory card reader
- Stereo speakers with SonicMaster Lite
- Wireless 802.11b/g/n, Bluetooth v4.0 and wired networking
- Connections: 3x USB 3.0, HDMI, RJ45 and mic/headphone combo port
- Powered by 4 cell Lithium ion battery
- Dimensions (HxWxD): 30x415x272mm
- 1 Year manufacturer warranty

Contents: Notebook, UK mains adaptor, battery and user guide

£329

order code SB0567602

712385

15.6" Quad Core AMD Notebook

Model: 20DH000TUK

- High definition 15.6" LCD WXGA display (1366x768)
- Windows 7 Professional (64-bit) preloaded with media upgrade to Windows 8.1 Professional
- Quad core AMD A8-7100 1.8GHz CPU
- 4GB DDR3 RAM, 500GB HDD storage
- AMD Radeon R5 HD graphics onboard
- SuperMulti DVD±RW optical drive
- Stereo speakers with Dolby Advanced Audio
- 720p HD webcam with microphone
- 4-in-1 Memory card reader (MMC, SD/SDHC/SDXC)
- Wireless 802.11 b/g/n, Bluetooth 4.0 and Gigabit wired networking
- Connections: 2x USB 3.0, 1x USB 2.0, HDMI, VGA, RJ45, and combo mic/headphone
- Powered by 6 cell Li-ion battery
- Dimensions (HxWxD): 27x377x255mm
- 1 Year manufacturer warranty

Contents: Notebook, UK mains adaptor, battery and user guide

£309

order code SB0564602

711139

Celeron Desktop PC



Model: 7877-9040

- Cost effective PC ideal for everyday use
- Windows 7 Home (64-bit) preloaded
- Supplied with Windows 8 Pro recovery DVD
- Intel Celeron 1037U 1.8GHz CPU
- 2GB DDR3 RAM, 500GB Storage
- Super Multi DVD±RW optical drive
- Integrated Intel HD graphics
- Expansion: 2x PCI-Ex (x1), 1x PCI-Ex (x16)
- Connections: 6x USB 2.0, DVI-D VGA, RJ45, 3x audio, 2x PS/2, mic and headphone
- Dimensions (HxWxD): 360x180x400mm
- 12 Month manufacturer warranty

Contents: PC, keyboard, mouse and UK IEC mains lead



PRICE CUT

£209

order code SB0549502

699155

Dual Core Mini Tower PC



Model: 7210-8030

- High performance PC for business use
- Genuine Windows 8.1 (64-bit) preloaded
- Dual core Intel Pentium G3240 CPU
- 4GB DDR3 RAM, 500GB HDD storage
- SuperMulti DVD±RW optical drive
- Onboard Wi-Fi card for wireless connectivity
- 1 Year manufacturer return to base warranty

Contents: PC, keyboard, mouse and UK IEC mains lead



HOT DEAL

£179

order code SB0564002

711135

EEPC Atom SFF PC - No O/S



Model: EB1007P-B0210

- Compact SFF PC with ultra-slim profile
- Space saving design with VESA mount
- Bare system - no O/S preloaded
- Intel Atom D425 1.80GHz CPU
- 2GB DDR3 RAM, 320GB HDD storage
- Onboard Intel HD graphics
- Built-in 4-in-1 memory card reader
- Wireless 802.11b/g/n and Wired Gigabit networking
- Connections: 2x USB 3.0, 2x USB 2.0, 1x eSATA, VGA, RJ45, S/PDIF, mic and headphone
- Dimensions (HxWxD): 223x27x178mm

Contents: PC, ac adaptor, mains lead, stand, VESA mount kit and user guide



£175

order code SB0564102

711136

ProDesk 400 G1 Core i3 SFF PC



Model: F4Q31EA#ABU

- Ultra compact professional desktop PC
- Sleek design with gloss black finish
- Windows 7 Professional (64-bit) installed with Windows 8.1 Pro license media
- Dual core Intel Core i3-4130 3.40GHz CPU
- 4GB DDR3 RAM, 1TB HDD storage
- Onboard Intel HD 4400 graphics
- Super Multi DVD±RW optical drive
- Expansion slots: 3x PCI-Ex x1, 1x PCI-Ex x16
- Gigabit wired networking
- Connections: 2x USB 3.0, 8x USB 2.0, DVI, VGA, RJ45, audio line-in/out, mic and headphone
- Dimensions (HxWxD): 337x100x381mm

Contents: PC, keyboard, mouse and user guide



NEW

£269

order code SB0568102

712603

Aspire XC-705 Core i5 SFF PC



Model: DT.SXLEK6

- Stylish SFF desktop PC system
- Genuine Windows 8.1 (64-bit) preloaded
- Quad core Intel Core i5-4400 3.1GHz CPU
- 4GB DDR3 RAM, 1TB HDD storage
- SuperMulti DVD±RW optical drive
- Wireless 802.11 b/g/n, Bluetooth and Gigabit wired networking
- Total expansion slots: 1x PCI-Ex x1, 1x PCI-Ex x16, 1x Mini PCI-Ex
- Connections: 2x USB 3.0, 4x USB 2.0, HDMI, VGA, RJ45, line in/out
- Dimensions (HxWxD): 270x100x367mm
- 1 Year manufacturer warranty



NEW

£339

order code SB0568202

712691

Veriton Core i3 Dual Core SFF PC



Model: DT.VKBEK2

- Compact and professional office PC system
- Windows 7 Professional (64-bit) preloaded (available through downgrade rights from Windows 8 Pro)
- Dual core Intel Core i3-4130 3.40GHz CPU
- 4GB DDR3 RAM, 500GB HDD storage
- DVD±RW DL optical drive
- Gigabit Ethernet wired networking
- Expansion slots: 1x PCI-Ex x1, 1x PCI-Ex x16
- Connections: 2x USB 3.0, 4x USB 2.0, VGA, DVI, RJ45, line out, mic and headphone
- Dimensions (HxWxD): 267x102x368mm
- 1 Year manufacturer warranty



HOT DEAL

£299

order code SB0566402

711333

Brix Ultra Compact Celeron PC



Model: BXB7-2807

- Ultra compact, DIY barebone PC system
- Ideal for use as a multimedia PC, family computer, office workstation or as a digital signage unit
- Simple and elegant design with polished finish
- Intel Celeron N2807 2.17GHz CPU
- 1x SATA 3Gb/s storage interface
- Supports 7mm and 9.5mm 2.5" hard drives
- 1x 204-pin DDR3 1333 SODIMM memory slot
- Half size Mini PCI-Ex slot with Wi-Fi card
- Supports dual displays via VGA and HDMI ports
- Simple VESA monitor mounting (75x75, 100x100)
- Wireless 802.11 b/g/n, Bluetooth 4.0 and Gigabit wired networking
- Connections: 1x USB 3.0, 2x USB 2.0, HDMI, VGA, RJ45, audio out and mic-in
- Dimensions (HxWxD): 56x108x114mm
- 1 Year manufacturer warranty

Contents: PC, VESA mounting bracket, ac adaptor, mains lead and user guide



£79.95

order code SB0565002

711193

Veriton N2120G Quad Core AMD Nettop PC



Model: DT.VKWEK2

- Ultra slim professional PC for business use
- Windows 7 Professional (64-bit) preloaded (available through downgrade rights from Windows 8.1 Pro)
- Quad core AMD E1-2650 1.45GHz CPU
- 4GB DDR3 RAM, 320GB HDD storage
- 1x PCI-Ex x1 & 1 x Mini PCI-Express slot
- Wireless 802.11 a/b/g/n, Bluetooth 4.0 LE and Gigabit wired networking
- Connections: 2x USB 3.0, 3x USB 2.0, HDMI, VGA, RJ45 and audio line in/out
- Dimensions (HxWxD): 33x192x204mm
- 1 Year manufacturer warranty

Contents: PC, keyboard, mouse, ac adaptor, VESA mounting kit and UK mains lead



NEW

£239

order code SB0566502

711807

Quad Core Pentium Tower PC



Model: 90BX001HUK

- Stylish desktop PC for business environments
- Windows 7 Professional (64-bit) preloaded (available through downgrade rights from Windows 8.1 Pro)
- Quad core Intel Pentium J2900 2.41GHz CPU
- 4GB DDR3 RAM, 500GB HDD storage
- SuperMulti DVD±RW optical drive
- Integrated Intel HD graphics
- Wired 10/100/1000 Gigabit networking
- Connections: 1x USB 3.0, 4x USB 2.0, VGA, RJ45, serial, mic, and headphone
- Dimensions (HxWxD): 387x160x426mm
- 12 Month manufacturer warranty

Contents: PC, keyboard, mouse and UK IEC mains lead



HOT DEAL

£219

order code SB0564502

711138

Computer, Office and Telecommunications

Moov M410 4.3" UK/ROI Satnav



- Lightweight GPS with UK and ROI maps
- Simple and reliable use with QuickStart menu
- 4.3" Widescreen touch screen (480x272)
- IQ Routes calculates most efficient route, using actual road-speed data
- Personalised routes based on your driving style and preferences with LearnMe
- Fast keyword searches with QuickSpell keyboard
- 3D Junction views and lane guidance
- SIRF star III GPS reciever with InstantFix
- 30 Day Latest Map guarantee
- Powered by rechargeable Li-Ion battery
- Dimensions (HxWxD): 78x126x15mm

Contents: Satnav, mount, car charger, software and user guide

£44.95

order code SB0484202

705975

Moov 616UK 5" Satnav with UK & European Maps



- Full UK and European maps preloaded
- Extra large widescreen 5" touchscreen
- Spoken street names (TTS)
- 3D Junction views and lane guidance
- Real time road traffic information
- Road speed limit information
- Powered by rechargeable Li-Ion battery

Contents: Satnav, mount, car charger and user guide

£59.95

order code SB0547802

698335

TomTom Start 20M EU SatNav



- Smart navigation at your fingertips
- Full colour 4.3" LCD touchscreen
- Pre-installed maps covering 45 countries across Europe
- Advanced lane guidance gives extra clarity when navigating difficult junctions
- Clear spoken instructions with street names to make directions clearer
- Reliable arrival times with IQ Routes
- Find nearby parking with Parking Assist
- Integrated mounting with flip screen
- Dimension (HxWxD): 84x119x20mm

Contents: TomTom, car charger, USB cable and user guide

£79.95

order code SB0562202

708904

19" LED Monitor



Model: V196WL

- LED-backlit, widescreen monitor
- 1440x900 Display
- 16:10 Aspect ratio
- 5ms Response time
- 250cd/m² Brightness
- 100,000,000:1 Contrast ratio
- VGA interface
- VESA wall mount compatible
- Tilt angle: -5° to +25°
- Dimensions (HxWxD): 379x439x191mm
- Weight (with stand): 3.1kg

Contents: Monitor, VGA lead and UK mains lead

£54.95

order code SB0564702

711352

SyncMaster 18.5" HD LED Monitor



Model: LS19D300NY

- Stylish and functional LED monitor
- HD Ready 1366x768 resolution display
- Magic Upscale improves image quality
- Mega dynamic contrast ratio • 5ms Response time
- 200cd/m² Brightness • VGA Interface
- VESA Wall mount compatible (75x75)
- Dimensions (HxWxD): 348x445x177mm

Contents: Monitor, UK mains lead and user guide

£55.95

order code SB0554802

703038

21.5" Full-HD LED Monitor



Model:

LS22D300NY

- Slimline LED monitor with high gloss finish
- Conserve energy with Eco Saving mode
- 5-Mode viewing angle management
- 1920x1080 Full-HD display resolution
- MEGA Dynamic contrast ratio
- 5ms Response time
- 200cd/m² Brightness
- VGA interface
- Fully certified for Windows 8.1
- Dimensions (HxWxD): 385x512x177mm

Contents: Monitor, UK mains lead and user guide

£64.95

order code SB0563602

710590

18.5" HD LED Monitor



Model:

V196HQL

- Widescreen LED backlit SXGA monitor
- HD Ready 1366x768 resolution display
- 60Hz Standard refresh rate
- 5ms Response time
- 200cd/m² Brightness
- VGA Interface
- 100,000,000:1 Dynamic contrast ratio
- VESA Wall mount compatible (100x100)
- Dimensions (HxWxD): 353x447x191mm

Contents: Monitor, UK mains lead, VGA lead and user guide

£57.95

order code SB0536802

689400

24" UltraSharp IPS LED Monitor



Model: U2412M

- High performance LED monitor with wide angle viewing and IPS technology
- Flexible design allows for almost unlimited tilt, swivel, pivot and height adjustments
- Crystal clear display with 16:10 widescreen 1920x1200 resolution
- Anti glare screen coating
- 2 Million:1 Max. dynamic contrast ratio
- 8ms Response time • 300cd/m² Brightness
- Integrated 4 port USB 2.0 hub
- Versatile connectivity with VGA, DVI and DisplayPort connections
- VESA Wall mount compatible (100x100)
- Dimensions (HxWxD): 514x556x180mm

Contents: Monitor, UK mains lead, USB cable, DVI cable, VGA cable and user guide

£169

order code SB0559402

706265

SyncMaster 19" HD LED Monitor



Model: LS19C45KMW

- Professional, energy efficient LED monitor
- HAS Design allows you to tailor the monitor height and tilt to meet your exact eye level
- Innovative Pivot feature allows to rotate the screen up to 90° to match your needs
- Widescreen 1440x900 WXGA resolution
- Integrated stereo speakers (2x 1W)
- 5ms Response time • 250cd/m² Brightness
- VGA and DVI-D interfaces
- VESA Wall mount compatible (100x100)
- Dimensions (HxWxD): 423x439x210mm

Contents: Monitor, UK mains lead and user guide

£64.95

order code SB0555502

703039



My Passport Ultra USB 3.0 Black

CS2542702	500GB	USB 3.0	£38.95
CS2543102	1TB	USB 3.0	£51.95
CS2543502	2TB	USB 3.0	£79.95



Elements Desktop USB 3.0

CS2722802	2TB	USB 3.0	£59.95
CS2722902	3TB	USB 3.0	£77.50
CS2723002	4TB	USB 3.0	£99.95
CS2809702	5TB	USB 3.0	£135.95




My Passport Ultra USB 3.0 Titanium

CS2542802	500GB	USB 3.0	£38.95
CS2543202	1TB	USB 3.0	£51.95
CS2543602	2TB	USB 3.0	£79.95



3.5" My Book USB 3.0 Local & Cloud Backup

CS2615602	2TB	USB 3.0	£68.95
CS2615702	3TB	USB 3.0	£81.50
CS2615802	4TB	USB 3.0	£110.95
CS2787302	6TB	USB 3.0	£179.95



My Passport Ultra USB 3.0 Blue

CS2542902	500GB	USB 3.0	£38.95
CS2543302	1TB	USB 3.0	£51.95
CS2543702	2TB	USB 3.0	£79.95



My Cloud 3.5" Desktop NAS

CS2622102	2TB	2x USB 3.0/Gigabit Ethernet	£105.50
CS2622202	3TB	2x USB 3.0/Gigabit Ethernet	£118.95
CS2622302	4TB	2x USB 3.0/Gigabit Ethernet	£152.95
CS2787202	6TB	2x USB 3.0/Gigabit Ethernet	£244.95



My Passport Ultra USB 3.0 Red

CS2543002	500GB	USB 3.0	£38.95
CS2543402	1TB	USB 3.0	£51.95
CS2543802	2TB	USB 3.0	£79.95



My Cloud Mirror Cloud Storage

CS2727702	4TB	Gigabit Ethernet	£214.95
CS2727802	6TB	Gigabit Ethernet	£269.95
CS2727902	8TB	Gigabit Ethernet	£344.50



My Passport Ultra USB 3.0 Metal Blue/Black

CS2787702	1TB	USB 3.0	£56.95
CS2787802	2TB	USB 3.0	£90.75



My Book Duo USB 3.0 Local & Cloud Back Up

CS2765002	4TB	USB 3.0/2.0	£179.95
CS2765102	6TB	USB 3.0/2.0	£215.95
CS2765202	8TB	USB 3.0/2.0	£279.95



My Passport Ultra USB 3.0 Metal Silver

CS2787902	1TB	USB 3.0	£56.95
CS2788002	2TB	USB 3.0	£90.75



My Cloud EX2 Private Cloud Storage

CS2714002	Empty		£126.95
CS2714102	4TB		£219.95
CS2714202	6TB		£248.95
CS2714302	8TB		£309.95



Elements Portable USB 3.0

CS2630502	500GB	USB 3.0	£35.95
CS2630602	1TB	USB 3.0	£47.95
CS2630702	2TB	USB 3.0	£69.95



My Cloud Expert EX2100 2 Bay NAS

CS2855202	Empty	Gigabit Ethernet	£168.50
CS2855302	4TB	Gigabit Ethernet	£282.95
CS2855402	8TB	Gigabit Ethernet	£372.50



My Passport Wireless

CS2787502	1TB	Wi-Fi, USB 3.0	£125.95
CS2787602	2TB	Wi-Fi, USB 3.0	£179.95



Desktop 3.5" SATA 6Gb/s Hard Drives

- Ideal for desktop PCs, servers and NAS systems
- SATA 6Gb/s interface
- 7200rpm Spindle speed
- Dependable performance with AcuTac technology

Contents: Drive only



639326

CS2188102	500GB	£32.80
CS2284602	1TB	£37.50
CS2284302	2TB	£54.95
CS2284702	3TB	£73.50
CS2517102	4TB	£99.95

Canvio Connect II USB 3.0 Portable Hard Drives



- Smart, high performance portable storage solution
- Preloaded remote access software gives you instant access to your files from almost anywhere
- Supports Win XP/Vista/7/8 and Mac OS
- Dimensions (HxWxD): 14x7x109mm (500GB/1TB), 20x7x109mm (2TB)

Contents: Drive, USB cable and user guide
Note: Remote access requires drive to be connected to a PC and WIFI

Black		712361
CS2860202	500GB	£40.95
CS2860302	1TB	£51.75
CS2860402	2TB	£77.95
Red		
CS2860502	500GB	£40.95
CS2860602	1TB	£51.75
CS2860702	2TB	£77.95
Blue		
CS2860802	500GB	£40.95
CS2860902	1TB	£51.75
CS2861002	2TB	£77.95

Expansion Desktop External Drives



- Instantly add more storage to your computer
- Plug 'n' play, USB 3.0 interface
- Fully backwards compatible with USB 2.0
- Supports Win XP/Vista/7/8
- Dimensions (HxWxD): 38x118x180mm

Contents: Drive, USB 3.0 cable, ac adaptor and user guide

660919

CS2359002	2TB	£59.95
CS2359102	3TB	£81.50
CS2556802	4TB	£102.95
CS2763602	5TB	£134.50

3.5" SATA 6Gb/s Hard Drives



Model: DT01AC4xxx

- Ideal for commercial and consumer systems
- Best in class power management technology
- SATA 6Gb/s Interface
- 7200rpm Spindle speed

Contents: Drive only

665163

CS2377902	500GB	£30.95
CS2378002	1TB	£36.95
CS2443502	2TB	£53.95
CS2443602	3TB	£72.95

M3 Portable USB 3.0 Hard Drives



- Lightweight and portable storage solution
- SafetyKey protection for your data
- SuperSpeed USB 3.0 interface
- Backwards compatible with USB 2.0
- Supports Win XP/Vista/7/8 and Mac OS 10.4.8+
- Dimensions (HxWxD): 19.6x82x112mm

Contents: Drive, USB cable and user guide

665534

CS2381702	500GB	£34.95
CS2381802	1TB	£41.95
CS2711002	2TB	£64.95

D3 Station USB 3.0 External Hard Drives



- Sleek design takes up minimal desk space
- Available with up to 4TB storage capacity
- SuperSpeed USB 3.0 interface
- Backwards compatible with USB 2.0
- Supports Win XP/Vista/7/8 or Mac OS 10.4.8+
- Dimensions (HxWxD): 130x47x181mm

Contents: Hard drive, ac adaptor, USB cable and user guide

679161

CS2539502	2TB	£54.50
CS2539602	3TB	£72.95
CS2748302	4TB	£94.50
CS2839002	6TB	£178.95

Desktop SSHD 3.5" Solid State Hybrid Drives



- The first 3.5" hybrid drives for desktops
- Designed for high performance systems
- Boots up and performs like an SSD drive
- Faster than traditional HDD drives
- SATA 6Gb/s interface with NCQ

Contents: Drive only

683284

CS2582302	1TB	£56.50
CS2582402	2TB	£77.50
CS2632702	4TB	£122.50

Portable SSD T1 Drives



- Portable SSD drives with premium design
- Slim, lightweight design optimised for portability
- Works as fast as an internal SSD drive with USB 3.0 connection and Samsung TurboWrite technology
- Sequential read/write speeds up to 450MB/s
- AES 256-bit hardware security encryption
- Dynamic thermal guard and shock resistant
- Plug and play SuperSpeed USB 3.0 interface
- Backwards compatible with USB 2.0
- Supports Win XP/Vista/7/8 and Mac OS X
- Dimensions (HxWxD): 9.6x53x7.1mm
- 3 Year manufacturer warranty

Contents: SSD Drive, T1 custom USB cable and user guide

711166

CS2849802	250GB	£114.92
CS2849902	500GB	£195.40
CS2850002	1TB	£384.92

WD Red NAS Hard Drives



- Designed for 1 to 5 bay NAS drives
- Extensively tested for 24x7 compatibility
- 3D Active Balance Plus balance control
- Reduced power consumption and lower operating temperature for Always On NAS systems
- IntelliPower speed control
- 3.5" Form factor drives (1" high)
- SATA 6Gb/s Interface with 64MB cache

Contents: Drive only

685178

CS2369202	1TB	£48.50
CS2369302	2TB	£71.95
CS2369402	3TB	£88.50
CS2593502	4TB	£126.50
CS2768502	5TB	£149.50
CS2768602	6TB	£199.95

WD Purple 3.5" SATA 6Gb/s Surveillance Hard Drives



- Designed for always on surveillance systems
- Built to withstand harsh 24/7 security applications
- AllFrame technology works with ATA streaming to reduce error pixelation and video interruptions
- Optimised performance for up to 32 HD cameras
- Lower power consumption with IntelliSeek
- IntelliPower speed control
- SATA 6Gb/s Interface with 64MB cache

Contents: Drive only

697479

CS2707702	1TB	£44.95
CS2707802	2TB	£65.50
CS2707902	3TB	£84.50
CS2708002	4TB	£121.95
CS2811302	6TB	£192.50

DiskStation DS115J 1 Bay NAS Server



Model: DS115J

- Compact NAS server for home and personal use
- Serves as a private cloud, centralised backup location, DLNA media library and online photo album
- NVR functionality and 2 IP camera licenses make it an ideal home surveillance solution
- Certified DLNA Digital Media Server
- Easily create a personal entertainment center with access to all your music and movies
- Mobile apps bring your files and media direct to you
- Comprehensive support for cross-platform sharing across Windows, Mac and Linux
- Cloud Sync keeps your Dropbox, Google Drive and Microsoft OneDrive files synchronised
- Supports a 2.5"/3.5" SATA drive up to 6TB
- Supplied empty or with WD Red NAS HDD preinstalled
- Energy efficient design tailor-made for the home environment with silent, low energy operation
- Connections: 2x USB 2.0, 1x RJ45
- Supports Win XP/Vista/7/8.1, Ubuntu 9.04+ and Mac OS 10.5+
- Dimensions (HxWxD): 166x71x224mm

Contents: DiskStation, ac adaptor, accessory pack, Ethernet cable, software and user guide

708717

CS2836602	Empty	£71.48
CS2857802	1TB	£139.95
CS2857902	2TB	£159.95

Order online at
cpc.co.uk

MX100 2.5" Solid State Drives

- High performance and cost effective consumer-class solid state storage solution
- Slim 7mm drive height with 2.5" form factor
- Native Write Acceleration enables you to transfer files in seconds rather than minutes
- Data Defense keeps all your files safe
- High grade 256-bit AES encryption
- Meets Microsoft eDrive, IEEE-1667 and TCG Opal 2.0 encryption standards
- Adaptive Thermal Protection technology
- Power Loss Protection
- Full SMART and TRIM support • 3 Year Manufacturer warranty



Technical Data

Capacity	128GB	256GB	512GB	
Interface	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	
Sequential Read Max:	550MB/s	550MB/s	550MB/s	
Sequential Write Max:	150MB/s	330MB/s	500MB/s	
Random Read Max:	80K IOPS	85K IOPS	90K IOPS	
Random Write Max:	40K IOPS	70K IOPS	85K IOPS	704212
CS2788302	128GB			£46.42
CS2788402		256GB		£72.68
CS2788502		512GB		£136.85

850 EVO Series 2.5" SATA 6Gb/s Solid State Drives

- Solid state disk drives with 2.5" form factor
- 7mm low profile for desktop and notebook use
- TurboWrite technology delivers dramatically faster sequential and random read/write performance
- Innovative 3D V-NAND flash memory architecture
- SATA 6Gb/s Interface • AES 256-bit Full Disk Encryption (FDE)
- Supports Garbage Collection and S.M.A.R.T.
- TRIM Support (requires OS support)
- Samsung Magician software for SSD management
- Dimensions (HxWxD): 6.8x69.85x100mm
- 5 Year limited manufacturer warranty



Technical Data

Capacity	120GB	250GB	500GB	1TB	
DRAM Cache Memory	256MB	512MB	512MB	1GB	
Sequential Read Max:	540MB/s	540MB/s	540MB/s	540MB/s	
Sequential Write Max:	520MB/s	520MB/s	520MB/s	520MB/s	
Random 4K Read Max: (IOPS)	94K	97K	98K	98K	
Random 4K Write Max: (IOPS)	88K	88K	90K	90K	711044
CS2844402	120GB				£53.25
CS2844502		250GB			£83.62
CS2844602		500GB			£147.58
CS2844702			1TB		£288.42

USB 2.0 to SATA/IDE Combo Adaptor



- Allows rapid switching between hard drives
- Connects to 2.5" and 3.5" IDE drives
- Supports Win 98SE/2000/ME/XP/VISTA/7/8 and Mac OS 8.6 or above

Contents: Combo adaptor, power supply, UK mains lead, SATA connection leads and user guide

£14.98

order code CS1561602

517006

USB 3.0 2.5" SATA HDD Enclosure



- External enclosure for 2.5" SATA drives
- Stylish, passively cooled aluminium enclosure
- SuperSpeed USB 3.0 data transfer speeds
- Backwards compatible with USB 2.0
- USB powered, no adaptor required
- Supports Win XP/Vista/7/8 and Mac OS X
- Dimensions (HxWxD): 12x75x125mm

Contents: Enclosure, USB cable and guide

£6.75

order code CS2795602

705631

24x Internal SATA DVD Writer OEM



Model: IHAS124-14

- OEM Drive; Ideal for system builders
- Max. DVD speeds: 16x Read/24x Write
- Max. CD speeds: 48x Read/Write
- Unique adaptive burning technology
- 0.75MB Buffer memory
- SATA interface
- Supports Win XP/Vista/7/8 and Linux

Contents: Drive only

£10.49

order code CS2590702

683906

External 3.5" SATA/IDE HDD Case



- Accepts IDE or SATA 3.5" drives up to 1.5TB
- Plug & Play, hot-swappable
- USB 2.0 interface
- Supports Win XP/Vista/7/8
- Dimensions (HxWxD): 30x186x108mm

Contents: HDD enclosure, ac adaptor, USB cable and user guide

£12.95

order code CS2301802

655228

Business Storage 4-Bay NAS Drive



HOT DEAL



- Complete network storage solution for businesses
- Create a secure private cloud for easy collaboration
- 4 Bay drive configuration; Customise performance with RAID 0,1,5 & 10 options
- Remote file access with free apps for Android and iOS devices
- Stream movies, photos and music to PC and Mac computers as well as DLNA-certified devices
- USM Slot allows you to dock a USM portable drive and back up content at the touch of a button
- Complete protection; Back up files, programs, settings, emails - even a local PC operating system
- Government grade hardware encryption technology
- Compatible with Time Machine for Apple Macs
- Dimensions (HxWxD): 377x247x240mm
- 3 Year manufacturer warranty

Contents: NAS drive, Ethernet cable, ac adaptor, software and user guide

£259

order code CS2548102

712153

Sales Counter
Open 7 days a week

Slim Portable Blu-ray Writer



Model: SE-506CB

- Stylish portable Blu-ray drive with AV connectivity
- Plays multimedia files through TV USB connection
- Blu-ray max speed: 6x Read/Write
- DVD max speeds: 8x Read/Write
- CD max speed: 24x Read/Write
- 4MB Buffer memory
- USB Interface and power
- Supports XP/Vista/7/8 and Mac OS
- Dimensions (HxWxD): 18x148x145mm

Contents: Blu-ray writer, USB cable and user guide

£50.95

order code CS2755602

701641

24x DVD±R/RW DL SATA Drive - OEM



Model: SH-224DB/BEBE

- OEM product - ideal for system builders
- Max. DVD speeds: 16x Read/24x Write
- Max. CD speeds: 40x Read/48x Write
- Average access time 130ms (CD), 150ms (DVD)
- Buffer underrun protection
- Speed Adjustment Technology
- SATA interface


Contents: Drive only

£9.95

order code CS2521402

680373

Ultra Slim 8x Portable DVD Writers with AV 2.0 Connectivity



Model: SE-208GB/RSxx

- Sleek and portable external DVD writers
- Supports TV and Android tablet playback of media files from CD/DVD disks via USB interface
- Preserve your data for longer with M-DISC support
- Easy access top-mounted eject button
- Maximum DVD speeds: 8x Read/Write
- Maximum CD speeds: 24x Read/Write
- USB 2.0 interface and power
- Smart Power design only uses one USB port
- Supports Win XP/Vista/7/8 and Mac OS 10.4+
- Dimensions (HxWxD): 14x149x146mm

Contents: Drive, USB lead, software and user guide

Note: AV connectivity does not support playback of DVD videos, Honeycomb 3.1 or higher required for tablet playback

CS2805602	Black
CS2805702	White
CS2805802	Red
CS2855002	Grey

705784

£15.95

USB 3.0 to SATA Hard Drive Adaptor



- Connect a SATA drive to your computer via USB 3.0 with no enclosure required
- Supports both 2.5" and 3.5" drives
- Compact and portable cable design

- Drive status and activity LED indicators
- SuperSpeed USB 3.0 interface
- Supports Win XP/Vista/7/8

Contents: Adaptor and user guide

£10.58

order code CS2648202

693493

USB to Serial Converters



- Transmission rate up to 600kbps (1Mbps for 2 port)
- Cable length is 300mm for 1 port and 500mm for the 2 port
- Connections are USB A male to 9 pin D male/s
- Supports Win 98SE/2000/ME/XP/Vista/7/8

Contents: Adaptor and software on CD

475507

CS1452202	1 Port	£6.98
CS1439102	2 Port	£17.85

Flat Micro USB Coloured Cables



- Micro USB cables to charge & sync your smartphone or tablet
- Flat, anti-tangle design with soft rubber coating
- Suitable for all smartphones and devices that use Micro USB connector

Black 712305

CS2856602	0.2m	£2.25
CS2856702	1m	£2.68

Blue

CS2856802	0.2m	£2.25
CS2856902	1m	£2.68

Red

CS2857002	0.2m	£2.25
CS2857102	1m	£2.68

Lime

CS2857202	0.2m	£2.25
CS2857302	1m	£2.68

HDMI to VGA Converter with Audio



- Converts a HDMI output to a VGA signal
- Ideal for connecting a modern PC to an older display
- Supports audio output via 3.5mm socket

£6.95

order code CS2759402

704252

Portable HDMI to VGA Adaptor



- Portable, high performance display adaptor
- Connect a VGA display to an HDMI source
- Fully compliant with HDMI 1.4 specification
- For use with non-HDCP compliant content
- Low power design with auto power saving
- Supports Win XP/Vista/7/8

£6.98

order code CS2648002

HDMI Leads



- A range of HDMI leads, which carry audio and video signals
- Gold connectors
- HDMI v1.3 compliant

660937

Male to Male

CS2478702	0.5m	£1.98
CS2060802	1m	£2.15
CS2060902	2m	£2.69
CS2061002	3m	£2.95
CS2061102	5m	£3.23
CS2245802	7m	£5.42
CS2239802	10m	£6.98
CS2239902	15m	£13.58
CS2240002	20m	£23.86

Male to Female

CS1885702	2m	£2.99
CS1885802	3m	£3.72
CS1885902	5m	£5.48
CS1886002	10m	£7.42

USB Over Network Cable Extender



The USB booster allows users to extend low powered USB devices up to 50 meters by using standard network cable.

- Local and remote units supplied, with 30cm cable
- Supported cable types: Standard Cat5/5e/6 network cable
- Max cable length: 50m
- Embedded USB transceivers at both ends to prevent signal loss

Contents: Master and remote units only

£12.95

order code CS1646402

525456

Power Bank 8800 Portable Dual USB Charger



- High power portable USB charger; ideal for recharging your phone and tablet wherever you are
- Dual outputs for charging 2 devices simultaneously
- Provides enough power for up to 4 full phone recharges or a tablet recharge
- Solid ABS enclosure with LED flashlight
- 1A and 2A outputs for phones and tablets
- High capacity 8800mAh battery with LED indicator
- Rechargeable via USB connection
- Dimensions (HxWxD): 24x75x109mm

Contents: Power Bank charger, Micro USB cable and user guide

£16.95

order code BT0600302

707101

iEP1000 10,000mAh Dual Port USB Power Bank



- Ultra slim USB charger with dual outputs
- USB ports optimise charging for your device
- High capacity 10,000mAh Li-Polymer battery
- Provides enough charge for over 35 hours of movie playback (device dependant)
- Built-in power meter displays remaining charge
- Rechargeable via USB connection

Contents: Power Bank charger, USB cable and user guide

£18.95

order code BT0594502

707098

iEP1200 12,000mAh Dual Port USB Power Bank



- Sleek, portable USB charger with dual outputs
- USB ports provide 3.1A output allowing you to charge two devices simultaneously
- Huge 12,000mAh capacity provides enough to charge most smartphones 6 times
- Premium quality components and Samsung grade A battery cells ensure high charging efficiency
- Smart power meter with 4 LED indicators
- Safety circuit and heat resistant design
- Rechargeable via USB connection

Contents: Power Bank charger, USB cable and user guide

£22.95

order code BT0594602

704178

Preston Contact Centre

8am - 7pm Mon to Fri
9am - 5pm Saturday
Now open Bank Holidays

Call us on
08447 88 00 88

10400mAh Dual USB Power Bank Charger



Model: TL-PB10400

- Charge your portable devices almost anywhere
- 2 USB ports for charging 2 devices simultaneously
- 2A Output current (port 1 only, 1A for port 2)
- High capacity 10400mAh Li-Ion battery
- 4 LED Indicators display battery level
- Convenient built-in flashlight
- Rechargeable via USB connection
- Suitable for over 500 recharge cycles
- Dimensions (HxWxD): 89x44x44mm

Contents: Power Bank charger, Micro USB cable, pouch and user guide

£22.50

order code BT0590702

703001

Power Bank 2200 Portable USB Chargers



- Portable chargers for instant phone charging
- Provides a full charge for most mobile phones
- Solid ABS enclosure in a variety of colours
- 1A Output for phones and portable USB devices
- 2200mAh Battery capacity with LED indicator
- Rechargeable via USB connection
- Dimensions (HxWxD): 90x31x21mm

Contents: Power Bank charger, Micro USB cable and user guide

707100

BT0600002 White/Red

BT0600102 Black/Lime

BT0600202 Blue/White

£7.69

Power Bank 4400 Portable Chargers with Flashlight



- Portable USB chargers; ideal for recharging your phone or tablet wherever you are
- Provides up to 2 full phone recharges
- Solid ABS enclosure in a variety of colours
- Convenient built-in LED flashlight
- 1A Output for phones and portable USB devices
- 4400mAh Battery capacity with LED indicator
- Rechargeable via USB connection
- Dimensions (HxWxD): 90x42x21mm
- 2 Year manufacturer warranty

Contents: Power Bank charger, Micro USB cable and user guide

702265

BT0592702 White/Red

BT0592802 Black/Lime

BT0592902 Blue/White

£10.95

5/8 Port
Gigabit Switches

NETGEAR



Model: GS205/208

- Reliable unmanaged network switches
- Ideal for expanding your network connections
- Fanless design for silent operation
- 5 or 8 Auto Uplink Gigabit RJ45 ports
- Non-blocking switching architecture
- Auto-MDI/MDIX and Auto-negotiation
- Energy efficient, power saving technology
- LED Power and status indicators

Contents: Switch, ac adaptor and user guide

680008

CS2472602	5 Port Switch	£15.74
CS2472702	8 Port Switch	£21.58

CAT5E Wiring
Box

PRO-SIGNAL



- Connection box for 4 twisted cable pairs
- Ideal for custom wiring or converting between different system wiring specifications

449899

CS1386902	White
CS1524302	Black

£2.55

Gigabit
Desktop Network
Switches

TP-LINK



- Easy method of expanding wired networks
- Up to 2000Mbps full duplex bandwidth
- Advanced QoS and IGMP snooping
- Full auto MDI/MDI-X and auto negotiation support
- Reliable data transfer with IEEE 802.3x flow control
- Power and status LED indicators

Contents: Switch, ac adaptor and user guide

674482

CS2494702	5 Port Switch	£19.90
CS2494802	8 Port Switch	£27.95

Gigabit
Network Switches

TP-LINK



- Unmanaged desktop network switches
- Simple, seamless method of upgrading networks to Gigabit speeds
- All ports support store & forward, auto MDI/MDI-X and auto negotiation functions
- Supports flow control for Full Duplex mode and backpressure for Half Duplex mode

Contents: Switch, ac adaptor and user guide

634539

CS2128602	5 Port Switch	£14.96
CS2128702	8 Port Switch	£19.98
CS2128802	16 Port Switch	£59.28
CS2419802	24 Port Switch	£65.52

Raspberry Pi Cat 5e UTP Patch Cables

PRO-SIGNAL

- RJ45 to RJ45 Cat 5e patch cables for Raspberry Pi
- Wired in accordance with 568B specification
- UTP 24 AWG cable


CS2805002	0.5m	£0.75
CS2805102	1m	£0.96
CS2805202	2m	£1.35
CS2805302	3m	£1.76
CS2805402	5m	£2.32



712214

CAT 5E RJ45 Low Profile Patch
Cables

PRO-SIGNAL




499456

	White	Blue	Green	Grey	Red	Yellow	Pink	Violet	Orange	Black	
0.2m	CS1755002	CS1755202	CS1755102	CS1755302	CS1755402	CS1755502	CS1755602	CS1755702	CS1755902	CS1755802	£0.29
0.5m	CS1738202	CS1738802	CS1739902	CS1741002	CS1742102	-	CS1744302	CS1744902	CS1746502	CS1745402	£0.38
1m	CS1738302	CS1738902	CS1740002	CS1741102	CS1742202	CS1743302	CS1744402	CS1745002	CS1746602	CS1745502	£0.54
2m	-	CS1739002	CS1740102	CS1741202	CS1742302	CS1743402	CS1744502	CS1745102	CS1746702	CS1745602	£0.83
3m	CS1738502	CS1739102	CS1740202	CS1741302	CS1742402	CS1743502	CS1744602	-	CS1746802	CS1745702	£0.99
4m	-	CS1739202	CS1740302	CS1741402	CS1742502	CS1743602	-	-	-	CS1745802	£1.40
5m	CS1738602	CS1739302	CS1740402	CS1741502	CS1742602	CS1743702	CS1744702	CS1745202	CS1746902	CS1745902	£1.73
6m	-	CS1739402	CS1740502	CS1741602	CS1742702	CS1743802	-	-	-	CS1746002	£1.95
7m	-	CS1739502	CS1740602	CS1741702	CS1742802	CS1743902	-	-	-	CS1746102	£2.22
10m	CS1738702	CS1739602	CS1740702	CS1741802	CS1742902	CS1744002	CS1744802	CS1745302	CS1747002	CS1746202	£3.05
15m	CS2372702	CS1739702	CS1740802	CS1741902	CS1743002	CS1744102	CS2497602	CS2497802	CS2498202	CS1746302	£4.71
20m	CS2372802	CS1739802	CS1740902	CS1742002	CS1743102	CS1744202	CS2497702	CS2497902	CS2498302	CS1746402	£5.48
25m	CS2496402	CS2496602	CS2496802	CS2497002	CS2497202	CS2497402	-	-	-	CS2498002	£7.79
30m	CS2496502	CS2496702	CS2496902	CS2497102	CS2497302	CS2497502	-	-	-	CS2498102	£8.75

CAT 6 RJ45 Patch Cables

PRO-SIGNAL



499457

	White	Grey	Red	Yellow	Green	Blue	Violet	Black	Orange	Pink	
0.2m	CS2499102	CS1756002	CS1756102	CS1756202	CS1756302	CS1756402	-	CS1756602	CS1756702	CS1756802	£0.55
0.5m	CS2499202	CS1723502	CS1724502	CS1725502	CS1726502	CS1727502	CS1728502	CS1729102	CS1729702	CS1730302	£0.70
1m	CS2499302	CS1723602	CS1724602	CS1725602	CS1726602	CS1727602	CS1728602	CS1729202	CS1729802	CS1730402	£0.82
2m	CS2499402	CS1723702	CS1724702	CS1725702	CS1726702	CS1727702	CS1728702	CS1729302	CS1729902	CS1730502	£1.35
3m	CS2499502	CS1723802	CS1724802	CS1725802	CS1726802	CS1727802	CS1728802	CS1729402	CS1730002	CS1730602	£3.15
5m	CS2499602	CS1723902	CS1724902	CS1725902	CS1726902	CS1727902	CS1728902	CS1729502	CS1730102	CS1730702	£4.24
10m	CS2499702	CS1724002	CS1725002	CS1726002	CS1727002	CS1728002	CS1729002	CS1729602	CS1730202	CS1728002	£3.65
15m	CS2499802	CS1724102	CS1725102	CS1726102	CS1727102	CS1728102	CS2498402	CS2498502	CS2498902	CS2499002	£5.54
20m	-	CS1724202	-	CS1726202	CS1727202	CS1728202	-	CS2498602	-	-	£6.72
25m	-	CS1724302	-	-	CS1727302	CS1728302	-	CS2498702	-	-	£7.91
30m	-	CS1724402	CS1725402	CS1725402	CS1727402	CS1728402	-	CS2498802	-	-	£8.98

Prosafe
Click
Gigabit Ethernet
Switches

NETGEAR



Model: GSS108E/116E

- Network switches ideal for SMB environments
 - Available in 8 and 16 port configurations
 - Innovative hardware design with the industry-first 1-2-3-4 Click bracket mounting system
 - Quality of Service (QoS) for traffic prioritisation
 - IGMP Snooping for multicast optimisation
 - Fanless design for silent operation
 - Internal PSU to eliminate bulky power brick
 - Simple cable management with straps provided
 - Reinforced case for maximum durability
- Contents: Switch, mains lead, mounting kit, cable straps, software and user guide

712304

CS2854702	8 Port Switch	£42.38
CS2854802	16 Port Switch	£114.32

Sales Counter
Open 7 days a week

CAT5E and
CAT 6 Patch Panels

PRO-SIGNAL



- Available in 16 (1U), 24 (1U) or 48 (2U) way versions
- 568a and 568b Compatible
- RJ45 connectors with punch down connections

Contents: Panel, screws and cable ties

443680

CAT 5E Panels		
CS1218802	16 Ports	£10.66
CS1218902	24 Ports	£13.48
CS1614802	48 Ports	£24.96

CAT 6 Panels		
CS1219002	16 Ports	£11.91
CS1219102	24 Ports	£15.88
CS1219202	48 Ports	£33.89

Cat5e Compact
UTP Euro Module

Connectable
Cabling Systems

- Compatible with all standard Euro faceplates
- Interchangeable with all other Euro modules
- Offers extended PowerSum characteristics
- Shallow design requires only 15mm backbox depth
- 4 Way industry standard IDC blocks
- Conforms to ANSI/TIA-568-C Enhanced Category 5 specification



£1.45

order code CS2450402

678633

300Mbps Wireless N Access Point

TP-LINK

Model: TL-WA801ND

- Multi-function operation allows for access point, client, bridge and repeater modes
- Wireless N network speeds up to 300Mbps
- MIMO Technology provides higher bandwidth capabilities at further range
- Passive PoE adaptor for flexible deployment
- Supports up to 4 SSIDs for user group management
- WEP, WPA/WPA2 and WPA/WPA2-PSK encryption
- 10/100 RJ45 Ethernet interface
- Supports Win XP/Vista/7/8, Linux and Mac OS
- Dimensions (HxWxD): 36x181x125mm

Contents: Access point, ac adaptor, PoE injector, Ethernet cable, software and guide

£24.95

order code CS2709602

697487

Wireless N150 Router / Access Point & Range Extender

EDIMAX



Model: BR-6228nS V2

- 3-in-1 Multifunction wireless solution
- 5dBi high gain antenna for better coverage
- Share WISP services to multiple users
- Fast wireless data rates up to 150Mbps
- Supports a Guest network in router mode
- Fully compatible with 802.11b/g/n products
- Supports WEP, WPA and WPA2 encryption
- One click Wi-Fi Protected Setup (WPS) button
- Connections: 1x WAN, 4x LAN
- Dimensions (HxWxD): 28x135x110mm

Contents: Multifunction router, ac adaptor, and user guide

£13.60

order code CS2699802

699271

300Mbps Wireless Range Extender with Mains Passthrough

TP-LINK

Model: TL-WA860RE

- Extend your WiFi coverage to eliminate 'dead zones'
- Wireless N speeds up to 300Mbps
- Smart indicator to find the right setup location
- Fully compatible with 802.11b/g/n products
- 64/128/152-bit WEP and WPA/WPA2-PSK wireless security encryption
- Dimensions (HxWxD): 110x66x75mm

Contents: Range extender, Ethernet cable, software and user guide

£24.99

order code CS2788202

704336

500Mbps Mini Powerline Ethernet Adaptor Kit

TP-LINK



Model: TL-PA411KIT

- Turns your existing power lines into an instant network with advanced HomePlug AV technology
- Simply plug the adaptors into your power sockets and enjoy the network throughout the house
- Delivers up to 500Mbps Mini powerline and Fast Ethernet wired data transfer rates
- Smooth transmission of multiple HD streams, online gaming or 3D video streaming
- 128-bit AES security encryption
- Built-in QoS assures the performance of VoIP/PTV streaming and on-line gaming
- Supports IGMP managed multicast IP transmission
- Automatic Power-Saving mode reduces energy consumption by up to 85%
- Up to 300m range in house
- Supports Win XP/Vista/7/8, Mac and Linux

Kit Contents: 2x Powerline Adaptors, 2x Ethernet cable, software (windows only) and user guide

£27.95

order code CS2479102

672891

AC600 Multi-Function Wi-Fi Router/Access Point/Range Extender/Wi-Fi Bridge & WISP

EDIMAX

Model: BR-6288ACL

- Versatile wireless router with 5-in-1 functionality
- Next generation wireless ac technology
- Simultaneous dual-band wireless connectivity
- High speed wireless data rates up to 433Mbps (5GHz) and 150Mbps (2.4GHz)
- Easy setup with smartphone app or Smart IQ
- Edimax iQoS for effective bandwidth management
- Supports up to 10 SSIDs with VLAN in AP mode
- Guest Network function in Router mode
- Reduce energy usage by almost 30% with Green Wi-Fi TX power switch
- 64/128-bit WEP, WPA and WPA2 security
- SPI Anti-DoS Firewall
- Connections: 1x 10/10 RJ45 WAN/LAN
- Supplied with 2 port RJ45 splitter
- Dimensions (HxWxD): 215x70x70mm

£34.95

order code CS2861102

712362

Sales Counter
Open 7 days a week

500Mbps Mini Powerline Adaptor Kit

ZyXEL



Model: PLA4201V2-GB0201F

- Expand your home network simply using your homes power sockets
- Provides a stable, high-performance network ideal for Full-HD streaming and online gaming
- Data transfer speeds up to 500Mbps
- Advanced QoS enhances media streaming quality
- 128-bit AES encryption for network security
- Multicolour LED displays powerline network quality
- 300m Maximum range over power lines
- Utility software supports Win XP/Vista/7/8
- Dimensions (HxWxD): 70x50x25mm

Contents: 2x Ethernet Adaptor, 2x Ethernet cable, software and user guide

£24.95

order code CS2748102

700196

AV500 3 Port Powerline Kit with Pass Through

EDIMAX



Model: HP-5121AEK

- Extend your internet access over power lines
- 3-Port ethernet switch for flexible connectivity
- Pass-through design retains mains socket use
- Maximum powerline speed up to 500Mbps
- Backwards compatible with 200Mbps adaptors
- Integrated mains filter to maintain network quality
- Powerline transmission up to 300m range
- Plug and play setup with 128-bit AES security
- Energy saving mode reduces power consumption
- Complies with HomePlug AV standard

£37.95

order code CS2760002

701643

Wireless N Access Point

TP-LINK

Model: TL-WA901ND

- Create or expand existing wireless networks
- Flexible operation allows for several configuration options including access point, bridge and repeater
- 300Mbps Wireless transmission rate
- Backwards compatible with 802.11b/g devices
- RJ45 Ethernet interface
- Supports Win XP/Vista/7/8
- Dimensions (HxWxD): 29x174x120mm

Contents: Access point, ac adaptor, Ethernet cable, software and user guide

£34.95

order code CS2326002

300Mb/s WiFi Repeater

devolo



- Boost the range of an existing wireless network
- Integrated Ethernet port for connecting wired devices to the wireless network
- Wireless data transfer rates up to 300Mbps
- Compact plug-in design for convenient placement
- Multi-tier visual signal strength indicator
- WPS button for easy wireless encryption
- WPA and WPA2 wireless security
- Connections: 1x 10/100 RJ45 socket
- Supports Win XP/Vista/7/8.1 and Mac OS 10.7+
- Dimensions (HxWxD): 105x58x42mm
- 3 Year manufacturer warranty

£26.50

order code CS2859602

712306

N300 Smart Wi-Fi Extender with EdiRange App Control

EDIMAX



Model: EW-7438RPn Air

- Next generation, ultra compact wireless extender
- Easily double your existing wireless coverage
- Intuitive EdiRange smartphone companion app for scheduling and managing network functions
- Simply plugs directly into a mains socket
- Fast, user friendly Smart IQ setup
- Guest Network and parental control features
- High speed wireless data rates up to 300Mbps
- Powerful CPU with twin internal antennas
- WPS Button for quick wireless setup
- 64/128-bit WEP and WPA/2-PSK security
- Dimensions (HxWxD): 42x42x72mm

Contents: Wi-Fi extender, software and user guide

£19.95

order code CS2780502

706321

1200Mbps Gigabit Powerline Adaptor Kit

ZyXEL



Model: PLA5405-GB0201F

- Instantly expand your network simply using your homes power sockets
- Provides a high-performance network ideal for Full-HD streaming and online gaming
- Based on the new HomePlug AV2 standard with data transfer rates up to 1200Mbps
- High speed networking with MIMO technology
- Multicolour LED displays powerline network quality
- Advanced QoS enhances media streaming quality
- 128-bit AES encryption for network security
- TR-069 Support for remote management
- 300m Maximum range over power lines
- Utility software supports Win XP/Vista/7/8
- Dimensions (HxWxD): 93x63x27mm

£59.95

order code CS2810402

706806

N300 Mini Wi-Fi Extender/Access Point/Wi-Fi Bridge

EDIMAX



Model: EW-7438RPn Mini

- Smart multifunction wireless extender
- Intuitive EdiRange smartphone app for easy control
- High speed wireless data rates up to 300Mbps
- Signal strength LED for optimal positioning
- WPS Button for quick and easy installation
- 64/128-bit WEP and WPA/2-PSK security
- Connections: 1x 10/10 RJ45
- Dimensions (HxWxD): 65x42x38mm

Contents: Range extender and user guide

£14.95

order code CS2780402

703902

300Mbps Universal Wireless Range Extender

TP-LINK



Model: TL-WA854RE

- Improve the strength of existing wireless networks
- Extends wireless coverage to eliminate 'dead zones'
- Provides wireless connectivity for Ethernet devices
- Range Extender button to instantly expand coverage
- Wireless N speeds up to 300Mbps
- Fully compatible with 802.11b/g/n products
- 64/128/152-bit WEP and WPA/WPA2-PSK wireless security encryption
- Dimensions (HxWxD): 110x66x75mm

Contents: Range extender, software and user guide

£19.95

order code CS2756802

701642

AC750 Wireless Dual Band Router

TP-LINK



Model: Archer C20i

- Next generation 802.11ac dual band wireless router
- Simultaneous 2.4GHz and 5GHz connections with up to 733Mbps total available bandwidth
- Three internal antennas for superior Wi-Fi coverage
- FTP & media server support allows users to share videos, music and photos across the network
- Connect a USB printer to the router for wireless printing from anywhere on your network
- Parental controls for establishing restricted access
- Easily provide secure Wi-Fi access for guests with Guest Network Access functionality
- IPv6 Ready to future proof your network
- SPI Firewall with IP and MAC address filtering
- One touch wireless encryption with WPS button
- Connections: 1x RJ45 WAN, 4x RJ45 LAN, 1x USB
- Supports Win XP/Vista/7/8, Linux and Mac OS
- Dimensions (HxWxD): 171x113x60mm

Contents: Router, ac adaptor, Ethernet cable, software and user guide

£29.95

order code CS2796502

704797

AC1200 Wireless Dual Band Gigabit ADSL2+ Modem Router

TP-LINK



Model: Archer D5

- Supports 802.11ac - the next generation of Wi-Fi
- Simultaneous 2.4GHz and 5GHz connections with up to 1.2Gbps total available bandwidth
- 3 External dual band antennas provide maximum omni-directional coverage and reliability
- Gigabit Ethernet ports for ultra fast transfer speeds
- Ethernet WAN offers additional connectivity for connecting to Cable, VDSL or Fiber modems
- Dual USB Ports allow for easy file, media and printer sharing either locally or over the internet
- Guest Network Access creates secure wireless access for a home or office network connection
- NAT and SPI firewalls to protect end-user devices
- One-touch WPA wireless security with WPS
- Connections: 4x RJ45, 1x RJ11, 2x USB
- Supports Win XP/Vista/7/8, Linux and Mac OS
- Dimensions (HxWxD): 37x229x160mm

Contents: Modem router, ac adaptor, RJ11 telephone cable, Ethernet cable, software and user guide

£84.95

order code CS2752902

700798

Wireless N300 Router/Access Point & Range Extender

EDIMAX



Model: BR-6428nC

- 3-in-1 Multifunction wireless solution
- Operates as a router, access point or range extender
- High speed wireless data rates up to 300Mbps
- Fully compatible with 802.11b/g/n products
- Supports WEP, WPA and WPA2 encryption
- One click Wi-Fi Protected Setup (WPS) button
- Connections: 1x WAN, 4x LAN
- Dimensions (HxWxD): 28x135x110mm

Contents: Multifunction router, ac adaptor, and user guide

£19.95

order code CS2699902

697486

Pocket 150Mbps Wireless N Nano Router

TP-LINK



Model: TL-WR702N

- Easily create an instant Wi-Fi hotspot
- Simply connects to an existing network or modem with an Ethernet cable
- Wireless N data transfer speeds up to 150Mbps
- Compatible with IEEE 802.11b/g/n
- Four operating modes: Router, AP Router, Client Repeater and Bridge mode
- 64/128/152-bit WEP and WPA/WPA2-PSK wireless encryption with firewall security
- Connections: RJ45, Micro USB
- Dimensions (HxWxD): 18x57x57mm

Contents: Pocket router, ac adaptor, USB cable, Ethernet cable, software and user guide

£16.50

order code CS2426602

671937

300Mbps Wireless Broadband Router

EDIMAX



Model: BR-6428nS

- Up to 300Mbps Wireless transfer speeds
- Wireless IEEE 802.11b/g/n compliant
- WISP connection mode and NAT capabilities
- Easy wireless security setup with WPS button
- 64/128 Bit WEP and WPA/WPA2-PSK security
- Connections: 1x RJ45 WAN, 4x 10/100 RJ45 LAN
- Supports Win XP/Vista/7/8
- Dimensions (HxWxD): 26x134x88mm

Contents: Router, ac adaptor, software and user guide

£16.58

order code CS2541302

679396

AV500 Powerline Universal Wi-Fi Range Extender Network Kit

TP-LINK



Model: TL-WPA4220T-KIT

- Use existing power lines as a Homeplug AV network
- High speed wired transfer rates up to 500Mbps; ideal for HD video streaming and online gaming
- Extend 300Mbps wireless connections to previously hard to reach areas
- Wi-Fi clone function simplifies configuration and allows for a seamless wireless network
- Twin ethernet ports for connecting multiple devices
- 128-bit AES Powerline security encryption
- WEP, WPA/PSK and WPA2/PSK wireless security
- Up to 300m range over power lines
- Dimensions (HxWxD): 94x54x40mm

Contents: 2x Wireless powerline extender, wired powerline extender, 3x Ethernet cable, software and user guide

£69.95

order code CS2635402

687931

N300 High Power Ceiling Mount Wireless PoE Range Extender/Access Point

EDIMAX



Model: EW-7428HCn

- Distribute wireless internet access effectively in home, SOHO and SMB environments
- Multiple operation modes including repeater, AP and WDS (point to point, point to multiple points)
- Supports PoE for flexible deployment options
- 64/128-Bit WEP and WPA/WPA2 security encryption
- Easy security setup with WPS button
- Connections: 1x 10/100 RJ45 LAN port


£34.95

order code CS2487602

673661

Wireless N Nano USB Adaptor

Dynamode



- Up to 150Mbps data rate with wireless 802.11n
- WPA/WPA2/PSK and 802.1x encryption
- Plug and play USB 2.0 interface
- Supports Win XP/Vista/7/8, Linux and Mac OS X

£4.98

order code CS2411602

669667

Computer, Office and Telecommunications

Expression Home XP-225 Multifunction Printer



- Cost effective inkjet printer with Wi-Fi connectivity
- Wireless printing from smartphones and tablets
- Print resolution up to 5760x1440dpi (optimised)
- Print speeds up to 26ppm black & 13ppm colour
- A4 Flatbed colour image scanner
- 1200x2400dpi scanning resolution
- 4 Colour, 4 cartridge ink system
- 50 Sheet standard input tray
- Interface: USB 2.0 (cable not supplied) & Wi-Fi
- Supports Win XP/Vista/7/8 and Mac OS 10.6.8+
- Dimensions (HxWxD): 145x390x300mm

Contents: Printer, 4x cartridges, mains lead, software and user guide

£38.95

order code CS2815702

707534

Expression Home XP-322 Wireless Multifunction Printer



- Slim and compact inkjet printer with Wi-Fi connectivity
- Wireless printing from smartphones and tablets
- Print from AirPrint, Google Cloud & Memory Cards
- 3.7cm LCD display to assist stand-alone printing
- Print resolution up to 5760x1440dpi (optimised)
- Print speeds up to 33ppm black & 15ppm colour
- A4 Flatbed colour image scanner
- 1200x2400dpi scanning resolution
- 4 Colour, 4 cartridge ink system
- 100 Sheet standard input tray
- Interface: USB 2.0 (cable not supplied) & Wi-Fi
- Supports Win XP/Vista/7/8 and Mac OS 10.6.8+
- Dimensions (HxWxD): 145x390x300mm

Contents: Printer, 4x cartridges, mains lead, software and user guide

£46.95

order code CS2809902

706322

Expression Home XP-422 Wireless Multifunction Printer



- Wireless printing from smartphones and tablets
- Print from AirPrint, Google Cloud & Memory Cards
- Supports Wi-Fi Direct for added versatility
- 6.4cm LCD display with touch panel operation
- Print resolution up to 5760x1440dpi (optimised)
- Print speeds up to 33ppm black & 15ppm colour
- A4 Flatbed colour image scanner
- 1200x2400dpi Scanning resolution
- Supports Win XP/Vista/7/8 and Mac OS 10.6.8+
- Dimensions (HxWxD): 145x390x300mm

Contents: Printer, 4x cartridges, mains lead, software and user guide

£52.95

order code CS2810002

707105

Deskjet 1010 Printer



- Print resolution up to 600x600dpi (optimised)
- ISO Print speeds up to 7ppm black, 4ppm colour
- 2 Cartridge, 4 colour ink system
- Up to 1000 pages per month duty cycle
- USB 2.0 interface (cable not included)
- Supports Win XP/Vista/7/8 and Mac OS X v10.6
- Dimensions (HxWxD): 127x424x217mm

Contents: Printer, mains lead, cartridges, software and user guide

£28.95

order code CS2729602

702149

Pixma MG2450 Inkjet All-in-One Printer



- Up to 4800x600dpi resolution
- Print speeds up to 8ipm black, 4ipm colour
- 600x2400dpi scanner
- High speed USB 2.0 Interface

Contents: Printer, mains lead, cartridges, software and user guide

£32.95

order code CS2647802

689552

Pixma MG5650 Inkjet All-in-One Printer



- Versatile multifunction printer with Wi-Fi connectivity
- Intuitive interface with 6.2cm colour TFT display
- Print resolution up to 4800x1200dpi
- Borderless and automatic duplex printing
- 5 Cartridge individual colour ink system
- CIS colour flatbed photo and document scanner
- Up to 1200x2400 dpi optical scanning resolution
- Borderless and 2-sided copying with up to 99 multiple copies
- USB 2.0 and Wireless 802.11b/g/n interface
- Supports Win XP/Vista/7/8.1 and Mac OS 10.6.8+
- Dimensions (HxWxD): 148x455x369mm

Contents: Printer, mains lead, cartridges, software and user guide

£69.95

order code CS2816002

707109

DCP-J132W Multifunction Inkjet Printer



- Stylish and capable all-in-one printer for home or office use
- Simple menu control with LCD display
- Wi-Fi ready for sharing across your wireless network
- Enhanced connectivity with Brother iPrint&Scan, Google Cloud Print and Apple AirPrint support
- Print resolution up to 6000x1200dpi (optimised)
- Print speeds up to 11ipm black, 6ipm colour
- Scanner with 1200x2400dpi optical resolution
- Copy speeds up to 4.4ipm black, 2.7ipm colour
- 4 Colour, 4 cartridge ink system
- 100 Sheet standard paper input tray
- USB 2.0 and Wireless 802.11b/g/n interface
- Supports Win XP/Vista/7/8 and Mac OS 10.6.8+
- Dimensions (HxWxD): 161x410x374mm

Contents: Printer, cartridges, mains lead, software and guide

£52.95

order code CS2810502

708653

Pixma iP7250 Wireless Inkjet Printer



- Low profile design for easy office integration
- Wireless printing from tablets and smartphones
- Print directly from iPad/iPhone with Apple AirPrint
- Automatic duplex printing and direct disk printing
- Resolution up to 9600x2400dpi
- ESAT Print speeds up to 15ipm black, 10ipm colour and 21 seconds for 10x15cm photo
- Borderless printing up to A4 size
- 5 Colour system with separate ink tanks
- Full software suite for creative picture use

Contents: Printer, cartridges, mains lead, software and user guide

Note: AirPrint support is available on Apple devices with iOS 4.2 or higher

£57.95

order code CS2559302

680792

Mono Laser Printer



Model: B1160

- Reliable and easy to use mono laser printer
- Ideal for small offices and workgroups
- 20ppm Print speed; First page out within 9s
- 600x600dpi Printing resolution
- Up to 1200dpi image quality
- 150 Sheet standard A4 input tray
- 10,000 Pages maximum monthly duty cycle
- High speed USB 2.0 interface
- Supports Win XP/Vista/7/8, Linux and Mac OS 10.4-7
- Dimensions (HxWxD): 178x331x215mm


Contents: Printer, mains lead, starter toner cartridge, software and user guide

£32.95

order code CS2581902

712150

Nola Wireless Deskset



- Wireless keyboard and mouse set
- Spill resistant multimedia keyboard
- Compact 3 button optical mouse
- 13 Hotkeys for multimedia functions
- 2.4GHz wireless technology with 8m range
- Nano USB receiver stores in the mouse
- Supports Win XP/Vista/7/8
- Keyboard dimensions (HxWxD): 23x490x180mm

Contents: Keyboard, mouse, USB receiver, 1x AA battery, 2x AAA batteries and user guide

£17.80

order code CS2593102

708397

Wired Keyboard 200




- Quiet and responsive keys
- Adjustable height
- Plug and play USB interface
- Supports Win XP/Vista/7/8
- Dimensions (HxWxD): 30x473x30mm

£7.30

order code CS2562902

681094

Backlit Gaming Set



- Stylish gaming keyboard and mouse set
- LED backlighting in three colours (red, blue or purple)
- Cycle through colours with the Pause/Break key
- Robust construction for long gaming sessions
- Optical mouse with matching blue LED backlight
- Sculpted design for extra comfort and grip
- High precision scroll wheel
- Adjustable DPI rate for smooth control
- Plug and play USB interface
- Keyboard dimensions (HxWxD): 24x445x152mm
- Supports Win XP/Vista/7/8

£11.95

order code CS2811602

707685

RF2200 Wireless Keyboard & Mouse Deskset



- Compact and practical wireless deskset
- 2.4GHz wireless technology with 8m range
- High precision 3 button optical mouse
- Soft touch keys with laser etched legends
- Plug and play USB interface
- Supports Win XP/Vista/7/8

£9.95

order code CS2595602

702932

Backlit Keyboard



Model: KB-768 V2

- Multi-colour LED Backlighting (red/blue/green)
- 12 Multimedia keys for easy access
- Spill-proof, water-resistant design
- Plug and play USB interface
- Supports Win XP/Vista/7/8
- Dimensions (HxWxD): 26x445x179mm

Contents: Keyboard only

£11.95

order code CS2797702

705625

USB Keyboard



- 105 Key full size keyboard layout
- Reliable membrane technology to ensure long life
- Fold down feet for adjustable typing height
- Plug and play USB interface
- Supports Win XP/Vista/7/8
- Dimensions (HxWxD): 32x434x142mm

£3.68

order code CS2723202

699203

Devastator Gaming Set



- Ergonomic low profile gaming keyboard and mouse
- Stylish design with blue LED backlighting
- Dedicated multimedia buttons
- Mouse has rubber side pads for stability and grip
- Large, high precision mouse wheel
- 3 Level adjustable DPI rate for better control • Plug and play USB interface
- Supports Win XP/Vista/7/8
- 2 Year manufacturer warranty

£23.95

order code CS2795302

705146

GXT 152 Illuminated Mouse



- Gaming mouse with stylish LED illumination
- Illuminated top and sides with 3 selectable colours
- Complete rubberised coating for extra grip
- Mouse speed select button (600-2400DPI)
- Durable nylon braided USB cable
- Supports Win XP/Vista/7/8

Contents: Mouse and user guide

£14.95

order code CS2774102

711107

USB Optical Mouse



- 3 Button wired scroll mouse
- Accurate 800dpi optical sensor
- Plug and play USB interface
- Supports Win XP/Vista/7/8

£1.69

order code CS2761002

701637

USB Optical Scroll Mouse



- 3 Button scroll mouse
- Contoured design with rubber side grips
- High resolution 800dpi Optical sensor
- Extra wide scroll wheel with non-slip coating
- Suitable for left or right handed use
- USB interface
- Supports Win XP/Vista/7

£3.10

order code CS2259102

646450

USB Optical Scroll Mouse



- 3 Button optical scroll mouse
- High resolution 800dpi optical sensor
- Black and silver finish
- Suitable for left and right hand use
- USB Interface • 1.5m Cable length
- Supports Win 98/ME/2000/XP/Vista/7/8

£2.50

order code CS2211102

648458

Black Optical Scroll Mouse



- 3 Button optical scroll mouse
- Precision 800dpi optical sensor
- Suitable for left and right hand use
- USB Interface • 1.5m Cable length
- Supports Win 98/ME/2000/XP/Vista/7

£2.05

order code CS2211202

648457

B100 Optical USB Mouse



- High quality 3-button scroll mouse
- Comfortable low-profile design
- Suitable for use in either hand
- 800dpi Optical resolution
- Plug and play USB interface
- Supports Win XP/Vista/7/8

Contents: Mouse and user guide

£3.99

order code CS2587902

683868

Evano Compact Mouse



- Compact 3 button optical mini mouse
- Suitable for use in either hand
- Plug and play; no drivers required
- Supports Win XP/Vista/7/8

Contents: Mouse and user guide

£3.29

order code CS2773302

711106

Vivy Wireless Mini Mice



- Compact wireless mice with micro USB receiver
- High resolution 800dpi optical sensor
- 2.4GHz Wireless operation with 8m range
- Receiver stores in mouse for easy portability
- Suitable for left or right hand use
- Plug and play - no drivers required
- Supports Win XP/Vista/7/8

Contents: Mouse, micro USB receiver, 2xAAA batteries and user guide

CS2772102 Red Swirl

CS2772202 Black

CS2772302 Red

CS2772402 White

711105

£7.95

Preston Contact Centre

**8am - 7pm Mon to Fri
9am - 5pm Saturday
Now open Bank Holidays**

**Call us on
08447 88 00 88**

S150 USB 2.0 Speakers OEM



- USB digital speaker system
- Advanced digital USB for premium sound clarity
- Light, compact design for portability
- No batteries or power supply required (single USB cable for both audio and power)
- Designed for stability on the desktop
- Built-in, easy-access controls for volume and mute
- Digital-power indicator
- Brown-box OEM packaging

Contents: Speakers, soft case and user guide

£12.95

order code CS1758502

531237

2.1 Multimedia Speakers



- High quality 2.1 speaker set and subwoofer
- Bass reflex technology for deep and powerful bass
- Crystal clear satellites for full range sound
- 40W Total RMS power output
- Frequency range: 35Hz - 20kHz
- Connections: RCA input/output
- Dimensions (HxWxD): Subwoofer 240x165x290mm, Satellites 180x90x75mm

Contents: Subwoofer, 2 satellite speakers, audio cables and user guide

£23.95

order code CS2252102

645332

Vybe Bluetooth Speakers



- Powerful sound from a compact speaker
- Ideal for music and hands-free calling
- Volume, media and call-pickup controls
- Compatible with Bluetooth 2.0 enabled devices
- Rechargeable battery gives 4 hours playtime
- 3.5mm Line-in for MP3 players

Contents: Speaker, USB charging cable, audio cable and user guide

CS2775202 Black
CS2775302 Red
CS2775402 White

£17.95

711067

Aporto Portable 2.0 Speakers



- Speakers with sleek, travel friendly form factor
- Modular design transforms into a micro system
- USB or battery powered for complete portability
- Twin 2" drivers with 6W total RMS power
- Front mounted volume and power controls
- 3.5mm Stereo and USB audio input
- Powered by 4x AAA batteries (not included)
- Dimensions (HxWxD): 125x78x72mm

£26.95

order code CS2796002

705774

SP-S110 Stereo Speakers



- Reliable speaker set for desktop use
- 1W Total RMS power output
- Front mounted controls for easy access
- Headphone socket for private listening
- Frequency range: 200Hz-20KHz

Contents: Speakers with cables attached and user guide

£5.76

order code CS2569902

682170

USB Speaker System



- Superior speakers with a contemporary design
- Engineered with Audio Boost technology to deliver a premium sound experience
- Acoustic airflow design for natural sound
- Provides 4W RMS output power (2x 2W)
- Protective metal speaker grills
- Easy access volume and mute controls
- Integrated soundcard for plug and play setup
- USB Powered, no PSU required

Contents: Speakers and user guide

£5.41

order code CS2736602

699483

HD Pro Webcam C920



- Full HD 1080p video calling on Skype (supports 720p video calling on most other IM services)
- Up to 15 Megapixel (enhanced) still image capture
- Carl Zeiss optics with 20 step autofocus
- Video capture up to 1920x1080p
- Built-in dual stereo mics with noise reduction
- Logitech Fluid Crystal Technology
- Automatic low-light correction
- Supplied with Logitech Vid HD video calling and Magix video editing software
- One-click HD upload to YouTube and Facebook
- Tripod-ready universal clip fits LCDs and notebooks
- Supports Win XP/Vista/7/8

Contents: Webcam, software and user guide

£69.95

order code CS2345402

665723

SP-120 Stereo Speakers



- Compact speaker set with gloss black finish
- Reflex port design for better bass performance
- 2.6W Total RMS power output
- Easily accessible power and volume controls
- Headphone socket for private listening
- Frequency range: 200Hz-20KHz

Contents: Speakers with cables attached and user guide

£8.93

order code CS2569702

682168

Bluetooth Wireless Shower Speakers



Model: IMW385

- Listen to your tunes whilst in the shower!
- Integrated rubberised hanger conveniently secures the speaker to the shower head
- IPX5 Rated housing is dust and splash proof
- APT-X Technology gives CD quality audio
- 1.5" Full range neodymium speaker driver
- Built-in microphone for hands-free calling
- Spoken Caller ID to accept/reject phone calls
- High capacity rechargeable Li-ion battery
- Up to 5 hours continuous playback

CS2792102 Pink
CS2834902 White

£26.95

708541

Creative Pen Tablet S



- Naturally draw, sketch and doodle on your computer as easily as if it was pen and paper
- Comfortable tablet designed for either hand
- Slimline, tapered profile with metal finish
- Customise the pen ring and holder colours
- Wireless pen with 1024 level pressure
- Active area size 152x95mm
- 4 ExpressKeys with advanced mapping features
- Supplied with ArtRage Studio software
- Dimensions (HxWxD): 10x210x178mm
- Supports Win 7/8 and Mac OS 10.5.8+

Contents: Tablet, pen, pen holder, replacement tips, USB cable, software and user guide

£49.95

order code CS2610702

PRICE CUT

685780

Life Jacket Bluetooth Rugged Bluetooth Wireless Speakers



Model: IMW575

- Ultra rugged portable wireless speakers
- IPX7 Rated Housing is waterproof, shock resistant and constructed to withstand dirt, sand and dust
- Dual 2.5" Neodymium drivers with passive radiator
- Optimum playback with DSP Audio Enhancement
- Easy wireless pairing with voice confirmation
- Built-in microphone for hands-free calling
- 3.5mm Aux connector for MP3 players
- High capacity rechargeable Li-ion battery
- Up to 16 hours continuous playback
- Dimensions (HxWxD): 83x203x83mm

CS2791802 Red
CS2791902 Blue

705772

£54.29
£54.29

10W Bluetooth Vibration Speaker



Model: KK4

- Portable speaker for tablets and smartphones
- Utilises vibration resonance technology to turn any flat surface into a large 360° speaker
- Hands-free phone function with microphone
- Touch sensitive controls for calls and playback
- Micro SD card slot allows for direct playback
- Powerful 10W RMS stereo output
- Robust aluminium alloy housing
- Bluetooth technology for wireless connection
- Additional 3.5mm connection for MP3/iPod
- Li-ion battery recharges via USB
- Up to 3 hours music from a single charge
- Dimensions (HxWxD): 100x65x65mm

Contents: Speaker, USB/audio lead and user guide

£26.95

order code CS2550502

680479

10" Netbook/Tablet Case



- Protective case for tablets and netbooks
- Designed for devices up to 10"
- Matt black finish with chevron design
- Soft touch scratch resistant inner lining
- Removable shoulder strap
- Dimensions (HxWxD): 210x283x50mm

£2.69

order code CS2705002

700596

11.6" Netbook Sleeve



- A slim and practical netbook slipcase
- Durable 900x1200D polyester material
- Contrasting soft-touch lining for protection
- Internal Dimensions (HxWxD): 202x292x36mm

£1.99

order code CS2515302

677299

15.6" Notebook Bag



- Protect your notebook from dirt and scratches
- Designed for notebooks up to 15.6"
- Removable shoulder strap
- External document compartment
- Dimensions (HxWxD): 340x430x60mm

£6.95

order code CS2635802

710749

**Trade prices
on over 100,000
stocked products**

15.6" Notebook Messenger Case



- Functional and cost-effective notebook case
- Durable polyester construction
- Velcro fastening security strap
- Carry handle and adjustable shoulder strap
- Rubberised foot rests to protect the base

£5.95

order code CS2752702

708812

Large 19" Business Trolley Case



- Provides a safe and comfortable way to move your notebook and luggage over long distances
- 2 Large compartments for storage
- Large main compartment with padded divider and velcro strap for notebooks up to 19", and large capacity storage space for luggage
- Second main compartment with divider to store documents and files
- Large zippered front pocket
- Detachable padded shoulder strap and carry handle
- 2 Stage telescopic handle and recessed wheels
- External dimensions (HxWxD): 480x440x220mm

£18.99

order code CS2246702

653102

15.6" Notebook Case



- Classic toploading notebook case
- Designed for notebooks with 15.6" screens
- Showerproof 500D polyester material
- Additional pocket for accessories
- Internal Dimensions (HxWxD): 270x390x40mm
- External Dimensions (HxWxD): 310x410x65mm

£9.95

order code CS2584202

683870

Classic Notebook Carry Cases



- Storage and carry bags for notebooks
- Suitable for notebooks up to 16" and 17"
- Large padded main compartment
- Extra compartment for peripherals
- Strong fabric for heavy duty use
- Dual metal zippers and velcro fasteners
- Adjustable shoulder strap

708833

CS2592002	16" Case	£7.95
CS2591902	17" Case	£10.49

15.6" Cage Cover Notebook Bag



- Protect your notebook whilst out and about
- Designed for notebooks up to 15.6"
- Robust EVA foam outer material
- Removable shoulder strap
- Organiser compartment
- Dimensions (HxWxD): 300x400x120mm

£15.95

order code CS2729102

707142

Business Trolley Case



- Ideal for business travel use
- Suitable for most notebooks up to 15"
- Spacious front zipped compartment
- Main compartment with high capacity document space, pen holders, business card holder and 2 mesh pockets
- Padded divider for main compartment
- Foam padding in main notebook compartment
- Padded, detachable shoulder strap and carry handle
- 2 Stage telescopic handle and recessed wheels
- External Dimensions (HxWxD): 480x440x135mm

£12.95

order code CS2246602

653101

Cage Cover Notebook Sleeves



- Protect your notebook from dirt and scratches
- Robust EVA foam outer material
- Twin fastening straps inside

705145

CS2729302	13"	£9.95
CS2729202	15.6"	£10.95

Legacy 16" Single Notebook Case



- Professional case designed for notebooks up to 16"
- Simple, checkpoint friendly design for added travel convenience
- Fully protects your notebook without being bulky
- Internal pockets for most accessories
- Adjustable tear resistant shoulder strap
- Reinforced ergonomic handle
- Dimensions (HxWxD): 381x432x115mm

£39.95

order code CS2126302

631106

15.6" Sportsline Montego Notebook Bag



- Keep your notebook safe from dirt and scratches
- Large padded compartment for 15.6" notebooks
- Front pocket for additional accessories
- Two internal compartments
- Removable shoulder strap
- Dimensions (HxWxD): 305x420x70mm

£14.95

order code CS2794002

712367

Playstation TV SONY PS4

- Play a huge range of compatible PlayStation Vita, PSP and PS one games on your big-screen TV
- Never miss playing your PS4 games if someone is watching the main TV thanks to Remote Play
- Integrated Playstation Vita card slot
- 1 GB built-in storage
- Wi-Fi and Bluetooth wireless connectivity
- Connectors: HDMI, USB, RJ45



Contents: PS TV, ac adaptor and user guide
Note: Requires USB cable and DUALSHOCK 3 or DUALSHOCK 4 wireless controller

£74.95

order code CS2826102

708405

DUALSHOCK3 SONY Wireless Controller for PS3

- Get closer to the action with built-in vibration
- Pressure sensitive buttons react to your actions
- Bluetooth technology for wireless gameplay
- Six-axis motion sensing systems
- Charges via USB connection



Contents: Controller and user guide

£34.95

order code CS2716102

709060

DUALSHOCK4 SONY Controller for PS4

- Experience an even greater sense of control
- Improved dual analog sticks and trigger buttons
- Share button gives new ways to interact with other players whilst you play
- Capacitive touch pad for unique functionality
- Six-axis motion sensing systems
- USB Micro B, Extension port and stereo headset connections
- Dimensions (HxWxD): 98x162x52mm



Contents: Controller and user guide

£41.95

order code CS2697602

700680

PS4 5 Port USB Hub hama PS4



- Add 5 extra USB ports to your PS4
- Sleek in-line design matches the console
- One ultra-fast USB 3.0 port for an external hard drive and 4 USB 2.0 ports for other peripherals
- Suitable for charging up to 5 controllers
- LED Power and status indicator

£10.45

order code CS2642902

700681

Xbox One Evolve Bundle Microsoft XBOX ONE

- Xbox One console complete with Evolve - an intense multiplayer shooter where four Hunters face off against a single Monster in adrenaline-pumping 4v1 matches
- Xbox console with 500GB hard drive
 - The updated controller has new impulse triggers which offer precise haptic feedback and a streamlined d-pad for greater precision and control
 - Gaming with Smart Match - your Xbox Live reputation matters and helps you find games based on your skill, style and language
 - Capture your in-game triumphs with the built-in DVR then edit and share it to your Xbox Live profile and social networks
 - Turn smartphones and tablets into second screens with Xbox SmartGlass, creating an extended experience for games, TV and apps



Contents: Xbox One, ac adaptor, controller, standard headset, Evolve download key and user guide

£274.95

order code CS2849202

712243

Xbox One Wireless Controller Microsoft XBOX ONE

- The new Xbox One wireless controller features over 40 improvements to the award-winning Xbox 360 controller
- Designed to be comfortable in almost any hands
- New impulse triggers offer precise haptic feedback
- Redesigned thumbsticks for improved response times
- Streamlined d-pad for greater precision and control
- Expansion port for add-on devices like headsets and future devices
- Up to 10m wireless range



£34.95

order code CS2838902

709067

Xbox 360 Wireless Controller Microsoft

- Designed for greater precision and comfort
- 2.4GHz Wireless technology with 30-foot range
- Adjustable vibration feedback for longer battery life
- Use up to 4 controllers simultaneously on one console



£25.95

order code CS2714402

710752

Xbox One Play and Charge Kit hama XBOX ONE

- Active charging for Xbox One controllers
- Allows simultaneous gaming and charging
- Extra long charging cable for easy gaming
- Supplied with NiMH battery



£9.49

order code CS2644002

693887

Xbox One Dual Charging Station hama XBOX ONE



- Charging dock for up to 2 Xbox One controllers
- Compact and space-saving design
- USB Powered, suitable for use with any USB port (Xbox, PC, notebook)
- LED Indicator for charging status
- Supplied with 2 NiMH batteries

Note: Controllers shown for illustration purposes only, not supplied

£14.95

order code CS2643902

693893

Xbox One Wireless Controller with Play and Charge Kit Microsoft XBOX ONE



- The new Xbox One wireless controller features over 40 improvements to the award-winning Xbox 360 controller
- Supplied with the Play and Charge Kit; keep your battery charged while you play
- Designed to be comfortable in almost any hands
- New impulse triggers offer precise haptic feedback
- Redesigned thumbsticks for improved response times
- Streamlined d-pad for greater precision and control
- Expansion port for add-on devices like headsets and future devices
- Up to 10m wireless range

Contents: Wireless controller, rechargeable battery, charging cable and user guide

£44.95

order code CS2838802

708809

PS4 HDMI Cables hama PS4



- Specially designed to complement your PS4 system
- Available with straight plugs or 180° rotating plugs for flexible installation options
- High speed Full-HD video transmission
- 3D transmission via extended bandwidth
- Triple shielded for reduced interference
- Gold plated connectors
- 2.5m Cable length

CS2642302 Straight HDMI Lead **£7.49**

CS2642402 Rotating HDMI Lead **£14.49**

708867

Wireless 7.1 Headset for PS3/PS4/Vita SONY PS4



- Enjoy rich, dynamic sound at home or on the go
- Stunning 7.1 virtual surround sound (PS3/PS4)
- Crystal clear noise cancelling microphone
- Switch between sound modes with the Headset Companion App for PS3/PS4 (download from the PSN store)
- Foldable design for added portability
- Rechargeable battery with up to 8 hours use

Contents: Headset, wireless USB adaptor, audio cable, USB cable, accessory pouch and user guide

£59.95

order code CS2836302

708585

Aegis Multifunction USB Hub and Headset Holder



- 3-in-1 Design provides cable management, USB hub and convenient headset holder
- Easy monitor mounting with 3M adhesive
- Rotating arm on top for holding your headset and simple cable management at the bottom
- Provides 4 rear-facing USB 2.0 ports
- Plug and play USB interface
- Supports Win XP/Vista/7/8
- Dimensions (HxWxD): 178x34x98mm

Contents: Aegis multifunction hub, USB cable and user guide

£13.49

order code CS2710702

710768

Xbox One 4 Port USB Hub hama XBOX ONE



- Stylish, angular design blends in with the Xbox shape and allows easier connection of devices
- Adds 4 USB 2.0 ports for peripherals
- Suitable for charging up to 4 controllers
- LED Power and status indicator

£9.49

order code CS2643802

693886

Stereo Headphones

Model: MDR-ZX110B/W

- Offers clear, balanced sound on the move
- Neodymium magnets deliver powerful sound
- Cushioned earpads for extra comfort
- Available in black or white



SONY

Technical Data

Frequency Response	12Hz-22kHz
Impedance	24Ω
Sensitivity	98dB/mW
Type	Dynamic
Driver Diameter	30mm (Dome Type)
Diaphragm	PET
Connector	3.5mm Stereo Jack Plug, Gold Plated
Cable Length	1.2m
Weight	120g

AV2476902	Black
AV2477002	White

£11.95

Stereo Headphones

These stylish and compact headphones offer excellent performance and are ideal for use with personal audio devices.

- Comfortable adjustable plastic headband
- Soft leather padded earcups
- Earcups fold in for easy storage
- OFC Cable for optimum signal transfer
- Supplied with gold plated 3.5mm to 6.35mm stereo jack adaptor



Technical Data

Frequency Response	50Hz - 16kHz
Impedance	32 Ω
Sensitivity	105dB
Power	100mW
Lead Length	1.5m
Connector Type	3.5mm Stereo Jack Plug

AV2384202	Black/Green
AV2384302	Black/White
AV2384402	Black/Red

£5.69

Stereo Headphones with Microphone

Model: PA-878

- Padded headband and earcups
- Adjustable microphone
- 2.2m Cable length
- 2x 3.5mm Jack connectors



Technical Data

Frequency Response	8Hz - 22kHz
Impedance	32ohms (@ 1kHz)
Sensitivity	108dB/mW
Driver Diameter	40mm
Weight	200g

Microphone

Frequency Response	30Hz - 15kHz
Impedance	<10kohms
Sensitivity	-58dB ±2dB

£7.49

order code AV2306302

PC Headset with Microphone

Model: HP530

- Lightweight headset for VoIP applications
- Designed to withstand everyday wear and tear
- Padded headband and cushioned ear pads
- Moulded inline microphone with tieclip
- Easy access volume control and mute
- Connectors: 2x 3.5mm stereo plug



Technical Data

Frequency Range	20Hz - 20kHz
Rated Power Output	100mW
Microphone Sensitivity	-58dB±2dB
Impedance	32Ω
Lead Length	1.8m

£6.95

order code CS2752302

Crossfade Stereo Headphones



- Lightweight, affordable crossfade headphones
- Works with iPod, iPhone, iPad & MP3/MP4 devices
- Comfortable ear cushions and headband
- Available in a variety of neon colours

Technical Data

Driver Size	30mm
Cable Length	1.2m
Connector	3.5mm Stereo Jack Plug

AV2460902	Neon Pink
AV2461002	Neon Blue
AV2505602	Neon Green
AV2505702	Neon Orange
AV2505802	Neon Red

£4.50

Full-Size Lightweight Stereo Headphones

Model: SHP1900

- For music, PC, TV
- Full-size headphones with lightweight design for comfortable listening
- Lightweight headband enhances comfort and adds durability
- The whole ear is covered to optimise sound quality



Technical Data

Frequency Response	20Hz - 20kHz
Impedance	32Ω
Sensitivity	98 dB
Driver Type	Dynamic
Lead Length	2m
Connector Type	3.5mm Stereo Jack Plug, Chrome Plated
Magnet type	Neodymium

£8.95

order code AV1826802

Stereo Earphones+Mic - Ceramic Housing

Model: SPACE-FLAT

VIBE Audio's Space headphones feature aerospace grade ceramic housing with proprietary 6th order bass reflex porting technology to deliver unparalleled detail and clarity.

- High quality 9.4mm drivers for great sound quality
- VIBE's signature TurboPort technology is designed for cleaner airflow allowing deeper, extended bass performance
- Built in microphone with answer button, so you can easily answer calls whilst listening to music
- Foam Earbuds expand to the shape of your ear canal to improve resonance and block outside noise
- Lightweight & comfortable, ideal for long journeys or extended listening periods
- Oxygen free copper flat cable



Technical Data

Frequency Response	20Hz-20kHz
Impedance	16Ω
Driver	9.4mm
Lead Length	1.2m
Connector Type	3.5mm Stereo Jack Plug - Gold Plated


£5.95

order code AV2391802

Lightweight Digital Stereo Headphones

Stylish headphones finished in grey and silver with black foam earpads and offer excellent performance when used with digital players.

- Adjustable plastic headband
- High power drivers with anisotropic magnets
- Very flexible cable with a right angle plug



Technical Data

Frequency Response	20Hz - 20kHz
Impedance	32 Ω
Sensitivity	102dB
Driver Type	Anisotropic Magnet
Lead Length	1.1m
Connector Type	3.5mm Stereo Jack Plug

£1.99

order code AV1857202

DJ Headphones

Model: HD201

- Powerful stereo sound
- Rich, crisp bass
- Good attenuation of ambient noise



Technical Data

Frequency Response	21Hz-18kHz
Impedance	24Ω
SPL	108dB

£14.95

order code AV1193102

Computer, Office and Telecommunications

Splashproof Sports Earphones

JVC

Model: HA-EBX5

Sports earphones in iPod matching colours suitable for exercise and fitness activities.

- Splash-proof design
- Secure-fit with soft rubber ear clip and cushion
- Colour coordination with iPod nano 6G
- Powerful 11mm Neodymium driver unit
- Comfortable fit with 3 sizes of silicone eartips
- Coloured lead with gold-plated iPhone-compatible slim plug

Technical Data

Frequency Response	10Hz-23kHz
Lead Length	1.2m
Connector Type	3.5mm Gold Plated Stereo Jack Plug

712218

AV2491602	Black	£11.95
AV2491802	Pink	

Premium Stereo Earphones

JVC

Model: HA-FX40

Securely fitting earphones with high clarity sound powered by the world's first carbon nanotubes diaphragms.

- Clear, crisp high-definition sound with vivid bass
- Rubber fitting stabilizer for secure, comfortable fit
- Dual-layer housing blocks background sound
- Quality aluminum-plated housing
- Cord clip for reducing lead friction noise included
- Gold-plated iPhone compatible slim plug
- S/M/L silicone and memory foam eartips included
- Available in a variety of colours

Technical Data

Frequency Response	8Hz-24kHz
Lead Length	1.2m
Connector Type	3.5mm Gold Plated Stereo Jack Plug

712219

AV2491202	Black	£14.95
AV2491302	Silver	£14.95
AV2491402	Red	£16.95
AV2491502	Blue	£16.95

Stereo Earphones

JVC

Model: HA-FX45S

Elegantly designed earphones with deep bass sound.

- Rich and clear sound from 8.5mm driver unit
- Tangle-free flat lead & iPhone compatible slim plug
- S/M/L silicone eartips included
- Luxurious paper gift box

Technical Data

Frequency Response	7Hz-24kHz
Lead Length	1.2m
Connector Type	3.5mm 90° Gold Plated Stereo Jack Plug

712220

AV2491002	Black	£15.95
AV2491102	White	

Xtreme Xplosives Earphones

JVC

Model: HA-FX101

A choice of earphones that reproduce powerful and dynamic deep bass sound.

- Extreme Deep Bass Ports and 8.5mm driver delivers ultimate bass sound
- Rubber protectors for body durability
- Superior sound isolation
- Comfortable fit with ergonomic contoured form
- Gold plated iPhone compatible slim plug
- Available in a variety of colours

Technical Data

Frequency Response	5Hz-20kHz
Lead Length	1.2m
Connector Type	3.5mm Gold Plated Stereo Jack Plug

712221

AV2490102	White	£11.95
AV2490202	Blue	
AV2490302	Black	
AV2490402	Pink	

Lightweight Stereo Headphones

JVC

Model: HA-S160

- Lightweight & comfortable portable headband headphones
- Powerful sound with 30mm Neodymium driver units
- Soft ear-pads for ideal sound isolation and comfortable fit
- Flat foldable design for compact carrying
- Stainless steel headband for excellent wearing comfort
- Slim 3.5mm stereo jack connector which is ideal for recessed jack connections
- Available in a variety of colours

Technical Data

Impedance	32Ω
Frequency Response	12Hz to 24kHz
Sensitivity	103dB/1mW
Driver Size	30mm
Magnet Type	Neodymium
Physical	
Lead Length	1.2m
Connector Type	3.5mm Stereo Jack Plug - Gold Plated
Weight	66g

649070

AV2193102	Black	£10.95
AV2193302	Red	£10.95
AV2193402	Violet	£10.95
AV2193502	Pink	£10.95
AV2489102	White	£9.95
AV2489202	Blue	£9.95

Precision Headphones

JVC

Model: HA-RX700

Full-size headphones with deep bass sound and optimum comfort.

- Deep bass sound reproduction with 50mm driver
- Ring port structure for high-quality dynamic sound
- Wide head pad for optimum comfort
- 6.3mm plug adaptor included



Technical Data

Frequency Response	8Hz-25kHz
Impedance	48Ω
Sensitivity	105dB
Lead Length	3.5m
Connector Type	3.5/6.35mm Gold Plated Stereo Jack Plugs

712223

AV2488802	£29.95
-----------	--------

Foldable Stereo Headphones

JVC

Model: HA-L50W

Stylish, lightweight foldable stereo headphones.

- Powerful 30mm Neodymium driver unit
- Foldable design
- Stylish design for MP3 players



Technical Data

Frequency Response	18Hz-22kHz
Impedance	32Ω
Sensitivity	104dB
Lead Length	1.5m
Connector Type	3.5mm Gold Plated Stereo Jack Plug

£5.95

order code AV2489302

712369

Sports Clip Earphones with Mic

JVC

Model: HA-EBR80

Sports clip earphones with 1-button remote & mic for hands-free operation ideal for exercise and fitness activities.

- 1-Button remote and mic for iPhone/ iPod/ iPad/ BlackBerry & Android
- Adjustable clip with five positions for secure fit
- Bass-boosting eartips
- Powerful 13.5mm neodymium driver unit
- Gold-plated iPhone-compatible slim plug
- Available in silver or black

Technical Data

Frequency Response	16Hz-20kHz
Lead Length	1.2m
Connector Type	3.5mm Gold Plated Stereo Jack Plug

712370

AV2490502	Silver	£13.95
AV2490602	Black	

Raspberry Pi 2 Model B Starter Kit with Cadsoft Eagle v7 Hobbyist



The Raspberry Pi Cadsoft Starter kit has what you need to get started developing add-on boards for the Raspberry Pi. The kit includes our standard starter kit package bundled with Cadsoft Eagle v7 License key. Cadsoft is a world renowned PCB design software that takes your concept designs to production. Cadsoft Eagle includes schematic editor, layout editor as well as a vast array of component libraries.



Includes:

- Raspberry Pi starter Kit (Raspberry Pi 2 board, 8GB N00Bs MicroSD card, 1.8A UK PSU, Clear Multicomp case)
- Cadsoft Eagle v7 License Key

£109
code SC1381502



Introducing our Raspberry Pi™ 2 Kits

Featuring the new Raspberry Pi™ 2 Model B, the U:Create range of educational project kits make learning to code and connect to the world of technology accessible and fun for all ages.

Each kit features an easy to follow User Guide. Learn the basics, including how to use the Raspberry Pi™ to interact with a camera, lights and sensors, set up Minecraft™, or use as a Media Centre.

Raspberry Pi™ 2 Model B Starter Kit



£34.99

code SC1379902

Raspberry Pi™ 2 Model B Plug 'N' Play Kit



£54.99

code SC1380002

Raspberry Pi™ 2 Model B Camera Kit



£59.99

code SC1380302


Raspberry Pi™ 2 Model B Project Kit



£44.99

code SC1380102

Raspberry Pi™ 2 Model B Media Centre Kit



£49.99


code SC1380202

**FOR MORE
INFORMATION
VISIT
cpc.co.uk**



3D PRINTING & PROTOTYPING

Robox 3D Printer



Robox 3D printer combines the best features of market leaders at a fraction of the cost. The quality construction and heated platform with draught blocking enclosure are amongst the great features.

- QuickFill Dual nozzle technology
- Auto Z height calibration
- TapeLess high performance PEI bed material
- HeadLock quick change head system
- Single or Dual extruders
- Automatic material recognition (SmartReel) and instant loading
- Automatic head recognition
- Draft blocking build chamber
- 2 Minute fast heat-up time
- Plug & Play - no set up or assembly required
- Software bundle: Robox AutoMaker
- File Types: .stl, .obj, .robbox
- Software compatibility: Windows (7, 8), Mac OS x (10.6 x64/10.7+), Ubuntu Linux (12.04+)

Technical Data
Insulation resistance
Nozzle Diameter
Filament Diameter
Build Size (LxWxH)
Layer Resolution
Nozzle Temperature
Model Materials
Connectivity
Power
External Size (LxWxH)
Product Weight

0.3mm
1.75mm
210x150x100mm
Super - 20 microns
300°C max
PLA, ABS, Nylon, PC, PET, PC-ABS
USB 2.0
100-250VAC, 50/60Hz, 3A max
370x340x240mm
8kg



£685

order code MK0020902

K8200 3D Printer Kit

It's a build it yourself 3D printer kit to print objects of maximum 20x20x20cm using PLA or ABS filament (3mm plastic wire). It is an extremely fast, reliable and precise printer even when printing at higher speeds. The K8200 is compatible with all free RepRap software and firmware. It is made out of aluminum profiles and is easy to assemble, it leaves room to the user to freely alter the machine and modify it to their liking. The print bed is heated.

Features:

- Linear ball bearings: 8 and 10mm
- Technology: FFF (Fused Filament Fabrication) for PLA and ABS
- Power supply: 12V/3A max.
- FTDI USB 2.0 to Serial
- Dimensions of printable area: 20x20x20cm
- Typical printing speed: 120mm/s
- Maximum print speed: 150 to 300mm/s
- Extrusion nozzle: 0.5mm
- Extrusion thermistor: NTC 100K
- Extruded aluminum profiles: 27.5mm/1.08" wide
- Movement: 4 NEMA 17 stepper motors
- Resolution: Nominal mechanical resolution: X and Y: 0.015mm/590.55 µin Z: 0.781 µm/30.74 µin
- Nominal printing resolution: Wall thickness (X,Y): 0.5mm
- Layer thickness (Z): 0.20-0.25mm
- Dimensions: 50x42x62cm (WxDxH)



£329


order code HK0119302

UP! Plus 2 - 3D Printer

The UP! Plus 2 is a small format 3D printer that works straight out of the box and has automatic calibration.

- Automatic platform levelling
- Automatic platform height setting
- Voted best in class by Make Magazine 2014

Includes: 3D Printer, UP! software, 700g reel of white ABS filament, perforated build platforms, tool kit, manual, UK PSU



Technical Data
Resolution Layer Thickness
Build Volume
Printing Material

0.15mm
140x140x135mm
ABS, PLA

Supported OS
Print Speed (Max)
Connectivity

Windows XP, Vista, 7 & 8, Mac OSX
30mm²/sec
USB

£1,039

order code MK0019202

Self-Setting Rubber

Features:

- **Hand formable** - Can be shaped by hand for up to 30 minutes
- **Sticks to almost anything** - Forms strong bonds with aluminium steel, ceramics, glass, wood and other materials including plastics and silicone
- **Air cures at room temperature** - Cures to a tough flexible silicone overnight using the moisture in the air.
- **Strong & Durable** - Sugru can withstand up to anything the weather throws at it both wet or dry, hot or cold
- **Flexible** - When Sugru cures it becomes a flexible rubber which means you can repair things that need to move such as cables and textiles
- **Soft & grippy** - As a silicone rubber it feels soft to touch but also very grippy, perfect for making comfortable handles
- **Temperature resistant** - Sugru is resistant from -50°C to 180°C and does not get softer or harder
- **Waterproof** - Being the nature of silicone rubber it is completely waterproof and easy to clean.
- **Removable** - Once cured Sugru can easily be removed by cutting it off with a sharp knife and removing the residue with fingers or tissue



Red, Yellow, Blue,	
MK0004002 8 Mini Packs Black & White	£8.99
MK0004102 3 Mini Packs Red, Black & White	£5.39

Polymorph Mouldable Plastic



Tiny plastic polycaprolactone (PCL) pellets that, when heated to 60°C, becomes mouldable putty-like material. It then solidifies as it cools becoming a solid plastic similar to nylon.

It is perfect for making models, replacement parts, toys, sculptures and much more.

- Reusable when reheated
- Non-toxic and biodegradable
- Mouldable with hands or tools
- Can be sanded, tapped, painted and machined
- Colourants available to change colour for a custom look
- Available in 250g, 500g & 1kg jars



Polymorph

MK0017202	250g	£4.99
MK0017302	500g	£8.49
MK0017402	1kg	£14.99

Colourant

MK0017502	Green - 3g	£0.99
MK0017602	Red - 3g	£0.99
MK0017702	Yellow - 3g	£0.99
MK0017802	Black - 3g	£0.99
MK0017902	Blue - 3g	£0.99
MK0018002	Mixed Colour Pack	£3.99

3D Printing Pen



This 3D printing pen extrudes heated 1.75mm filament (PLA or ABS). The filament cools down once it's printed. This allows you to build 3D structures and shapes.

Features:

- Light weight design
- Slim design comfortable handle
- Speed adjustment makes it easy to control the drawing speed
- Heating ring and nozzle are an integrated cartridge
- Temperature adjustable
- Intelligent standby function, enters standby after 5 minutes of idle time
- Heat extrusion
- Dilament: 1.75mm ABS (included)
- Heating temperature: 160 - 250°C
- Maximum heating power: 26W
- Power supply: 12VDC - 3 A
- Weight: 65g • Dimensions: 187x43x31mm

£49

order code MK0023202



Snap Circuits Junior - 100 Experiments

Snap circuits makes learning electronics easy and fun. Just follow the colourful pictures in the manual and build exciting projects such as a flying saucer, alarms, doorbells and much more. You can even play electronic games using a variety of parts included. All parts are mounted on plastic modules that snap together with ease. Enjoy hours of educational fun whilst learning about electronics and best of all no tools are required.

£19.95

order code HK0122602



Snap Circuits - 300 Projects

Contains everything included in the 100 project kit plus the parts and instructions for 200 new projects including:

- AM Radio
- Radio Announcer
- Lie Detector
- Burglar Alarm

£37.95

order code HK0122702



Snap Circuits Pro - 500 Projects

Contains everything included in the 300 project kit plus the parts and instructions for 200 new projects including:

- FM Radio
- Adjustable light control
- Digital voice rec
- AC Generator

£49.95

order code HK0122802



Snap Circuits Extreme - 750 Projects

Contains everything included in the 500 project kit plus the parts and instructions for 250 new projects including:

- Strobe Light
- Transistor AM Radio
- Electromagnetism
- Rechargeable Battery

Contains over 80 parts including:

- Solar Cell
- Electromagnet
- Vibration Switch
- Computer Switch

£69.95

order code HK0122902



100 Green Experiments

Learn about energy sources and how to think green. This kit allows you to build over 125 projects using the flexibility of snap circuits and creates a lot of fun learning about environmentally friendly energy and how electricity works in the home.

£42.95

order code HK0123002



175 Light Experiments

Connect your iPod® or MP3 player and enjoy the music as your light circuit changes to the beat. The strobe light with spinning patterns creates some stunning visual effects.

£42.95

order code HK0123102




185 Sound Experiments

Learn all about the principles of how sound works. This kit shows the ability to create echo effects, voice changer, record/play music and connect your smart phone to analyse sounds

£33.95

order code HK0123202



750 Experiments Educational

This is ideal for school where students will grasp the basic principles of electronics. The Model SC-750R is an in-depth exploration of the electronic components included with the SC-750 Snap Circuits® Extreme.

The Student Guide is essential in covering all topics related to electricity and electronics being taught in Secondary schools and above. Includes real world applications and problem solving quizzes.

The Teacher Guide is meant to prepare teachers for proper introduction of Snap Circuits® and guide them through each chapter with quizzes for students to test their knowledge.

£109.95

order code HK0123302



Preston Contact Centre

8am - 7pm Mon to Fri
9am - 5pm Saturday
Now open Bank Holidays

Call us on
08447 88 00 88

Computer, Office and Telecommunications

Sim Free Mobile Phone



Model: Pop C1

- Compact and trendy mobile phone
- Intelligent interface keeps things simple
- Powered by Android Jelly Bean 4.2
- Hand friendly 3.5" capacitive HVGA display
- 2MP Main camera and VGA sub camera
- Dual core CPU with 512MB RAM
- 4GB Internal memory (2GB available)
- MicroSD slot supports cards up to 32GB
- Wi-Fi and Bluetooth 4.0 connectivity
- High capacity Lithium battery
- Talk time up to 6 hours (433 hours standby)
- Micro USB and 3.5mm connections
- Dimensions (HxWxD) 113x62x12mm

HOT DEAL

£32.50

order code TE0751502

710632

5.3" Quad Core Dual SIM Mobile Phone



Model: 53 Platinum

- High performance dual SIM smartphone
- 5.3" qHD display with IPS laminated glass
- Powerful quad core processor with 1GB RAM
- 8MP Autofocus camera with flash and BSI sensor
- Pure Android 4.1.2 with Google Play installed
- Preloaded Archos Media Center applications
- SMS, MMS, email and IM messaging
- Bluetooth and Wifi Direct connectivity
- 4GB Onboard storage and MicroSD slot
- High capacity Li-polymer battery
- Dimensions (HxWxD): 154x78x9mm

Contents: Phone, USB charger, USB cable, hands-free kit and user guide

£84.95

order code TE0739002

703786

Grace X3 Quad Core Dual SIM Mobile Phone



Model: PSP3455DUO

- Contemporary phone with outstanding features
- Incredibly slim and lightweight design
- Bright 4.5" IPS capacitive display
- 8MP Main camera with Autofocus & BSI sensor
- Perfect for selfies; 5MP front camera with flash
- 1.3GHz Quad core CPU with 1GB RAM
- Powered by Android 4.4 KitKat OS
- 8GB Storage and MicroSD slot (up to 32GB)
- Wireless 802.11 b/g/n and Bluetooth 4.0 connectivity
- Dual SIM support (1x 3G WCDMA, 1x GSM)
- Built-in GPS and FM Radio devices
- High capacity Li-ion battery
- Dimensions (HxWxD) 134x65x8mm

NEW

£74.95

order code TE0752702

712734

Moto G Sim Free Mobile Phone



- Incredibly sharp 4.5" HD IPS touchscreen
- 5MP Autofocus camera with LED flash
- 720p HD video recording and HDR imaging
- Quad core processor with 1GB RAM
- Android 4.4 KitKat upgrade for new features
- Practically unlimited entries in phonebook
- SMS, MMS, Push Email and IM messaging
- 8GB Storage and Google Drive integration
- GPS receiver with A-GPS and GLONASS
- Bluetooth v4.0 LE with A2DP
- Stereo FM radio with 3.5mm headphone jack
- Talk time up to 24 hours
- Dimensions (HxWxD) 130x66x12mm

HOT DEAL

£109.95

order code TE0733502

698683

Big Button SIM Free Mobile Phone



- Simple, big-button mobile phone; designed for seniors and anyone who may be visually impaired
- Colour LCD display with large text on screen
- Loudspeaker for handsfree functionality
- LED torch function
- Emergency SOS button
- Built-in FM radio and MP3/MP4 player
- Calendar, calculator and alarm clock
- MicroSD Card slot (supports up to 8GB)
- High capacity rechargeable battery
- Dimensions (HxWxD): 115x55x16mm

Note: Not compatible with Three network

£19.95

order code TE0751402

712398

Sim Free Mobile Phone with Nuisance Call Blocker



Model: CS600

- Distinctive big-button mobile phone
- Full colour 2.2" LCD display
- Integrated CPR nuisance call blocking technology
- Loudspeaker for handsfree functionality
- 8 Favourite contacts with pictures
- 100 Name and number phone book
- Intelligent SOS Emergency function
- Built-in FM radio and MP3 player
- Calendar, calculator and alarm clock
- MicroSD Card slot (supports up to 32GB)
- High capacity rechargeable battery
- Convenient charging cradle
- Dimensions (HxWxD): 115x55x16mm

NEW

£59.95

order code TE0752602

712253

301 Sim Free Mobile Phone



- Retro looking phone with modern features
- Powerful 3.5G network connectivity
- 2.4" QVGA Colour display (320x240)
- 3.2MP Fixed focus camera with 100° panorama and sequential shot features
- Integrated social networking functions
- SMS, MMS, Email and IM messaging
- Simple PC connection with microUSB support
- MicroSD card slot (supports up to 32GB)
- Bluetooth v3.0 wireless connectivity
- FM RDS radio with radio recording
- 3.5mm Audio connector
- Standby time up to 39 days
- Talk time up to 6 hours
- Dimensions (HxWxD): 114x50x13mm

NEW

£59.95

order code TE0707702

686531

Xperia E1 Sim Free Mobile Phone



- Bold smartphone with Sony's signature design
- Preloaded Walkman software for your music
- xLOUD Enhancement and equaliser
- Large 4" WVGA capacitive touchscreen
- 3.15MP Main camera with 4x digital zoom
- Dual core Snapdragon 200 processor
- Powered by Android 4.4 KitKat
- SMS, MMS, push email and IM messaging
- Integrated social networking functions
- 4GB Internal storage and MicroSD card slot
- Wi-Fi 802.11 b/g/n and Bluetooth v4.0
- Built-in GPS with A-GPS navigation
- STAMINA Mode significantly improves battery life
- Dimensions (HxWxD): 118x62x12mm

NEW

£69.95

order code TE0752202

712209

iPhone 4S Sim Free Mobile Phones



- Powered by the Apple A5 chip; features 8MP iSight camera, Siri and access to over 900,000 apps from the App Store
- Camera utilises Full-HD video recording, video stabilisation, face detection and geotagging
- FaceTime Camera for video calling
- 3.5" Multi-touch widescreen display (326ppi)
- Fingerprint-resistant oleophobic coating
- Supports 720p HD AirPlay mirroring to Apple TV
- Digital compass with A-GPS and GLONASS
- Wireless 802.11b/g/n and Bluetooth 4.0 connectivity
- Rechargeable lithium-ion battery with up to 8 hours talktime on 3G
- Requires a Micro SIM card
- Dimensions (HxWxD): 115.2x58.6x9.3mm

Contents: iPhone, Apple EarPhones with Remote, 30-pin USB Cable, USB Power Adaptor and user guide

PRICE CUT

8GB	
TE0750302	Black
TE0750402	White
16GB	
TE0738202	Black
TE0738302	White
TE0740002	Flip Case for iPhone 4/4S

£189

£239

£5.95

AS400 Trio Cordless DECT Phones

Gigaset



- Compact cordless DECT phone set
- Ergonomic handset design for comfortable use
- Backlit 1.7" display with jumbo fonts
- Phonebook for up to 80 names and numbers
- HSP for outstanding sound performance
- High quality keys with sensitive pressure points
- ECO DECT mode reduces power consumption
- Up to 20 hours talktime
- Up to 220 hours standby time

£31.50

order code TE0709102

682598

PRICE CUT

Concerto 1400 Cordless DECT Phones with Answering Machine

BT

- High quality triple cordless DECT phone set
- Answering machine with 25 minutes recording time
- Personalised message recording facility
- Message playback from handset and base
- Phonebook for up to 50 names and numbers
- Call waiting and transfer functions
- High contrast LCD display with blue backlight
- 5 Ringtones with volume control
- Up to 12 hours talktime
- Up to 130 hours standby time



HOT DEAL

705842

TE0751802	Single	£21.50
TE0751902	Twin	£34.25
TE0744202	Trio	£42.50

Elements 1K Cordless DECT Phone with Answering Machine

BT

- Tough cordless phone with extra long range
- IP67 Rated housing: phone is protected from immersion in water and completely dust proof
- Long range aerial gives a guaranteed outdoor range of 1000m, indoor range up to 50m
- Integrated nuisance call blocker
- Answering machine with 30 minutes recording time
- Personalised message recording facility
- Message playback from handset
- Phonebook for up to 200 names and numbers
- 50 Number call list and 30 number redial list
- Backlit LCD display with contrast control
- Clock function with alarm and calendar
- 15 Ringtones with volume control
- Up to 13 hours talktime
- Up to 160 hours standby time



Note: The 1km range is achieved in ideal conditions. Obstacles between the handset and location base, such as buildings, will affect the range performance

£64.95

order code TE0751202

712397

NEW

Vantage 6020 Cordless DECT Phones with Answering Machine

Binatone

- Stylish, easy to use cordless DECT phones
- Answering machine with 15 minutes recording time
- Easy access TAM keys on base station
- Phonebook for up to 20 names and numbers
- Caller display retains the last 10 calls
- Bright LCD display with large text
- 10 Melodies with volume control
- Up to 10 hours talktime
- Up to 100 hours standby time



HOT DEAL

711141

TE0752002	Single	£14.95
TE0752102	Twin	£23.95

SC 30 USB ML Monaural Headset

Logitech

Lync

- Deployment friendly single-sided headset
- Optimised for use with Microsoft Lync
- Wideband sound with HD voice clarity
- Lightweight headband and large, cushioned ear pad for additional comfort
- Noise-cancelling microphone for vocal clarity
- Bendable boom arm for optimal positioning
- ActiveGard acoustic shock protection
- Integrated call control unit and USB connector
- 2 Year manufacturer warranty

Contents: Headset and user guide

£27.50

order code TE0721302

696677

Sonus 1500 Quad DECT Phones

BT



- Stylish cordless telephones with metallic finish
- Answer machine with 30 minutes recording time
- Access messages from base or handset
- Large backlit LCD display with contrast control
- Bright illuminated keypad for ease of use
- Phonebook for up to 250 names and numbers
- 50 Number call list with last 20 number redials
- Type II Caller display support
- Call transfer, internal and conference calls
- 15 Ringtones with volume control
- Speed dialling with 8 quick dial memories
- Built-in clock with alarm call function
- Handsfree and auto answer options
- 50m Indoor range, 300m range outdoors
- Up to 15 hours talktime
- Up to 150 hours standby time

HOT DEAL

707541

£64.95

order code TE0675502

X300 Conference Unit with 2 Wireless Mics

BT



- Professional conference phone system
- Twin wireless microphones ensure everyone in the room can be heard
- Large main speaker for high quality sound
- 50 Name and number phone directory
- Dynamic noise reduction
- Echo cancellation

NEW

£179

order code TE0752402

712251

Order online for FREE Delivery

Conditions apply. See website for details

Nuisance Call Blocker

CPL



- Compact, easy to use all-in-one call blocker
- Easily stop silent and harassment calls
- Block recorded messages and withheld numbers
- Pre-programmed with 200 known nuisance callers
- Block Now function blocks nuisance calls at the touch of a button
- Works on all home phone lines
- Connections: 2x RJ11
- Dimensions (HxWxD): 30x100x75mm

NEW

£29.95

order code TE0752502

712252

Big Button 200 Telephone

BT



- Large, high contrast buttons for easy visibility
- 10 Number only directory and last number redial
- 3 Quick dial memory buttons
- Dedicated 1571 button and message indicator
- 3 Ringtones with volume control
- Handsfree speakerphone operation
- Visual ring indicator
- PBX Compatible

PRICE CUT

£22.50

order code TE0676302

669197

Bulk Tape Dispenser



Lightweight, quality dispenser with high impact plastic and steel design. Fully adjustable tape brake and position guide ensures improved performance. Angled blade for easy cutting on toughest tapes. For tapes 50mm width x66m. Core size 76mm.

£4.49


order code OE0514602

489791

Self Adhesive Packing Tape

Scotch

A range of classic quality packing tape and a low noise type.



(WxL):
Standard Type
Low Noise

50mmx66m
48mmx66m

530233

Standard	Pack		
OE0399202	Brown 6	£9.13	
OE0399602	Brown 36	£50.42	
OE0399302	Clear 6	£9.13	
OE0399702	Clear 36	£50.42	
Low Noise			
OE0399402	Brown 6	£9.13	
OE0399802	Brown 36	£50.42	
OE0399502	Clear 6	£9.13	
OE0399902	Clear 36	£50.42	

Polypropylene Self Adhesive Packing Tape - 66m

DURATOOL




• 50mm in Width

495609

OE0515002	Buff (brown)	£0.82
OE0515102	Clear	£0.82
OE0515202	Red	£1.52
OE0516902	Yellow	£1.52
OE0517002	Blue	£1.52
OE0517102	Green	£1.52
OE0517202	Brown Buff 36 Pack	£23.98

Masking Tape - 50m

pro-POWER



663787

	Tape Width	
OE0605002	19mm	£0.50
OE0605102	25mm	£0.95
OE0605202	38mm	£0.96
OE0605302	50mm	£1.13

Heavy Duty Stick On Tape

VELCRO

Heavy duty stick on tape provides a quick and easy alternative to nails and screws - simply peel and stick. The separate hook and loop strips are self-adhesive. The two continuous strips are dispensed directly from the box, simply cut to the desired length. Available in various lengths in either white or black.

- 50% Stronger closure system than regular hook and loop
- Water resistant adhesive - Ideal for outdoor use and damp or wet conditions
- 50mm Wide strips

Note: Adhesive strength may damage interior plaster

501241

White		
OE0420902	1m	£5.39
OE0633402	2.5m	£8.94
OE0421102	5m	£19.98
Black		
OE0420802	1m	£5.48
OE0633502	2.5m	£8.94
OE0421002	5m	£19.98

Stretch Wrap



- Hand held stretch wrap for all your applications
- Additives give tack on both sides
- 17µm film thickness in black or clear
- Wound on standard cores
- Hand held dispenser available
- Not suitable for use with food

489167

Clear		
OE0485102	400mmx250m	£5.87
Black		
OE0485202	500mmx250m	£7.43
Dispenser		
OE0485302	Universal Hand Held	£17.26

**Fax your order on
08447 88 00 89**

Permanent Marker Pens

R S S

- OE0629702**
- 7 Thick permanent marker pens
 - Waterproof
 - Bullet tips
 - Contains 3 black, 2 blue and 2 red marker pens

- OE0631002**
- 8 Permanent marker pens
 - Fine point tips
 - Contains black, orange, dark blue, purple, yellow, red, green and light blue colours

700131

OE0629702	Thick	
OE0631002	Standard	

98p

Digital Recorder

OLYMPUS

Model: DP-211

- Simple and easy to use with big buttons
- Large display, fonts and icons
- 2GB Internal memory
- Large speaker
- Calendar search
- Long life battery: 80hrs
- Noise cancellation
- Dimensions (WxHxD): 95x50x18mm



£33.32

order code OE0623602

686279

Countdown Timer - Large Display



A min-sec countdown timer for domestic or office use. The unit can countdown from a maximum of 99min 59sec and includes start/stop, min/sec set and clear push buttons. An audible bleeper sounds when the count has reached zero and the unit is mounted using the magnetic stand/clip. Supplied with battery.

Dimensions (WxHxD): 60x60x18mm.

£2.99

order code CT0009902

516825

30cm Wall Clocks

acclim



- Quartz movement
- Full numbered 12/24 hour dial
- Plastic case and lens
- Requires 1x AA Battery (not included)

696008

OE0625802	White	£6.57
OE0625902	Black	£6.57

Radio Controlled Chronometer Watch

acclim

- Dual powered: Solar & battery
- Multi-dial display
- Always accurate to 1 second
- 43mm Chrome plated metal case
- Leather strap
- 3 ATM water resistant
- Stopwatch
- Luminous hands
- Manual time set for international travel



£40.98

order code OE0626102

699392

1.7L Polished Stainless Steel Kettle

SWAN

- 1.7L Capacity
- Cordless design
- 360° Base
- Automatic cut-off
- Pull off lid
- Boil dry protection
- Polished stainless steel
- Dimensions (WxHxD): 14.6x21.35x21cm



£16.50

order code OE0634702

705516

A4 & A3 Laminating Pouches - 100 Pack

- Compatible with most laminating machines



621381

A4		
OE065302	150 Micron	£6.24
OE065402	250 Micron	£9.62
A3		
OE065502	150 Micron	£9.62
OE065602	250 Micron	£17.42

Performer Paper - 80gsm

xerox



- Supplied in reams of 500 sheets in A4 or A3
- Suitable on all laser and inkjet printers

521126

		Sheets	
OE0524802	A4	500	£4.39
OE0524902	A3	500	£7.97

T30i Electric Handwash 3kW

Model:

TRITON T30i

- Single control for start/stop and temperature selection
- Temperature control with numbered dial
- 200mm Swivel arm
- White/chrome finish
- Top, bottom and back cable entry points
- Bottom water entry
- Cold mains supplies
- Minimum pressure: 1 bar
- BEAB approved
- 1 Year manufacturer's guarantee
- Dimensions (WxH): 200x173mm



£41.95

order code PL1130802

656101

Heavy Duty Automatic Hand Dryers

PRO-ELEC



- Powerful air speed, 10-15 seconds hand drying time
- 35 Seconds blow time from activation
- 360° Revolving nozzle

Technical Data

Rated Power	2500W
Current	11.5A
Water Splash Proof	IPX1
Blowing Volume	270m ³ /h
Air Speed	30m/S

628027

PL1019302	Brushed Steel	£55.83
PL1019402	Powder Coating	£55.83

Triton Enlight Shower



- Temperature control stabilised
- 8.5kW Power rating
- Combined start/stop and power control
- Rotary power control
- Temperature control
- Power on indicator
- Shower head diameter 93mm
- Rail Diameter 19mm
- Rail length 530mm
- Distance between rail brackets 530mm
- Shower head holder twist and lock
- Soap dish
- Hose length 1.25m
- Hose retainer
- Double interlocked stainless steel hose
- BEAB, CE, BSI Kitemark, IPX4
- Cold mains plumbing system
- Water entry: Right side, bottom, back, side
- Cable entry: Right side, top, back
- Outlet connection: 1/2" BSP
- Minimum running pressure / flow 1Bar @ 8 l/min
- Maximum static pressure: 10 bar
- Dimensions (HxWxD): 308x211x95mm

698809

PL1402902	8.5kW	£43.92
PL1403002	9.5kW	£43.92

Hair Dryer-1000W

PRO-ELEC



- 15 Minutes electronic timing
- Wind (power) control set
- Waterproof socket for electrical shaver & charge up

Technical Data

Current	4.5A
Water Splash Proof	IPX1
Blowing Volume	77m ³ /h
Air Speed	15m/S
Dimensions	495x440x375mm

£24.95

order code PL1098602

631502

Miniature Circuit Breakers (6KA) - Single Pole



- BSEN60898

Type B

PL1173002	6A	£2.56
PL1172802	10A	£2.56
PL1172602	16A	£2.56
PL1172402	20A	£2.56
PL1172302	32A	£2.56
PL1172102	40A	£4.10
PL1171902	50A	£4.10

Type C

PL1172902	6A	£2.98
PL1172702	10A	£2.98
PL1172502	16A	£2.98
PL1172202	32A	£2.98
PL1172002	40A	£4.08

MCB Locking Device

PL1176702	Locking Device + Padlock	£6.89
-----------	--------------------------	--------------

8 Way Consumer Unit - Garage Kit



- 8 Way populated garage kit
- With 63A DP 30mA RCD
- 6 Type B MCBs (3x6A, 1x16A & 2x20A)
- IP65
- Weatherproof enclosure



£43.50

order code PL1212602

652675

Plug In Circuit Breakers



- Retro-fit MCB's • Colour coded
- BSEN60898
- May be used as direct replacement for rewirable fuses

Garage/Outbuilding Consumer Unit - IP55



- Fitted with 63A RCD, 1x 6A and 1x 16A MCB
- Made from impact resistant plastic
- Locking lid
- 8 Knockouts, supplied complete with grommets
- BS EN60439 Compliant

£19.53

order code PL1066402

627965

8 Way Split Load Consumer Unit



- Fitted with:
 - 2P 100A Isolators
 - 2x 80A RCDs
- Each RCD controlled 6 ways for MCBs

£41.18

order code PL1067302

Shower Consumer Unit



- Volex protector
- 2 Way insulated consumer unit
- Fitted with 63A 30mA RCD
- 1x 50A MCB
- RCD incomer
- IP55 Rated
- Dimensions (HxWxD): 221x137x110mm



£12.95

order code PL1395602

698260

Shower Consumer Unit - IP55

PRO-ELEC

- Fitted with 63A RCD, 1x 40A MCB
- Made from impact resistant plastic
- Locking lid
- 8 Knockouts, included complete with grommets
- BS EN60439 Compliant



£17.49

order code PL1066502

627966

10 Way Fully Loaded Consumer Unit

PRO-ELEC



- Fitted with:
 - 2P 100A isolator - 1x 80A RCD
 - 3x 6A MCB - 2x 16A MCB
 - 4x 32A MCB - 1x 40A MCB
- Multiple knockouts
- Supplied with labels, blanking plate and spare clips
- IEC60439-3, EN60439-3
- Dimensions (WxHxD): 325x228x120mm

£39.91

order code PL1067502

627960

12 Way Consumer Unit with Isolator

PRO-ELEC



- Fitted with:
 - 2P 100A isolators - 2x80A RCDs
- Loaded with:
 - 3x 6A MCB - 2x 32A MCB
 - 2x 40A MCB

£41.19

order code PL1067402

627967

2 Way Consumer Unit

PRO-ELEC

- Fitted with 2P 100A isolators, leaving 2 free spaces
- Supplied with labels, blanking plates and clips
- Multiple knockouts
- IEC60439-3, EN60439-3
- Dimensions (HxWxD): 230x140x120mm



£11.31

order code PL1066602

653396

6 Way Consumer Unit



- Fitted with 2P 100A isolator
- 6 Free spaces
- Supplied with labels, blanking plates and clips
- Multiple knockouts
- IEC60439-3, EN60439-3
- Dimensions (HxWxD): 230x215x120mm

£13.37

order code PL1066702

651772

8 Way Consumer Unit



- 17th Edition
- 8 Free spaces
- Fitted with 2P 100A isolators
- Supplied with labels, blanking plates and clips
- Multiple knockouts
- IEC60439-3, EN60439-3
- Dimensions (HxWxD): 230x250x120mm

£16.44

order code PL1066802

651773

In-Line RCD Unit



Technical Data
Max. Current rating
Trip current
Trip time

13A
30mA
30ms

£4.90

order code PL1005102

631519

12 Way Consumer Unit

- 17th Edition
- Fitted with 2P 100A isolators, leaving 12 free spaces
- Supplied with labels, blanking plates and clips
- Multiple knockouts
- IEC60439-3, EN60439-3
- Dimensions (HxWxD): 230x320x120mm

£18.80

order code PL1066902

16 Way Consumer Unit



- 17th Edition
- Fitted with 2P 100A isolator, leaving 16 free spaces
- Supplied with labels, blanking plates and clips
- Multiple knockouts
- IEC60439-3, EN60439-3
- Dimensions (HxWxD): 230x395x120mm

£25.25

order code PL1067002

652625

6-Way Split Load Consumer Unit

Model: NSPE-6319/NR

- 6-Way split load consumer unit (NHRS6SL) fitted with 1x 100A DP main switch and 1x 80A DP RCD - 30mA
- Dimensions (WxHxD): 239x230x120mm

Outgoing devices:

- 1x NSBS40/1 - Single pole RCBO - 40A type C curve
- 2x NSBS6/1 - Single pole RCBO - 6A type C curve
- 2x NSB32 - Single pole MSC - 32A type B curve
- 1x NSB16 - Single pole MCB - 16A type B curve

£44.50

order code PL1404702

701035

Incomer, 100A DP

- Terminal capacity: Cable up to 35mm²



£1.79

order code PL1066002

627962

Single Pole MCBs - B Curve

- Rated voltage (Un): 230VAC
- Breaking capacity: 10kA
- Type of terminal: Lug type
- Terminal capacity: Cable up to 25mm²
- Width: 17.6mm/module
- IEC60898, EN60898
- Dimensions (HxWxD): 83x17.6x74mm



655336

PL1159902	6A	£1.64
PL1160002	10A	£1.64
PL1160102	16A	£1.64
PL1160202	20A	£1.64
PL1160302	32A	£1.64
PL1160402	40A	£1.64
PL1160502	50A	£1.64
PL1160602	63A	£1.64

Single Pole MCBs - C Curve

- Rated voltage (Un): 230VAC
- Breaking capacity: 6kA
- Type of terminal: Lug type
- Terminal capacity: Cable up to 25mm²
- Width: 17.6mm/module
- IEC60898, EN60898
- Dimensions (HxWxD): 83x17.6x74mm



655337

PL1159102	6A	£1.12
PL1159202	10A	£1.12
PL1159302	16A	£1.12
PL1159402	20A	£1.12
PL1159502	32A	£1.12
PL1159602	40A	£1.12
PL1159702	50A	£1.12
PL1159802	63A	£1.12

Single Pole MCBs - B Curve

- Breaking capacity: 6kA
- Terminal capacity: Cable up to 25mm²
- Width: 17.6mm/module
- IEC60898, EN60898



671716

PL1064602	6A	£1.16
PL1064702	10A	£1.16
PL1064802	16A	£1.16
PL1064902	20A	£1.16
PL1065002	32A	£1.16
PL1065102	40A	£1.16
PL1065202	50A	£1.16
PL1065302	63A	£1.16

Double Pole RCDs

- Rated short circuit: 6kA
- Terminal capacity: Cable up to 35mm²



627964

PL1066102	40A	£6.28
PL1066202	63A	£7.00
PL1066302	80A	£8.22

Single Pole RCBOs

- Type B curve
- Breaking capacity: 6kA
- Terminal capacity: Cable up to 25mm²
- Width: 17.6mm/module
- IEC61009, EN61009



537504

PL1065402	6A	£9.19
PL1065502	10A	£9.19
PL1065602	16A	£9.19
PL1065702	20A	£9.19
PL1065802	32A	£9.19
PL1065902	40A	£9.19

RCD Adaptor

Technical Data

Maximum Load 3.12kW

Rated Trip Current 30mA
Trip time <30ms



627993

£6.75

order code PL1030602

In-line RCD Unit

An in-line, rewirable RCD unit with a splash proof design. The RCD unit helps protect users from electric shocks when operating faulty or damp equipment.

- Double pole switching isolates both live and neutral



Technical Data

Trip Current 30mA
Trip Time 30ms

£8.75

order code PL0259702

631518

Rewireable RCD Adaptor

- Safety RCD adaptor to which the appliance is hard wired
- Continuously monitors the power supply and cuts off the power supply in less than 30ms if an earth current fault is detected, preventing electric shock
- Indicator shows that protection is present
- 13A Fuse fitted
- Complies with BS7071 : 1992



Technical Data

Voltage Rating 240V 50Hz
Maximum Current 13A
Maximum Load 3.12kW
Rated Trip Current 30mA
Trip time <30ms
Dimensions (HxWxD) 110x50x44mm

£6.75

order code PL1047302

695767

Single Fused RCD Spur - 13A



- Urea construction
- 30mA Trip current
- Trip speed less than 40mS
- Twin earth terminals
- Passive operation - mechanically latched
- Dimensions (HxWxD): 85x85x36mm

£12.31

order code PL1313002

676395

European Schuko Plugs



The plugs are VDE approved and are designed to DIN49441 and CEE7 sheet IIIII.

Technical Data

Current Rating	16A @ 250V ac
Housing	Polyamide UL94V-0
Contacts	Brass, nickel plated
Terminations	3x1.50mm

631528

PL0700002	White	£1.02
PL0700102	Black	£1.02

IEC PLUG 90 Degree



- Screw terminals
- 10A, 250V Rated
- Dielectric Strength 2000V +/-60V AC/Second
- UL, CSA Recognised

£1.79

order code PL1320702

693066

Right Angled IEC Socket 90 Degree




- Screw terminals
- 10A, 250V Rated
- Dielectric strength 2000V +/-60V AC/second
- UL, CSA Recognised

£1.49

order code PL1320802

693067

4 and 6 Gang Sockets - 13A



631532

PL0917802	4 Gang	White	£1.64
PL0919002	6 Gang	White	£1.98
PL0919102	6 Gang	Black	£2.16

Rewireable IEC Socket

Rewireable IEC socket with solder/screw terminations and cable strain relief.

- UL, IEC320, BS4491 compliant
- Rated 10A, 250V AC

£1.02

order code PL1321402



2 into 1 IEC Splitter



- Ideal for taking power to a PC and monitor
- Rated at 10A 240V

£1.88

order code PL1321502

693074

3 Gang Extension Socket



£1.33

order code PL0920002

631531

1 Way Trailing Sockets



631529

PLBOARD102	White	£0.47
PL0040902	Black	£0.62

2 Gang Socket - 13A



86p

order code PL1295502

677362

4 Gang Individual Switched Socket



£3.30

order code PL0952502

631534

2 Gang Socket



78p

order code PL0917102

631530

4 Gang Socket - 13A



£1.64

order code PL1295702

677360

3 Gang Socket - 13A



£1.59

order code PL1295602

677361

Trade prices on over 100,000 stocked products

13A 2 Gang Extension Lead

- Manufactured to BS1363/A
- 1.25mm² cable
- Socket can be wall mounted
- Lead length: 4m

£15.80

order code PL1415202

13A Rubber Extension Sockets



631537

	Ways		
PL0946502	Black	One	£0.88
PL0946602	White	One	£0.88
PL0946702	Orange	One	£0.88
PL0946802	Black	Two	£1.15
PL0946902	White	Two	£1.45
PL0947002	Orange	Two	£1.45

Rubber 1 and 2 Gang Extensions



Orange		631540
PL0951502	1 Gang 10m	£7.00
PL0951602	2 Gang 5m	£5.00
PL0951702	2 Gang 10m	£7.00
Black		
PL0951802	1 Gang 5m	£5.00
PL0951902	1 Gang 10m	£7.00
PL0952002	2 Gang 5m	£5.00
PL0952102	2 Gang 10m	£7.00

Heavy Duty Trailing Sockets-2-Way and 4-Way



631542

2-Way		
PL0092102	Black	£5.59
PL0092202	Orange	£5.59
PL0092302	White	£5.59
4-Way		
PL0092402	Black	£9.95
PL0092502	Orange	£9.95
PL0092602	White	£9.95



712345

1 Gang PRO-ELEC Extensions - 13A



693042

PL1312802	0.5m	£1.35
PL0916602	3m	£2.25
PL0916702	5m	£3.20
PL0916802	10m	£5.20
PL0916902	15m	£7.45
PL0917002	20m	£9.90

2 Gang PRO-ELEC Extensions



631544

PL0917202	2m	£1.95
PL0917302	3m	£2.40
PL0917502	10m	£4.98
PL0917602	15m	£7.10
PL0917702	20m	£9.42

1 Gang PRO-ELEC Extensions - 13A



677359

PL1295902	2m	£1.88
PL1296102	5m	£3.10
PL1296202	10m	£5.40
PL1296302	15m	£6.90
PL1296402	20m	£9.19

Extension Socket PRO-ELEC 4 Way



£1.10

order code PL1169702

655332

2 Gang PRO-ELEC Extensions - 13A



676491

PL1296502	2m	£1.99
PL1296602	3m	£2.45
PL1296702	5m	£3.30
PL1296802	10m	£5.45
PL1296902	15m	£8.06
PL1297002	20m	£10.05

3 Gang PRO-ELEC Switched Extension Leads - 13A



694072

PL1308002	2m	£2.94
PL1308102	5m	£4.08

4 Gang PRO-ELEC Extensions



628007

PL1019702	White	0.5m	£1.44
PL0918002	White	1m	£1.67
PL0918102	White	2m	£1.75
PL0918202	White	3m	£2.67
PL0918302	White	5m	£3.76
PL0918402	White	10m	£5.25
PL0918602	Black	1m	£1.80
PL0918702	Black	2m	£2.29
PL0918802	Black	5m	£3.97
PL0918902	Black	10m	£5.45

Switched PRO-ELEC 4 Way Adaptor




- Surge and spike protected

£3.90

order code PL1003102

631547

Primera 10 Way Double Switched Extension Leads - 2m



631571

- Two illuminated switches each controlling five sockets
- Wall mountable

PL1082802	10 Way Grey	£18.44
PL1082902	10 Way Black	£18.44

4 Gang PRO-ELEC Extension Twin Pack - 1m



£3.13

order code PL0918502

631549

4 Gang PRO-ELEC Extensions with Neon



645478

PL1123102	0.5m	£1.44
PL1098202	1m	£1.75
PL1098302	2m	£2.05
PL1298002	3m	£2.37
PL1098402	5m	£3.66
PL1098502	10m	£5.96

4 Gang PRO-ELEC Extensions with Neon



676492

PL1297402	0.5m	£1.53
PL1297502	1m	£1.71
PL1297602	2m	£2.21
PL1297702	3m	£2.68
PL1297802	5m	£3.61
PL1297902	10m	£5.56

4 Gang PRO-ELEC Individual Switched Extensions - 13A



631551

PL1298102	1m	£4.10
PL0952302	2m	£4.22
PL0952402	3m	£4.69
PL0952602	5m	£5.67
PL1298202	10m	£7.71

4 Gang PRO-ELEC 2m Extension - 13A



£1.80

order code PL1392902

697395

4 Gang PRO-ELEC Fused Single Switched Extension - 2m



£4.83

order code PL0955802

631908

6 Gang PRO-ELEC Extensions



645479

PL1124002	White	0.5m	£1.83
PL0919202	White	1m	£2.16
PL0919302	White	2m	£2.47
PL0919402	White	3m	£2.88
PL0919502	White	5m	£3.80
PL0919602	White	10m	£6.18

6 Gang PRO-ELEC Extension Leads



645480

PL1124102	0.5m	£2.05
PL1124202	1m	£2.37
PL0919902	2m	£2.52
PL1297302	3m	£3.05
PL1124302	5m	£4.22
PL1124402	10m	£6.44

4-Way Desktop Extension with USB Hub



- Switched desktop mains extension sockets, ideal to connect laptops and other desktop accessories
- 4x 230V 13A sockets with child protection
- 4 USB 2.0 sockets for memory sticks etc. (if not connecting to a PC and it is required to charge USB products then a 5V/2.5A DC adaptor is required)
- ON/OFF Switch
- Mains lead: 1.8m
- USB lead: 1m

£9.50

order code PL1129802

710838

Preston Contact Centre

8am - 7pm Mon to Fri
9am - 5pm Saturday
Now open Bank Holidays

Call us on
08447 88 00 88

4 Gang Switched Extension Lead - 13A, 2m

£3.49

order code PL1307802

692557

4 Gang Switched Extension Leads - 13A



694073

PL1308402	2m	£3.55
PL1308502	5m	£5.03

5 Gang Switched Extension Leads - 13A



694074

PL1308802	2m	£3.90
PL1308902	5m	£5.36
PL1309002	10m	£7.25

6 Gang Individually Switched Extensions - 13A



677358

PL1294502	1m	£4.84
PL1294702	5m	£6.53
PL1294802	10m	£9.95

Premium-Line Technics Extension Socket



- Housing made of break-resistant plastic
- With 2x holes on either side suitable for wall-mounting
- Earthed sockets at 90° angles, ideal for angular plugs
- Childproof socket
- Excess cable can be wound around the housing
- Illuminated 2-pole switch with protection cover
- Rated at 13A
- 6x Sockets (4x 13A + 2x Euro)
- Cable length: 3m
- Colour: Black/light grey

£12.40


order code PL1338702

702140

6 Gang Individually Switched Extensions - 13A



8 Gang 2m Extension



631559

£4.10

order code PL1021502

Eco-Line Comfort Switch Extension Lead



For easy and comfortable on/off switching of all electrical appliances connected by the external foot-operated switch, while the socket outlet remains invisible under the desk or behind the cupboard.


- Robust foot switch with control light
- Safe and energy efficient through 2-pole disconnection
- 1.5m Flexible control cable to the external foot switch
- 2m Loadable mains cable
- Max. loading of 16A/3,680W
- Childproof sockets
- 6x Outlets
- Length: 390mm

£12.50

order code PL1442102

712776

Extension Leads Individually Switched with Neon - 2m



631555

- Wall mountable

Technical Data

	Sockets	Dims. (LxWxD)mm
PL1049902	4	320x60x25
PL1050002	6	260x120x25
PL1050102	8	330x120x25

PL1049902	4 Sockets	£4.58
PL1050002	6 Sockets	£4.90
PL1050102	8 Sockets	£5.95

Get FREE UK delivery online

Conditions apply. See website for details

Premium-Line, 6-Way Extension Leads - 3m



631567

High quality, six-way extension sockets with a single illuminated switch to indicate power. Manufactured from break and shock resistant plastic, the sockets have two mounting holes on either side to allow mounting to walls or panels. The design of the socket allows the cable to be neatly wound around the body when not in use.

- Approximate socket length 53cm
- Max Load: 13A/3120W

PL0319102	Black	£8.86
PL0319302	White	£10.09

12 Way Extension Socket



- Manufactured from polycarbonate and fitted with 3m of cable
- Suitable for wall-mounting
- Childproof sockets
- Excess cable can be wound around the housing
- Illuminated 2-pole switch
- Wider spaced sockets to accommodate power supplies
- Dimensions (LxWxD): 1000x200x200mm

Technical Data

Sockets	Lead Length	Dims. (LxWxD)mm
12	3m	1000x200x200

£18.85

order code PL1031402

10 Gang Extension Tower - 2m



651949

£6.51

order code PL1122902

Push in Connector - 3 Pole



Designed for lighting circuits to enable isolation of transformers, control gear etc, whilst conducting a 1000V insulation resistance test.

- All in one junction box and connection system
- Male: Max. 1.50mm² 3 core cable
- Female: Max. 2.50mm² twin and earth (with additional loop terminal)

£2.32

order code PL1021002

631858

19" Cabinet UK PDU - 3m



- Internally earth bonded and manufactured to BS5733
- Horizontal Versions are 1.5U and have 4,5 or 6 90° UK sockets

631576

	Dims.	Sockets (LxDxH)mm	
Horizontal			
PL0968502	4	485x40/45x67	£31.45
PL0967602	5	485x40/45x67	£31.45
PL0967702	6	485x40/45x67	£31.45
Vertical			
PL0967802	4	362.5x40/45x67	£29.93
PL0967902	5	425x40/45x67	£34.13
PL0968002	6	487.5x40/45x67	£34.13
PL0968102	8	612.5x40/45x67	£39.38
PL0968202	10	737.5x40/45x67	£45.68
PL0968302	12	862.5x40/45x67	£48.83
PL0968402	16	987.5x40/45x67	£59.33

Pull Apart Connector



Designed initially for lighting circuits to enable isolation of transformers, control gear etc, whilst conducting a 1000V insulation resistance test.


- All in one junction box and connection system
- Versatile easy-connection system for fixed wiring applications
- 3 Pole plug in connector with loop terminal
- Cable grips for where the installation limits the fixing of the connector
- Large terminal with easy access
- Rated 250V, 20A
- Male: Max. 2.50mm² 3 core cable
- Female: Max. 3x 2.50mm² twin and earth (with additional loop terminal)
- Dimensions (HxWxD): 23x45x105mm

£2.01

order code PL1114702

613206

4 Pin Plug-In Connector



Designed initially for lighting circuits to enable isolation of transformers, control gear etc, whilst conducting a 1000V insulation resistance test.

- All in one junction box and connection system
- Versatile easy-connection system for fixed wiring applications
- 4 Pin plug-in connector with auxiliary terminals
- Auxiliary provides the opportunity for a second switched live or permanent feed
- Cable grips for where the installation limits the fixing of the connector
- Large terminal with easy access
- Rated 250V, 20A
- Male: Max. 2.50mm² 3 core cable
- Female: Max. 3 x 2.50mm² twin and earth (with additional loop terminal)
- Dimensions (HxWxD): 23x45x105mm

£2.32

order code PL1114802

613207

IEC Inlet to 4x Outlets

SCHURTER



£9.22

order code PL0082302

631584

6-Way IEC Distribution Boards - 2m



Technical Data

Fuse 10A HRC type (IEC127)
Housing Black thermoplastic
Dimensions (WxHxD) 131x131x40.1mm

631585

£18.31

order code PL0197602

European Ext. Lead & Block - 3m

PRO-ELEC



631586

PL0386502	4 Gang 3m - White	£5.41
PL0386602	4 Gang 3m - Black	£5.41
PL0386702	Block only - White	£3.26
PL0386802	Block only - Black	£3.26

Four Socket Reel Extensions

PRO-ELEC



628002

PL0947902	15m	£9.98
PL0948002	20m	£12.86
PL0948102	25m	£13.98

Twin Socket Reel Extensions - 5A

PRO-ELEC



628001

PL0947702	6m	£4.20
PL0947802	10m	£5.59

Drum Cable Extensions

PRO-ELEC



628003

2 Gang			
PL0948302	5A	25m	£13.45
4 Gang			
PL0948502	13A	15m	£10.20
PL0948602	13A	20m	£11.98
PL0948702	13A	25m	£14.70
PL0948802	13A	30m	£16.80
PL0948902	13A	40m	£19.98
PL0949002	13A	50m	£25.45

2 Gang Cable Reel with USB Ports



- 2 Gang cable reel with twin USB ports for charging portable electronic equipment such as mobile phones
- Zero tangle technology and materials give a tough, strong easy to wind product
- Built-in thermal overload protection
- Tested and certified to BS EN61242
- Lead length: 15m

£14.75

order code PL1155002

650068

RCD Cable Reel - 50m

PRO-ELEC



631591

£31.90

order code PL1004402

RCD Cable Reel - 25m

PRO-ELEC



631592

£18.65

order code PL1004302

Cassette Cable Reel - 10m



- Manufactured to the highest quality
- Features safety cut out BS EN 61242
- BSI kite marked and CE marked
- Rated at 10A
- 4 Socket outlets

£7.30

order code PL1365602

699752

Heavy Duty Extension Leads - 15m

PRO-ELEC



628006

PL1003802	1 Gang	£8.90
PL1003902	2 Gang	£9.20

3 Pin Heavy Duty Sockets



- 1 Gang heavy duty 3 pin trailing sockets
- Manufactured to BS546
- Available in 5A or 15A



712777

PL1413902	15A	£6.95
PL1414002	5A	£5.85

Cable Extension Cover

PRO-ELEC



631859

£3.59

order code PL1020802

Spiroflex Lead 10A

PRO-ELEC



- Extends to 4 metres
- Both ends stripped and bared

£6.05

order code PL0387502

631621

13A Plug to Bare Ends - 5M

PRO-ELEC



- Fully moulded 13 Amp 3 pin plug to stripped bare ends
- Manufactured using 0.75mm 3 core cable
- 3A Fuse
- For professional use only

Bare ends must be correctly terminated to another connector or piece of equipment before connection

£2.11

order code PL1328002

693049

Locking IEC Extension Leads - 10A (C14-C13)

PRO-ELEC



631624

PL1090102	1m	£2.32
PL1090202	2m	£3.05
PL1090302	3m	£3.76

UK Plug to Bare Ends Lead

PRO-ELEC



- UK plug to Open end
- 13Amp fully moulded plug
- 3 Core (1.50mm²)

Only for use by qualified personnel
Bare ends must be correctly terminated to another connector or piece of equipment before connection

711661

PL1328402	2m Black	£2.04
PL1328502	2m White	£1.85
PL1328602	3m Black	£2.68
PL1328702	3m White	£2.58
PL1328802	5m Black	£4.08
PL1328902	5m White	£3.81
PL1342402	6m Black	£4.10

Mains Lead Figure 8 to Bare Ends



- For professional use only

Bare ends must be correctly terminated to another connector or piece of equipment before connection

694853

PL1325502	Black (1m)	£0.36
PL1325602	White (1m)	£0.37
PL1336402	White (2m)	£0.56
PL1336502	Black (3m)	£0.87
PL1336302	White (3m)	£0.68
PL1325702	Black (5m)	£1.07
PL1325802	White (5m)	£1.07

Mains Lead Figure 8 to Bare Ends - 2 Core



- AC Mains Lead for calculators and other similar light current equipment

- For professional use only

Bare ends must be correctly terminated to another connector or piece of equipment before connection

Technical Data

Pin Centres	8.5mm
Plug Dimensions	12.5x8mm

2m 693054

PL1336402	White	£0.56
-----------	-------	-------

3m

PL1336302	White	£0.68
PL1336502	Black	£0.87

UK Plug to Bare Ends



- Fully moulded 3-pin UK mains plugs to stripped, bare ends
- Plugs have integral 5A or 13A fuses
- Manufactured from 0.75mm² or 1mm² approved cable
- For professional use only

Bare ends must be correctly terminated to another connector or piece of equipment before connection

694858

5A, 0.75mm² Cable

PL1328102	Black	2m	£1.33
PL1328202	White	2m	£1.24

13A, 1mm² Cable

PL1328302	Black	2m	£1.24
-----------	-------	----	-------

IEC Socket to Bare Ends - 10A



- Moulded 10A IEC 320 cold condition sockets
- To stripped, bare ends
- Manufactured from 1mm² cable
- For equipment up to 10A

Bare ends must be correctly terminated to another connector or piece of equipment before connection

Right Angled IEC Socket to Bare Ends - 10A



- Moulded right angled 10A IEC 320 cold condition sockets to stripped, bare ends
- Manufactured from 1mm² cable
- For equipment up to 10A
- For professional use only

Bare ends must be correctly terminated to another connector or piece of equipment before connection

694854

PL1326002	Black	1m	£0.49
PL1326102	White	1m	£0.49
PL1329502	Black	2m	£0.82
PL1329602	Black	2.5m	£0.91
PL1329702	Black	3m	£1.13
PL1326202	White	3m	£1.15
PL1335002	Black	3.5m	£1.46
PL1326302	Black	5m	£1.71
PL1326402	White	5m	£1.65

UK Plug to 'Figure 8' (C7)

- Plugs have integral 3A fuses
- Manufactured from 0.75mm² approved 2 core cable
- Rated 3A @240V ac



694876

PL1402302	Black	0.5m	£0.98
PL1335502	Black	1m	£0.87
PL1334202	Black	2m	£1.02
PL1330102	Black	3m	£1.12
PL1337002	Black	5m	£1.60
PL1402402	White	0.5m	£0.98
PL1335602	White	1m	£0.91
PL1335702	White	2m	£1.02
PL1330202	White	3m	£1.13
PL1337102	White	5m	£1.60

UK Plug to IEC



5A Fuse, 0.75mm² BS1363/A approved.

693056

PL1330402	Black	1m	£1.02
PL1330502	Black	2m	£1.40
PL1330602	White	2m	£1.34
PL1330702	Grey	2m	£1.34

UK Plug to IEC Sockets - 10A



Fused and fully moulded UK 3-pin plugs to IEC 320 cold condition sockets. The mains leads are rated at 10A, fitted with a 13A fuse and are manufactured from 1mm² approved cable.

693057

PL1330902	Black	1m	£1.01
PL1331002	Black	2m	£1.53
PL1426302	Black	2.5m	£1.21
PL1331102	Black	3m	£1.77
PL1331202	Black	5m	£3.19
PL1334002	Black	6m	£2.99
PL1331302	White	2m	£1.47
PL1327002	White	5m	£2.58
PL1331502	Grey	3m	£1.85

UK Plug to IEC (C13) Lead - 2m



- Rated at 5A
- UK plugs are fused and BS approved

£1.17

order code PL1330302

694865

UK Plug to Right Angled IEC Socket (C13), 2m



694867

5A Fuse

PL1332202	Black	2m	£1.42
13A, 1mm² Cable			
PL1332302	White	2m	£1.42

2 Pin Euro Plug To (C7) Figure 8 - 2m



- Moulded 2-pin Euro plug to figure 8 type mains connector
- 2.5A Rated
- 0.75mm² cable

54p

order code PL1332402

694868

10A IEC (C13) to Schuko



- Bare ends version for professional use only
- Current rating 10A at 250V
- Bare ends must be correctly terminated to another connector or piece of equipment before connection

701810

PL1332002	Schuko to IEC 2m	£1.02
PL1335402	Schuko to IEC 2.5m	£1.28
PL1332102	Schuko to Bare Ends 2m	£0.82
PL1335202	Schuko to Bare Ends 2.5m	£1.24

UK Plug to Right Angled IEC Socket



- UK 3-pin plugs to right angled 10A IEC 320 cold condition socket mains lead.
- Ideal for overhead projectors, schools etc
- The plugs have an integral 13A fuse

693053

PL1336702	5m	£2.56
PL1336102	10m	£4.10
PL1336202	15m	£6.08

UK Plug to IEC (C13) Leads, 1m



The leads are manufactured from 1.00mm² cable.

693059

PL1331602	Black	£1.10
PL1331702	White	£1.10

UK Plug to Right Angled IEC (C13) Socket - 2m



- 5A Fuse

£1.32

order code PL1327802

694857

C14 to C5 Adaptor



- Power rating: 10A @250V
- Insulation resistance: 100MΩ

£1.29

order code PL1321602

694844

IEC Plug (C14) to IEC Socket (C13) Extension



IEC extension leads consisting of a moulded 3-pin CEE 22 10A shrouded plug and socket on either end of 3-core cable. Rated 10A @ 250Vac.

694870

Black			
PL1333902	0.5m		£0.60
PL1332602	1m		£0.72
PL1332702	2m		£1.13
PL1332802	3m		£1.46
PL1332902	5m		£2.06
PL1336602	10m		£3.90
White			
PL1327102	0.5m		£0.56
PL1327202	1m		£0.74
PL1327302	2m		£1.02
PL1327402	3m		£1.48
PL1327502	5m		£2.16
PL1327602	10m		£3.81
Orange			
PL1334302	0.5m		£0.72
PL1334402	1m		£0.74
PL1334102	2m		£1.39
PL1334502	3m		£1.60
PL1334602	5m		£2.27

Y Power Cord: UK Plug to 2x IEC Sockets (C13)



A useful 'Y' power lead that is ideal for personal computers where it will allow the base unit and monitor, or main unit and a peripheral, to be powered by a single mains connection. The lead has a length of 2m or 5m to the 'Y' junction and then each arm has a length of 500mm. Manufactured in black with 1mm² cable and rated at 10A.

694871

PL1333102	2.5m	£2.16
PL1333202	5.5m	£3.61

10A IEC - (C13) International



- Non-rewireable cordsets
- All are rated at 10A @ 250V ac

694872

PL1333302	Swiss Plug 2m	£0.99
PL1333402	Italian Plug 2m	£0.92
PL1333502	American Plug 2m	£0.89
PL1335902	Australian Plug 2m	£1.13

Surge Protected 2 Way IEC + C5 Connector Lead



- Ideal for reducing cable clutter, by combining three IEC leads into one
- 13A plug to 2x IEC sockets and 1x C5 connector with built in surge protection.
- Ideal for use with printers, computers and monitors
- Conforms to EN61643-11

Technical Data

Current Rating	13A
Max. Surge Current	
Voltage Rating	230V
Response Time	1ns
Cable Length	2.3m

£5.03

order code PL1034502

693060

Appliance Leads - 2m2.5A Class 1 (C5)



Mains leads terminating in a 2.5A class 1 triangular, cold condition type connector and either bare ends, a fully moulded UK plug or a Euro Schuko plug.

Only for use by qualified personnel
Bare ends must be correctly terminated to another connector or piece of equipment before connection

694873

PL1333602	Bare Ends	£0.78
PL1333702	UK Plug - 3 pin	£1.13
PL1333802	Schuko Plug	£1.09
PL1335102	Euro to Cloverleaf	£1.09

Male IEC to 2x IEC Sockets 'Y' Lead - 5A



- 1m to split • ½m from split to connector

£2.28

order code PL1333002

693062

Male IEC to 2x IEC Sockets 'Y' Lead - 10A



- 1m to split
- ½m from split to connector

£2.11

order code PL1327902

693063

IEC Extension Leads - Orange



- IEC C13 socket to IEC C14 plug
- H05VV-F 1mm 3 core cable
- Rated 10A @ 250Vac
- VDE approved
- IEC extension leads consisting of a moulded 3-pin IEC C13 10A shrouded socket to a C14 shrouded plug.

694875

PL1334302	0.5m	£0.72
PL1334402	1m	£0.74
PL1334102	2m	£1.39
PL1334502	3m	£1.60
PL1334602	5m	£2.27

C5 to C14 Power Lead



- Connector A: 1x power IEC 320 EN 60320 C5 - female
- Connector B: 1x power IEC 320 EN 60320 C14 - male

694882

PL1325102	0.5m	£0.56
PL1336902	2m	£1.16

UK Mains Plugs - Black



631638

PL1020602	3A	£0.44
PL1020702	5A	£0.44
PL1020102	13A	£0.44

UK Mains Plugs BS1363



627996

PL1020002	3A	£0.44
PL1019902	5A	£0.44
PL1019802	13A	£0.44

Easy Pull Plugs

- Thermoplastic construction
- Dimensions (LxHxD): 57x52x45mm



693079

PL1394902	White	3A	£0.84
PL1395002	White	5A	£0.84
PL1341102	White	13A	£0.84
PL1395102	Black	3A	£0.84
PL1395202	Black	5A	£0.84
PL1395302	Black	13A	£0.84

Quick Fit Nylon Plugs



- Screwless cordgrip

631639

PL0375002	3A White	£0.84
PL0375102	5A White	£0.84
PL0375202	13A White	£0.84
PL0375302	3A Black	£0.84
PL0375402	5A Black	£0.84
PL0375502	13A Black	£0.84


C13 & C19 IEC Locking Outlets



C13 Outlet



C19 Outlet



- Snap-in mounting from front
- Solder terminal or quick connect from single terminal
- Protection Class 1
- Integral plug retention feature

Technical Data

	PL1409402	PL1409502
Current Rating - Europe	10A @ 250VAC	16A @ 250VAC
Current Rating - USA	15A @ 250VAC	20A @ 250VAC
Dielectric Strength	2kV (50Hz, 1 Min.)	Accessible Surfaces
Insulation Resistance	10MΩ (500VDC, 1 Min.)	
Mouldings	UL 94V-0 Thermoplastic	
Terminal Type	6.3x0.8mm Tabs	

PL1409402	C13	£2.80
PL1409502	C19	£3.25

UK Mains Plugs - Box of 20



- Fitted with 13A fuse
- BS1363 approved
- Cord grip
- Supplied in box of 20

695765

White		
PL1314502	3A	£7.62
PL1314602	5A	£7.62
PL1020202	13A	£7.62
Black		
PL1314702	3A	£7.25
PL1314802	5A	£7.25
PL1314902	13A	£7.25

3 Way Surge Protected IEC Lead - 1.8m



Ideal for reducing cable clutter, by combining three IEC leads into one.

- 13A Plug to 3 x IEC sockets with built in surge protection.
- Ideal for use with printers, computers and monitors
- Conforms to EN61643-11

Technical Data	
Current Rating	13A
Max. Surge Current	18kA
Voltage Rating	230V
Response Time	1ns

£5.10

order code PL1034302

704834

Heavy Duty Plugtops 13A



627998

PL0946202	Black
PL0946302	White
PL0946402	Orange

82p

Switched Plugtop - 13A




£1.29

order code PL1003702

631640

Glowlight Plug



54p

order code PL1002002

631641

Heavy Duty Plugs



Heavy duty, 3-pin mains plugs with an impact resistant construction, strain reliefs and sleeved pins.

PL0091502	Black
PL0091602	Orange
PL0091702	White

£2.04

Switched Plugtop

- 13A plug top featuring an on/off switch
- Allows appliances to be switched on and off without the need for unplugging
- Fitted with 13A replaceable fuse
- Red neon indicator indicates power source

£1.29

order code PL1294402

667951

Round Pin Plug 5A

- Unfused mains plug with round pins.
- Manufactured to BS546



57p

order code PL1299002

670840

UK Mains Plugs

- Quickfit type cord grip



White		
PL1315002	3A	£0.45
PL1315102	5A	£0.45
PL1315202	13A	£0.45
Black		
PL1315302	3A	£0.45
PL1315402	5A	£0.45
PL1315502	13A	£0.45

Heavy Duty Mains Plugs



631643

PL0046702	White	PF133WHI	£2.40
PL0046802	Orange	PF133ORG	£2.04
PL0046602	Black	PF133BLK	£2.71

Surge Protected Plug Tops



631645

Technical Data	
Operating voltage	240V
Max. Current rating	3A or 13A
Max. Surge current	2500A
Clamping voltage	775V

Fuse Rating

PL1393102	3A	£1.80
PL1002202	13A	£1.80

Mains Connectors-Round Pin



Plugs 631646

PL0047602	15A	P153BLK	£3.35
PL0047502	5A	P53BLK	£2.68

Socket

PL0672402	15A	FC153BLK	£4.85
-----------	-----	----------	-------

Euro-Converter Plugs



Only one screw needs to be turned to fit the adaptor.

- Enables manufacturers to supply imported appliances with 2-pin moulded-on Euro plugs
- External fuse access
- Cannot be plugged in without the lid being closed and fully screwed down

631649

Black		
PL1057302	3A	£0.89
PL1057402	5A	£0.89
White		
PL1057502	3A	£0.89
PL1057602	5A	£0.89

Switch Adaptor

- Easily adds a live circuit into a Click Flow circuit
- Pre-wired earth and neutral links
- Conforms to BS5733
- Rated at 250V, 20A
- Cable sizes: 4x 1mm² (flex), 3x 2.5mm² (solid)
- Dimensions (WxHxD): 82x75x25mm

£2.60

order code PL1490502

Safety Covers - Pack of 5




36p

order code PLSAFEPLUG02

631648

European 2-Pin Converter Plug-Quick Fit



- Fitted with a 3A fuse.
- 2.5A Rated

£1.02

order code PL0203502

631650

Push-In Flow Connectors



CT203C

Models: CTx03x Series

- A range of flow connectors
- Simple and safe design
- Large terminals with easy access
- Fast-fit cable clamps
- Conforms to BS5733
- Rated at 250V, 20A
- Cable sizes: 4x 1mm² (flex), 3x 2.5mm² (solid)

Model: CT103C

- 3-Pin connector
- Dimensions (WxHxD): 135x50x25mm

Model: CT203C

- 4-Pin connector
- Dimensions (WxHxD): 135x49x23mm

Model: CT103M

- 3-Pin connector (male connector only)
- Dimensions (WxHxD): 135x50x25mm

Model: CT203M

- 4-Pin connector (male connector only)
- Dimensions (WxHxD): 135x49x23mm

No. of 712782

Connector + Clamp	Model	Pins	
PL1490102	CT103C 3		£2.00
PL1490202	CT203C 4		£2.25

Male Connector Only

PL1490302	CT103M 3		£1.10
PL1490402	CT203M 4		£1.18



712783

5A to 13A **PRO-ELEC** Adaptor Plug



- Fitted with 5A fuse

£1.26

order code PL1122302

645486

Euro-Converter Plugs



Easily convert 2.5Amp 2-pin Euro plugs to standard 3-pin British plugs.

- External fuse access
- Cannot be plugged in without the lid being closed and fully screwed down

631651

White

PL0023202	Returnable Screw	£0.95
-----------	------------------	-------

Black

PL0023102	Returnable Screw	£0.95
-----------	------------------	-------

PL0023002	Non-returnable Screw	£0.95
-----------	----------------------	-------

Clear

PL0955402	Returnable Screw 5A	£1.11
-----------	---------------------	-------

European Schuko to UK Converter Plugs



- Cannot be plugged in whilst the lid is open, to ensure electrical safety
- External fuse access

631657

For Ungrounded Schuko Plugs

PL0673002	Black/3A	£1.18
-----------	----------	-------

PL0673102	Black/5A	£1.18
-----------	----------	-------

PL0673202	Black/10A	£1.18
-----------	-----------	-------

PL0673302	White/3A	£1.18
-----------	----------	-------

For Grounded Schuko Plugs

PL0673602	Black/5A	£1.18
-----------	----------	-------

PL0673702	Black/10A	£1.18
-----------	-----------	-------

PL0673802	Black/13A	£1.18
-----------	-----------	-------

PL0673902	White/5A	£1.18
-----------	----------	-------

PL0674102	White/13A	£1.18
-----------	-----------	-------

European to UK Converter Plugs



- Simply push VDE plug in until a positive click

631658

3A Fuse

PL0995402	Black	£1.02
-----------	-------	-------

PL0995602	White	£1.02
-----------	-------	-------

5A Fuse

PL0995502	Black	£1.02
-----------	-------	-------

PL0995702	White	£1.02
-----------	-------	-------

Battery Charger Adaptors



- External fuse access
- Non-removeable cover
- Suitable for class 2 devices (unearthed) only

Technical Data

Relevant standards	BS5733, 1363, 1362, EN61558
Current	3A max.
Load	2000W max.
Flammability	V2 (external casing)
Hole Dia.	4.75mm

PL0995802	Black
-----------	-------

PL0995902	White
-----------	-------

£1.13

USA to UK Converter Plugs

A range of mains adaptors allowing mains leads with 2-pin North American plugs to be converted into UK, 3-pin mains plugs.

- Suitable for polarised and non-polarised 2-pin plugs
- Converts American equipment for use in the UK
- Cannot be plugged in whilst the lid is open to ensure electrical safety
- External fuse access

Warning: Does not convert voltages

672939

PL0674402	Black/10A	£1.43
-----------	-----------	-------

PL0674502	White/3A	£1.43
-----------	----------	-------

PL0674702	White/10A	£1.65
-----------	-----------	-------

2-Pin Travel Adaptor Plug



Converts 13A plug to continental 2 pin.

This product is for use outside of the UK only

628000

PLTRAV02	White	34p
----------	-------	------------

PL1083202	Black	
-----------	-------	--

All Continents to UK Travel Adaptor



BS5733/A approved with integral 13A fuse and holder.

PL0915202	White	92p
-----------	-------	------------

PL1294002	Black	
-----------	-------	--

Travel Adaptor SHUKO to UK Plugs



A BS1363/3 approved SHUKO socket to UK plug with integral 13A fuse and holder.

631662

PL0135002	White	92p
-----------	-------	------------

PL1294302	Black	
-----------	-------	--

UK to Euro Travel Adaptor



£1.59

order code PL1128102

640338

Dual Travel Adaptor Kit



Adaptor 1: UK 3-pin socket to 2-pin European plug, Adaptor 2: UK 3-pin socket to North American, flat 2-pin plug.

631663

PL0204002	White	80p
-----------	-------	------------

PL1294202	Black	
-----------	-------	--

Connector Blocks - 5 Way



- Heavy duty brass screw terminals
- Removable front lids

Technical Data

Type	Max. Conductor	Dims. (HxWxD) mm	
PL0997502 60A SP	25mm	56x46x46	£1.96
PL0997602 100A SP	35mm	56x46x46	£2.27
PL0997702 60A DP	25mm	84x59x52	£4.02

All Continents to UK Travel Adaptor



- BS5733/A Approved
- Fitted with 13A fuse
- Max Amp - 13A

631664

PL1030002	White	72p
-----------	-------	------------

PL1294102	Black	
-----------	-------	--

UK/European to South African Mains Adaptor

- Converts UK and European plugs to work on the 15A South African mains socket
- Earthed
- Unfused
- Rating: max 15A, 3600W



£2.40

order code PL1154202

652641

Mains Adaptors (13A)



627999

AR7061102	2-Way Unfused	£0.57
-----------	---------------	-------

PLADAPT202	2-Way Fused	£0.80
------------	-------------	-------

PLADAPT302	3-Way Fused	£0.98
------------	-------------	-------

Shaver Adaptor



47p

order code PLADAPTOR02

631670

3-Pin, Round Mains Plugs



- Unfused mains plugs with round pins
- Suitable for industrial applications
- Manufactured to BS456

PL1394102	2A	£0.55
-----------	----	-------

PL1394202	15A	£0.87
-----------	-----	-------

712785

Earth Terminals

PRO-ELEC



627958

PL0204102	4-Way	£1.26
PL0204202	8-Way	£1.79

10A In-Line Rubber Connectors 2 Pin

PRO-ELEC



627989

PL0947102	Black	£2.33
PL0947302	Orange	£1.17

Earthing Clamps

PRO-ELEC



- Terminal Size: 2.5 to 16mm²
- Pipe Diameter: 32 to 50mm

For Dry Conditions

PL0128002	£0.96
-----------	-------

For All Conditions

PL0128202	£0.96
-----------	-------

10A In-Line Rubber Connectors 3 Pin

PRO-ELEC




631671

PL0947402	Black	£1.38
PL0947502	White	£1.38

Floor Sockets

PRO-ELEC



- Single dims: (HxWxD) 94x85x25mm
- Double dims: (HxWxD) 94x145x25mm

Stainless Steel

651061

PL1122402	1 Gang	£5.21
PL1122502	2 Gang	£6.34

Brass

PL1122602	1 Gang	£5.28
PL1122702	2 Gang	£9.35

Plug In Ceiling Roses - 4 Terminal, 6A

Eterna



- Shrouded plug terminals and cord grip
- Ideal for emergency auxiliary use
- BESA box mounting
- Pre-wired version available
- 2m Heat resistant 4 core flex
- Dimensions (LxWxH): 83x83x36mm

LA0453202	Plug in ceiling rose	£3.07
LA0453302	Pre-wired version	£4.64

Lighting Connector Boxes - IP20

Eterna



- Cord restraint at both entries
- 3 Way connectors included
- 5A (WxHxL): 40x22x65mm
- 15A (WxHxL): 48x27x72mm

676361

LA0453802	5A / 1 Gang	£0.85
LA0453902	15A / 2 Gang	£0.99

Lighting Accessories

Crabtree



Model: 2041

- 6AX 1 Way SP ceiling switch
- Dimensions (ØxH): 68.5x42.5mm
- 1.5m Long white pullcord
- Fully rated for fluorescent or inductive loads
- BSEN 60669-1

Model: 2141

- 6AX 2 Way SP ceiling switch
- Dimensions (ØxH): 68.5x42.5mm
- 1.5m Long white pullcord
- Fully rated for fluorescent or inductive loads
- Can be wired as one way
- BSEN 60669-1

Model: 2167

- 50A 1 Way DP ceiling pull switch
- Neon and mechanical indicator
- Integral pattress for surface mounting
- Can mount to large circular conduit box
- Complies with wiring regs BS7671 for use as isolating device
- Terminals will accept up to 10mm² cable
- 1.5m Long pull cord
- Suitable for use with 25x16mm trunking
- Rated for non-inductive loads only
- BSEN 60669-1

	Model	
PL1181302	2041	£2.04
PL1181402	2141	£2.52
PL1181502	2167	£7.82

Pendant Lampholder

Crabtree



656107

Model: 3442

- BS 67, BSEN 61184
- T2 Rating with spring plungers
- One piece thermoplastic interior

87p

order code PL1182002

13A Socket Outlets

Crabtree



Model: 4304

- 1 Gang 13A SP switched socket twin earth
- White moulded surface mount
- BS 1363
- Large capacity tunnel type terminals for easy wiring
- Shallow back protection for ease of installation in a 25mm deep box
- Two earth terminals for where high integrity earthing is necessary
- Dimensions: 86x86mm

Model: 4304/D

- 1 Gang 13A DP switched socket twin earth
- Dimensions: 86x86mm

Model: 4304/3D

- 1 Gang 13A DP switched socket twin earth with neon
- Dimensions: 86x86mm

Model: 4306

- 2 Gang 13A SP switched socket twin earth
- Dimensions: 146x86mm

Model: 4306/D

- 2 Gang 13A DP switched socket twin earth
- Dimensions: 146x86mm

Model: 4306/3D

- 2 Gang 13A DP switched socket twin earth with neon
- Dimensions: 146x86mm

Model: 4307

- 2 Gang 13A switched socket with outboard rockers
- Dimensions: 146x86mm

Model: 4307/3

- 2 Gang 13A switched socket with outboard rockers and neons
- Dimensions: 146x86mm

Model: 4306 BULK

- 2 Gang 13A SP switched socket twin earth
- Supplied in bulk packs of 50
- Dimensions: 146x86mm

Model: 7255

- 1 Gang 13A unswitched socket
- Dimensions: 86x86mm

Model: 7257

- 2 Gang 13A unswitched socket
- Dimensions: 146x86mm

656115

PL1183902	4304	£1.35
PL1195102	4304/D	£2.10
PL1195202	4304/3D	£3.44
PL1184002	4306	£2.30
PL1195302	4306/D	£2.40
PL1195402	4306/3D	£3.60
PL1184102	4307	£2.44
PL1195502	4307/3	£4.75
PL1210802	4306 Bulk Pack of 50	£83.95

Unswitched Sockets

PL1187502	7255	£1.40
PL1187602	7257	£2.95

6" Pendant Set

Crabtree



£1.64

order code PL1182202

656108

10AX Plate Switches

Crabtree



Model: 4070

- 1 Gang 10AX 1 way SP switch
- White moulded surface mount
- BSEN 60669-1
- Dimensions: 86x86mm

Model: 4170

- 1 Gang 10AX 2 way SP switch
- Dimensions: 86x86mm

Model: 4172

- 2 Gang 10AX 2 way SP switch
- Dimensions: 86x86mm

Model: 4173

- 3 Gang 10AX 2 way SP switch
- Dimensions: 86x86mm

Model: 4174

- 4 Gang 10AX 2 way SP switch
- Dimensions: 146x86mm

Model: 4175

- 1 Gang 10AX intermediate
- Dimensions: 86x86mm

Model: 4176

- 6 Gang 10AX 2 way SP switch
- Dimensions: 146x86mm
- Two way switches can be wired as one way
- Fully rated for fluorescent or inductive loads

	Model	
PL1183002	4070	£0.82
PL1183102	4170	£0.91
PL1183202	4172	£1.42
PL1183302	4173	£2.42
PL1183402	4174	£2.99
PL1183502	4175	£2.18
PL1183602	4176	£18.69

Blanking Plates

Crabtree



656109

	Model	
PL1182302	4001 1 Gang	£0.46
PL1182402	4002 2 Gang	£0.49

230mm Pendant Set

MARBO



- 9" Pendant set
- Supplied as a pack of 5
- White moulded • Heat resistant
- T2 rated • BS67, BSEN61184

£4.57

order code PL1342302

686390

13A Fused Connection Units



Model: 4827

- Fitted with knock out position
- For use with or without cord outlet
- Suitable for flexible cord up to 10mm outside diameter
- Fuse ASTA certified marked to BS1362
- Shallow back projection for ease of installation in a 25mm deep box
- Dimensions: 86x86mm

Model: 4827/3

- 1 Gang 13A DP switched fused connection unit with neon

Model: 4828

- 1 Gang 13A unswitched fused connection unit

Model: 4828/3

- 1 Gang 13A unswitched fused connection unit with neon

Model		
PL1184402	4827	£2.27
PL1196002	4827/3	£2.52
PL1184502	4828	£2.27
PL1287502	4828/3	£2.45

45A Cable Outlet

Model: 4506

- With terminals and cable clamp
- Terminals will accept 2x 10mm²
- Cable knock out in cover prevents access to terminals before outgoing cable is fitted
- Dimensions: 86x86mm



£2.10

order code PL1184302

664379

Surface Moulded Boxes



Model: 9041

- 1 Gang 44mm deep moulded back box
- BS 5733
- Dimensions: 87x87x44mm

Model: 9043

- 1 Gang 20mm deep moulded back box
- With earth terminal
- Dimensions: 87x87x20mm

Model: 9047

- 1 Gang 29mm deep moulded back box
- Dimensions: 87x87x29mm

Model: 9048

- 2 Gang 29mm deep moulded back box
- Dimensions: 147x87x29mm

Model: 9054

- 2 Gang 45mm deep moulded back box
- For slimline cooker control units
- Will accept 25x16mm mini trunking
- Fitted with cable clamp
- Dimensions: 89x147x45mm

656119

PL1188102	9041	£1.33
PL1188202	9043	£0.61
PL1188302	9047	£0.79
PL1188402	9048	£0.95
PL1188502	9054	£1.36

Co-Axial Socket Outlets

Model: 7265

- 1 Gang TV/FM coax socket
- 1 Way direct connection
- White moulded surface mount
- BS 3041
- Dimensions: 86x86mm

Model: 7269

- 1 Way F type satellite socket



Model		
PL1187702	7265	£1.04
PL1187802	7269	£2.61

Seeklight

Model: 7009

- LED seek/night light
- Fits all 1 gang size light switches
- Light comes on when switch is off
- Requires filament type lamp to work correctly
- Dimensions: 94x94mm



£1.60

order code PL1186102

655850

2 Gang Dry Lining Boxes



Model: SB629

- 35mm 2 Gang with adjustable lugs
- Dimensions: 143x83x36mm
- Cut out: 133x73mm
- Board thickness from 6.35 to 15mm
- Large flange around front
- Flame retardant thermoplastic
- Tough yellow nylon lugs
- 2 Side knockout cable entries
- 25mm Base knockout

Model: SB637

- 35mm Dual box for two 1 gang size accessories
- Dimensions: 168x83x36mm
- Cut out: 158x73mm

Model: SB631

- 47mm 2 Gang with adjustable lugs
- Dimensions: 143x83x48mm
- Cut out: 133x73mm

663758

PL1178202	SB629	£0.39
PL1177902	SB637	£0.55
PL1178102	SB631	£0.67

Dual Flush Steel Back Boxes



Accept 2x 1 gang type electrical face plates. The boxes can be mounted vertically or horizontally and the internal separating screen can be easily removed if not required. Manufactured to BS4662 where applicable. Dimensions (WxH): 154x68.3mm

98p

order code PLO264102

709186

1 Gang Dry Lining Box - 47mm



Model: SB632

- Dimensions: 83x83x48mm
- Cut out: 73x73mm

53p

order code PL1178002

658330

2 Gang Installation Boxes



PL1178902

- 35mm Dual box with fixed lugs
- For two 1 gang size accessories
- 16x20mm Knockouts
- Dimensions: 154x68.3x35mm

PL1178302

- 47mm 2 Gang flush steel box
- 1x Adjustable, 1x fixed lug
- 4x 20/25mm Knockouts
- Dimensions: 129x68.3x47mm

PL1178702

- 25mm Dual box with fixed lugs
- For two 1 gang size accessories
- 16x 20mm Knockouts
- Dimensions: 154x68.3x25mm

PL1179002

- 35mm Dual box with fixed lugs
- For two 1 gang size accessories
- 16x 20mm Knockouts
- Dimensions: 154x68.3x35mm

PL1178902	£1.29
PL1178302	£0.80
PL1178702	£0.39
PL1179002	£0.49

1 Gang Installation Boxes



PL1178402

- 16mm 1 gang flush steel box
- 1x Adjustable, 3x fixed lugs
- 12x 20mm Knockouts
- Dimensions: 68.3x68.3x16mm

PL1178802

- 25mm 1 Gang flush steel box
- 1x Adjustable, 3x fixed lugs
- 12x 20mm Knockouts
- Dimensions: 68.3x68.3x35mm

PL1179202

- 35mm 1 Gang flush steel box
- 1x Adjustable, 3x fixed lugs
- 12x 20mm Knockouts
- Dimensions: 68.3x68.3x35mm

698767

PL1178402	16mm	£0.19
PL1178802	25mm	£0.31
PL1179202	35mm	£0.31

1G or 2G to 4G Converter Socket



- Conversion of 1 or 2 gang to 4 gang socket
- 13A Fused
- Simple retrofit solution
- Dimensions (HxWxD): 85x255x25mm

£7.47

order code PL1313502

676475

1 to 3 Socket Converter



£4.02

order code PLO997402

627946

1 Gang, 2 Way Dimmer Switch - 250W



- Press on/off
- BSEN60669-1, BSEN55014

£3.94

order code PL1273202

695153

13A Switched Socket




- Terminals suitable for 3x2.5mm², 2x4mm²

£2.51

order code PL1275602

695173

Single to Double Socket Converter



54p

order code PL1002902

627945

Dry Lining Boxes - 35mm


- Will fit wall facing/ceilings 3-18mm thick
- Minimum recess, Single: 75x75mm; Double: 75x135mm



627950

PL0430302	Single	£0.25
PL0430402	Double	£0.37

Dual Dry Lining Box - 35mm



74p

order code PL0997202

627953

Surface Mount Pattress Boxes



627951

1 Gang

PL0914102	16mm	£0.22
PL0429202	25mm	£0.29
PL0429302	38mm	£0.28

PL0429402	45mm With cable clamp & brass terminal	£0.48
-----------	--	-------

2 Gang

PL0429602	25mm	£0.36
-----------	------	-------

PL0429802	45mm With cable clamp & brass terminal	£0.77
-----------	--	-------

Dry Lining Boxes



627955

	Depth	Gangs	
PL0018902	35mm	1	£0.37
PL0019002	35mm	2	£0.40
PL1020402	47mm	1	£0.40
PL1020502	47mm	2	£0.61

2+1 Dry Lining Box



- 2x 25mm, 4 Square knockouts

£1.34

order code PL1178502

672603

Dry Lining Boxes with Earth Terminals

- Large flange around the front prevents the boxes slipping into the cavity
- 2x Side knockout cable entries plus 1x 25mm base knockout
- Suitable for board thicknesses of 6.35 to 15mm



631738

29p

order code PL0266302

13A Switched Sockets



627916

PL0921702	1G Single Pole	£0.67
PL0921502	2G Single Pole	£0.92
PL0921602	2G Double Pole	£1.33

10 Amp Light Switches



627917

PL0921902	1 Gang 2 Way	£0.41
PL0922002	2 Gang 2 Way	£0.67
PL0922102	3 Gang 2 Way	£1.12

Flush Steel Back Box



627949

Single Gang

PL0985802	72x72x16	11	£0.29
PL0985902	72x72x25	12	£0.40
PL0986002	72x72x35	11	£0.39
PL0986102	72x72x47	10	£0.43

Two Gang

PL0986202	132x71x25	16	£0.41
PL0986302	132x71x35	16	£0.49
PL0986402	132x72x47	15	£0.61

Steel Back Boxes



2-Gang

- 2- or 6-/8-Gang back boxes
- Galvanised steel with brass earth terminal
- Secure, but easy to use knock outs
- Fixed lugs
- Depth: 35mm

708797

	No. of Gangs	
PL1432502	2	£0.35
PL1432702	6 or 8	£0.45

Dual Pattress Box - 33mm



60p

order code PL1004202

627952

Round Dry Lining Box



27p

order code PL0997302

627954

2G Socket + 2 x USB Charging Sockets

This power/USB charging wallplate allows you to power/charge 2x USB devices and 2x other electrical items from one double wallplate.

- The USB charging sockets are compatible with cameras, MP3 players, smartphones, tablets and other devices that require charging via a USB port
- USB sockets are limited at 2A, 5V combined
- If current exceeds the limit, it will automatically trip off to protect your device
- Surge and spike protected
- Features 2x switchable UK 3-pin power sockets
- Will fit any standard back box (minimum depth of 25mm)

£12.60

order code PL1409702

709098

Fused Connection Units



693082

PL0922502	Unswitched	£1.39
PL0922602	Unswitched with Neon	£1.49
PL0922302	Switched with Neon	£2.00

Fused Connection Units



627919

PL0922502	Unswitched	£1.39
PL0922602	Unswitched with Neon	£1.49
PL0922402	Switched	£2.20
PL0922302	Switched with Neon	£2.00

Shaver Socket



£7.19

order code PL0922202

627920

45A Pull Cord Ceiling Switch



£4.09

order code PL0923802

627923

16A DP Pull Switch

- 16A, Double pole, pull cord switch
- Neon indicator
- Conforms to BSEN60669
- Cable sizes: 2x 2.5mm², 3x 1.5mm²
- Dimensions (ØxH): 70x42mm



£4.24

order code PL1485902

712788

Junction Boxes

PRO-ELEC



627924

PL0922702	5 Amp, 4 Terminal	£0.45
PL0922902	30 Amp, 3 Terminal	£0.72

4 Terminal Mini Junction Boxes - 20A

PRO-ELEC



- 57mm Diameter
- Suitable for cable up to 2.50mm

PL1001602	White	627925
PL1001702	Brown	

55p

Double Blanking Plate

PRO-ELEC



627921

30p

order code PL0923102

Ceiling Pendants - T2

PRO-ELEC



627927

PL0924302	6" Cable	£1.02
PL0924402	9" Cable	£1.07

Plug-In Ceiling Rose

SUPER SWITCH



- Ceiling rose with plug
- 4x Terminals - neutral, earth, 1 and 2
- Rated at 6A, 250V
- Conforms to BS 6972
- Dimensions (HxD): 42x80mm

85p

order code PL1432602

708792

Batten Lampholders - T2

PRO-ELEC

PL0924702	Straight Skirt - BC	£0.46
PL0924802	HO Skirt - BC	£0.60
PL0924902	HO Angled Skirt - BC	£0.58

6A Pull Cord Ceiling Switch - 2 Way

PRO-ELEC



627931

£1.44

order code PL0925002

Strip Lights - Switched

PRO-ELEC



- Max - 60W, 240V tube
- 284mm Length


£3.19

order code PL1002602

628145

Cord Grip Unswitched Lampholder - BC

PRO-ELEC



627926

35p

order code PL0924602

Brass Lampholders - BC

PRO-ELEC



- Sprung contacts
- Available with 1/2" threaded cable entries.

£1.53

order code PL0288102

627929

Finger Plate - 2 Pack

PRO-ELEC



631759

57p

order code PL1002702

PIR Mains Switch

PRO-ELEC



- The switch will allow fans or lights to operate up to a point where no moving body heat is detected
- Power Ratings: Max. 10A for incandescent lamps or 3A for energy savings lamps, fluorescent lights and exhaust fans

Suitable for fluorescent lights, incandescent lamps, energy saving lamps or exhaust fans

631872

PL1085902	Unswitched	£7.31
PL1107202	Switched	£8.03

Metalclad 13A Switched Sockets

PRO-ELEC



627935

PL0940902	1 Gang	£3.14
PL0941002	2 Gang	£3.14

Metalclad 13A Fused Spurs

PRO-ELEC



- 40mm Depth mounting box

627937

PL0941102	Unswitched	£3.97
PL0941202	Switched	£4.02

Weatherproof 1 Gang Outdoor Socket - IP66

PRO-ELEC

- 5x 20mm Cable entries
- Cable capacity: 3x 2.5mm²



£7.11

order code PL1080902

627941

IP54 Rewireable Weatherproof In-line Socket

- 13A Rewireable temporary outdoor power socket
- IP54 rated in use
- Suitable for use with PVC or Rubber 3 core 1.25mm² to 1.5mm² round profile flexible cable to BS6500
- Manufactured to BS1363-2

£13.20

order code PL1418702

Metal Clad DP Switches

CLICK



- 20A DP switches with optional flex outlet
- Electrophoretically coated plates and back boxes
- Tested and approved to BS1363
- Available with or without neon indicator
- Cable sizes: 4x 2.5mm², 13A: 2x 2.5mm²
- Back box depth: 40mm
- Knockouts: 20mm
- Dimensions (WxH): 80x80mm

712790

PL1483402	20A DP Switch	£3.85
PL1483502	20A DP Switch with Neon	£3.98

Metal Clad Fused Connection Units

CLICK



- Fused connection units with optional flex outlet
- Electrophoretically coated plates and back boxes
- Tested and approved to BS1363
- Available with 3A or 13A fuse
- Cable sizes: 4x 2.5mm², 13A: 2x 2.5mm²
- Back box depth: 40mm
- Knockouts: 20mm
- Dimensions (WxH): 80x80mm

712791

PL1483602	3A	£3.50
PL1483702	13A	£3.50

Metal Clad DP Switched Fused Connection Units

CLICK



- 13A DP switched, fused connection units
- Electrophoretically coated plates and back boxes
- Tested and approved to BSEN60669, BS1362
- Available with or without neon indicator
- Cable sizes: 4x 2.5mm², 13A: 2x 2.5mm²
- Back box depth: 40mm
- Knockouts: 20mm
- Dimensions (WxH): 80x80mm

712792

PL1483902	13A Connection Unit	£3.75
PL1484002	13A Connection Unit with Neon	£4.30



712789

Weatherproof 2 Gang Outdoor Switched Socket - IP66



- 8x 20mm Cable entries
- Cable capacity: 3x 2.5mm²

£8.70

order code PL1081002

627942

IP66 Weatherproof 1 Gang 2 Way Outdoor Switch - 10A



- 5x 20mm Cable entries
- Dimensions (WxHxD): 100x100x70mm

627943

PL1081102	1 Gang	£5.56
PL1081202	2 Gang	£7.93

IP56 13A Surface Sockets



Model: 9704

- 1 Gang 13A unswitched socket
- Water & dust protected to IP56
- Surface mount
- IP56, BS1363
- 4x 20mm Knockouts
- Dimensions: 96x126x81mm

Model: 9706

- 2 Gang 13A DP switched socket
- 6x 20mm Knockouts
- Dimensions: 164x143x81mm

Model: 9707

- 1 Gang 13A switched fused connection unit
- C/W cord outlet
- 4x 20mm Knockouts
- Dimensions: 96x126x81mm

672740

PL1188802	9704	£6.25
PL1188902	9706	£10.45
PL1189002	9707	£10.45

Waterproof Accessory Boxes - IP65



- IP65 Rated accessory boxes
- Maintain IP integrity when cable in use
- Lockable facility
- Polycarbonate construction
- Tough, impact and corrosion resistant
- 1 Gang, 2 gang and dual 2x 1 gang versions
- 1 Gang (LxWxH): 100x140x80mm
- 2 Gang (LxWxH): 160x140x80mm
- Dual (LxWxH): 200x140x80mm

676359

LA0453402	1 Gang	£5.25
LA0453502	2 Gang	£10.71
LA0453602	Dual 2 x 1 Gang	£11.54

IP66 Single Switched Socket - IP66



- Easier to use clip and close cover
- Designed to fit moulded plugs with weatherproof cavity

£5.36

order code PL1316202

694208

IP66 Twin 13A Switched Socket - IP66



- Easier to use clip and close cover
- Designed to fit moulded plugs with weatherproof cavity

£10.60

order code PL1316602

698410

Single Socket with RF Control and Transmitter

- Supplied with separate handheld remote control
- Up to 50m range
- 13A, 3120W
- Rated at IP66 to BS1363
- Weather ready storm proof packaging
- Includes full instructions

£22.89

order code PL1156602

IP64 Exterior Weatherproof Enclosure



- IP64 Rated when the cover is in the closed position
- 6x Cable entry points with sealed glands for cable up to 9mm in diameter (4 on the front and 1 on each side)
- 6x Cable clamps inside to keep the cables secure once in place
- Deep lid to accommodate plug-in mains adaptors etc.
- Keyhole slots for wall mounting
- Integral hanging bracket on the top
- Padlock feature, enabling the enclosure to be locked (5mm max. shackle, padlock not supplied)
- Dimensions (LxWxD): 210x295x115mm
- Extension lead not included

£17

order code PL1157202

690449

IP66 13A Socket With Timer - IP66



- Timer controls the socket
- 15 Minute segments
- 96 On/off per day
- Manual over-ride timer
- Designed to fit moulded plugs with weatherproof cavity
- Easy to use clip and close cover

£15.35

order code PL1316702

698416

Junction Box with 5 Terminals - IP55



£1.24

order code PL1156702

650069

Junction Box with 5 Terminals - IP55

- Dimensions (HxWxD): 80x80x45mm



£1.42

order code PL1156802

652663

Junction Box with 5 Terminals - IP55

- Dimensions (HxWxD): 100x100x55mm



£1.67

order code PL1156902

652664

Combi Junction Boxes

A wide range of polypropylene junction boxes for electrical applications.

Models: Combi 108, 607, 1010 & 1210

- Supplied complete with terminal block

Model: Combi 308

- Supplied complete with terminal block and mounting bracket

698417

Combi 108 - 76x76x51mm, IP66

PL1342502	Grey	£2.76
PL1342602	Black	£2.76
PL1342702	White	£2.76

Combi 308 - 85x85x51mm, IP66

PL1342802	Grey	£3.71
PL1342902	Black	£3.71
PL1343002	White	£3.71

Combi 607 - 110x110x66mm, IP67

PL1343302	Grey	£5.13
PL1343402	Black	£5.13
PL1343502	White	£5.13

Combi 1010 - 140x140x82mm, IP67

PL1343802	Grey	£11.68
PL1343902	Black	£11.68
PL1344002	White	£11.68

Combi 1210 - 160x140x81mm, IP67

PL1344202	Grey	£10.09
PL1344302	Black	£10.09
PL1344402	White	£10.09


DIN Rail Kits

PL1343102	For Combi 108/308	£2.27
PL1343602	For Combi 607	£2.52
PL1344102	For Combi 1010	£6.08
PL1344502	For Combi 1210	£6.08

Earthing Plates

PL1343202	For Combi 308	£4.22
PL1343702	For Combi 607	£2.84
PL1344602	For Combi 1210	£4.26

Individually Switched Surge Protected Extension Lead - 2m



- Wall mountable
- Max. surge current 4500A
- Clamping voltage: 775V
- Max. Load 13A/250V

Technical Data

	Sockets	Dims. (LxWxD)mm	
PL1049402	4	320x60x25	
PL1049502	6	260x120x25	
PL1049602	8	325x120x25	
PL1049402	2m	4	£4.84
PL1049502	2m	6	£5.79
PL1049602	2m	8	£6.44

631823

Surge Protected Extension Leads



628009

PL1097802	4 Gang 2m	£3.81
PL1098002	6 Gang 2m	£5.13
PL1098102	6 Gang 5m	£6.20

Weathersafe Multi-Connector Box - IP65



- Integral 4 way socket strip for BS 13A plugs and timers

£20.95

order code PL0904502

631790

Press Switch 2A



Technical Data
Shank Length
Mounting Holes

8mm
4mm (Dia.)

66p

order code PL0100302

631796

In Line Rocker Switch - 2A

- 2A Rated
- In line rocker switch
- Screw connection shell with screw terminals
- Suitable for 2 core cable



631797

PL1001802	White
PL1124702	Black

27p

Pull Cord Switch - 2A



A side action pull cord switch with screw terminals. Complies with CEI 23-11/III.

Technical Data


Mounting Hole	3mm (Dia.)
Cord	180mm

89p

order code PL0100402

631798

Quicktest



Constructed from tough impact resistant, flame retardant plastic. The lid incorporates a fuse and switching device. When the lid is open the cable clips are isolated from the supply. When closed the power is connected. A glowing neon lamp is visible with the lid open or closed indicating when power is connected to the device. The Quicktest provides a quick and secure method of temporarily connecting 2 or 3 core bare ended flexible leads to the mains. Maximum 13 amp. Dimensions: 130x60x50mm

£25.98

order code PL1063802

631799

Appliance Power Monitor

- Measure the energy use of household appliances
- Helps to manage costs and lower your energy bills
- Simple operation with LCD display
- Maximum load: 13A, 3120W
- Voltage: 240V AC, 50Hz



£10.05

order code PL1302602

698685

6-Way Extension Socket



- Concealed cable routing and easy operation
- Earthed sockets in a 45° arrangement
- Illuminated 2-Pole on/off safety switch
- Childproof sockets
- Cable length: 3m

£15.66

order code PL1128802

655774

Remote Control Transmitter & Receivers Triple Pack



Model: RFE3TC

This remote control transmitter/receiver combines a simple 'plug and play' operation with the ability to save money and energy.

- Turns any plugged in appliance on and off, simply and easily
- Energy saving - no more standby
- Environmentally friendly
- RF remote control works even through walls and ceilings
- 25m Range
- Up to 1,000W max. load per receiver
- Supplied with CR2032 battery
- Additional socket also available (PL1317902), up to 3x per channel can be added

706805

	Transmitter & 3x Receivers	
PL1317802		£14.94
PL1317902	Additional Socket	£3.48

Remote Controlled Socket Sets



- Reduce energy wasted by appliances in standby
- Simply plug the appliance into the remote controlled socket; The socket is then controlled by the remote
- Ideal for appliances in inaccessible places
- Remote control does not require line of sight
- One remote can control up to 4 sockets
- Up to 30m range in open area
- Available with 3 or 4 remote control sockets
- Replaceable remote battery: 12V A23 type
- Maximum load: 13A, 3kW
- Voltage: 220-250V AC, 50Hz

698684

PL1302202	3x Sockets w/Remote	£15.99
PL1302302	4x Sockets w/Remote	£18.64

Surge Protected Rewireable Plug Adaptor



£2.84

order code PL1107102

631895

Remote Control Sockets



- Switching capacity of 1000W
- Childproof socket
- Works up to a distance of 25m
- Frequency: 433.92MHz

Contents: 1x Remote control, 3x remote sockets, 1x 12V A23 battery

£13.85

order code PL1090902

629268

energyEGG & Solo Plug



The energyEGG control adaptor operates like any other socket in your home. Wirelessly pair the energyEGG and control adaptor with one click of the energyEGG button. You can then connect any of your appliances to the control adaptor. You'll never have to worry about appliances and lights being left on again and the process of switching ON/OFF will be simpler and quicker than ever.

- Remote control - switch appliances and lights ON/OFF with the click of a button
- Auto-on - set the energyEGG to automatically switch appliances and lights ON/OFF to suit you
- Simple set-up - start saving energy in less than a minute

Contents: energyEGG, energyEGG control socket, instruction manual and 9V battery

£37.50

order code PL1393402

712794

energyEGG & Power Strip

Wirelessly pair your energyEGG and power strip with one click of the energyEGG button. Plug in your devices to the 6-gang power strip. 2 Outlets are always on - ideal for your Sky box or broadband router and the other 4 outlets are energyEGG controlled. You'll never have to worry about appliances and lights being left on again and the process of switching ON/OFF will be simpler and quicker than ever.

- Remote control - switch appliances and lights ON/OFF with the click of a button
- Auto-on - set the energyEGG to automatically turn appliances and lights ON/OFF to suit you
- Simple set-up - start saving energy in less than a minute
- Lead length: 1.5m

Contents: energyEGG, energyEGG power strip, instruction manual and 9V battery

£47.50

order code PL1393502

712795

4 Gang Surge Protected Extension Socket - 13A



£2.22

order code PL0920802

631832

Surge & RFI Protected Extension Leads - 2m




- Neon indicator for power flow
- Surge neon indicator showing protection active
- Thermal cut out for temperature rise and combustion
- Conforms to BS1363/A and BS5733/A

Technical Data

Operating voltage	240V	
Max. Current rating	13A	
Max. Surge Energy	375 Joules	
Max. Surge current	13500A	
Clamping voltage	775V	
Response Time	<10nS	
PL1088402	4 Gang	£6.03
PL1088502	6 Gang	£12.50

629272

10 Gang Extension Tower - 2m



- Angled sockets, ideal for transformers.
- Detachable base
- Dimensions (Dia.xH): 150x400mm

£5.61

order code PL1050202

631826

10 Gang Surge Protected Extension Tower - 2m



- LED indicators
- Detachable base

£11.59

order code PL1123002

645484

10 Gang Switched Extension Tower with Surge Protection - 2m



Features 3x USB outlets, LAN and broadband/modem outlets, LED indicators and surge protection.

- Angled sockets, ideal for transformers
- Max. surge current 4500A
- Clamping voltage 775V

£17.92

order code PL1050302

631827

10 Gang Extension Lead RFI and Surge Protected - 2m



- Wall mountable
- Max surge current 4500A
- 10 Outlet RFI and surge protected extension lead
- Telephone/modem protection

£8.70

order code PL1003502

631828

BC/ES Lampholder Adaptor



- Bayonet Cap to Edison Screw lampholder adaptor with brass inserts.
- Manufactured to BS 5733.
- Adaptor Type: BC to ES
- Length: 52mm

£2.32

order code PL0020902

608856

Surge Protected Extension Leads



PL1123202	4 Gang 1m	£2.51
PL0920902	4 Gang 2m	£3.07
PL0921002	4 Gang 5m	£4.51
PL0921102	4 Gang 8m	£5.85
PL1123302	6 Gang 1m	£2.77
PL0921202	6 Gang 2m	£3.30
PL1123402	6 Gang 5m	£4.45
PL1123502	6 Gang 10m	£7.16

645481

Surge Protected Extension Leads



PL1123602	1m	£2.78
PL1123702	2m	£2.99
PL1123802	5m	£4.59
PL1123902	10m	£6.68

645482

Surge Protected Extension Leads - 0.75m



PL1430302	4	£1.99
PL1430402	6	£2.55

703457

6 Gang Surge Protected Extension Leads - 13A



PL1298402	2m	£3.26
PL1298602	8m	£5.76
PL1298702	10m	£6.80

677356

3 Way Surge Protected Fused Adaptors



Technical Data		63183
Max. Current rating		13A
Max. Surge current		4500A
Clamping voltage		775V
PL1002402	Unswitched	£1.41
PL1002302	Switched	£2.86

631838

Large 24Hr Mechanical Timer - Triple Pack

- 240VAC, 13A, Max 3120W
- Minimum setting time 15 minutes
- W/Children protector
- Dimensions (HxWxD): 130x70x50mm

£6.49

order code PL1307302

676744

Compact 24 Hour Mechanical Timer

- Ideal for the home and work place
- Easy to use and provides comfort, security and automation
- Manual override switch
- Dimensions (HxWxD): 100x53x40mm



£1.79

order code PL1318002

702827

Timer Controlled 3 Way Adaptor



- 2 Switched sockets and 1 timer controlled socket
- Plug directly into 13A socket to give three outlets
- Built in surge protector to protect appliances
- Green indicator to show surge protection active

£6.40

order code PL1086402

631864

Digital 7 Day Timer

- Hi impedance for use with appliances that require a higher loading current such as heaters
- 98 Programmes per week
- Countdown and random function
- Summertime conversion
- AM/PM or 24 hour display
- Battery back-up
- 240VAC, 13(4)A, Max. 3120W



£4.80

order code PL1151802

657689

Compact Digital 7 Day Timer - Twin Pack



- Multi-functional digital timer
- Clear easy to read screen
- Easy to programme with override reset
- 140 Programmes per week
- Countdown and random function
- AM/PM or 24 hour display
- Battery back-up
- 240V, 8A, Max. 2000W

£6.60

order code PL1151702

700034

19" Wall Mounted Cabinets



A range of 19" wall mounted cabinets allowing easy fitting to a range of wall constructions. They all feature lockable front, left and right hinged doors and removable side panels for easy maintenance. Each cabinet features universal-fit 19" uprights enabling fixing of active and passive devices within. The range comes in a choice of depths and widths as well as heights from 6U to 21U. The cabinets are available in black (RAL 9005) or grey (RAL 7035).

6U - Black	Dimensions (WxDxH)	
EN8436202	550x400x320mm	£46.14
EN8340402	550x450x320mm	£56.63
EN8340502	550x550x320mm	£62.68
6U - Grey		
EN8412202	550x450x320mm	£62.57
9U - Black		
EN8340602	550x450x460mm	£72.40
EN8340702	550x550x460mm	£83.48
12U - Black		
EN8340802	550x450x600mm	£109.25
EN8340902	550x550x600mm	£113.38
12U - Grey		
EN8412302	550x450x600mm	£117.44
EN8412402	550x550x600mm	£121.88
15U - Black		
EN8341002	550x450x720mm	£113.86
EN8341102	550x550x720mm	£119.28
15U - Grey		
EN8412502	550x450x720mm	£124.55
EN8412602	550x550x720mm	£128.23
18U - Black		
EN8341202	550x550x840mm	£148.83
21U - Black		
EN8341302	550x550x1020mm	£159.58

SOHO Wall Cabinet



A 10" cabinet which is an economical solution for wall mounting. It features a modular, sturdy and compact design making it ideal for small office, home office (SOHO) applications. It is the perfect housing for a variety of applications including minihubs, routers, switches or modems, patch panels, cable management panels and power strips.

- 10", 4U Rack mount
- Load capacity: 12kg
- Made from black sheet steel
- Dimensions (WxDxH): 320x300x310mm

£63.12

order code EN8340302

693409

19" Flatpack Wall Mounted Cabinets



A range of 19" wall mounted cabinets which are provided flatpacked for assembly in site. All the cabinets are black with glass doors with the same base dimensions and rack heights ranging from 6U to 12U.

EN8341402	Dimensions (WxDxH): 600x450x380mm	
EN8341502	Dimensions (WxDxH): 600x450x510mm	
EN8341602	Dimensions (WxDxH): 600x450x660mm	
	Height	
EN8341402	6U	£79.89
EN8341502	9U	£104.58
EN8341602	12U	£122.09

693440

In-Line Connector Box with Terminal Block



In-Line connector box complete with 4-pole VDE approved terminal block.

Features:

- Virtually tool-less assembly
- External hand removable lugs for mounting - No tool required
- Supplied with butterfly clip for locking (spare supplied)
- Cable retention achieved through ratchet clips on each box end
- IP20 Rated enclosure with pre-cut cable lead-in
- UL94 rated Polypropylene material
- Dimensions: 102x55x29mm
- Weight: 34.4g

93p

order code EN8413902

712245

IP56 Junction Boxes



- A range of terminal boxes for multiple uses
- Resistant to heat, shocks, atmospheric agents and U.V. rays
- Thermoplastic material with insulating and self-extinguishing properties, in conformity with IEC 695-2-1 (Glow-wire 650°C) • All boxes use self tapping screws
- ROHS compliant • Dimensions (LxWxD): 100x100x50mm
- Available in a variety of colours

710725

EN8129802	Grey
EN8405602	Black
EN8405702	Green
EN8405802	Red
EN8405902	White

£1.84

19" Rack Accessories

A selection of accessories for use with the LMS Data range of 19" rack enclosures.

Cable Management Panel

- Sheet steel construction
- Easy to install and mount
- Colour: RAL 9005 (black)
- 1U Rack height
- Ringed options feature a set of 5 rings

Fixed Shelves

- Sheet steel construction
- 4 Fixing points
- Vented design
- Colour RAL 9005 (black)
- Load capacity: 50kg
- Available for a range of enclosure depths

Cantilever Shelves

- Sheet steel construction
- Easy to fix
- Vented design
- Colour: RAL 9005 (black)
- Load capacity: 25kg
- Available in 1U or 2U rack size

Sliding Shelves

- Sheet steel construction
- 4 Fixing points
- Suitable with CabStor 19" profiles
- Vented design
- Colour: RAL 9005 (black)
- Load capacity: 25kg
- Available for a range of enclosure depths

Slide Rails

- Sheet steel construction
- Supports heavy 19" devices by fixing to mounting angles
- Easy mounting
- Colour: galvanised
- Load capacity: 100kg
- Available for a range of enclosure depths

Keyboard Drawer

- Sheet steel construction
- Lockable drawer for keyboards up to 410mm wide
- Adjustable depth
- Colour: RAL 9005 (black)
- Load capacity: 25kg

712308

1U Cooling Units

- Complete with wiring
- Easy access and maintenance
- Noise: 47dB
- Air removal: 2.3m³/min
- Colour: RAL 9005 (black)
- Available with 2 or 4 fans

Earthing Cable

- Pack of 3 earthing leads
- Potential equalisation busbar for earth continuity system
- Easy to connect

Vertical Cable Trays

- Sheet steel construction
- Vented for cable fixing and carrying
- Colour: galvanised
- Available in a range of rack heights

Blanking Panels

- Sheet steel construction
- Used to close empty positions in a cabinet
- Colour: RAL 9005 (black)
- Available in a range of rack heights

Castor Wheels

- Rotational, heavy duty castors
- Load capacity: 250kg per castor
- Set of 4 (2 are lockable)

Cabinet Plinths

- Sheet steel construction
- Raises cabinet 100mm from floor
- Cable management and storage for cable bundles within
- Easy to install
- Colour: RAL 9005 (black)
- Available in a range of depths and widths

Baying Kit

- Sheet steel construction
- Enables connection of uprights to each other
- Set of 4 brackets

Fixings Kit

- M6 nuts and screws
- Pack of 50

Patch Panels

- Cat5e or 6 versions available

- Available in 24 or 48 port versions

- 10" Cat5e 12 port patch panel also available

Power Distribution Units

- Aluminium alloy construction
- Surge protected
- 13A Current rating
- Integral neon rocker on/ off switch
- Horizontal and vertical versions available

Cable Management Panels

EN8401202	19" Panel with Rings	£4.16
EN8401302	19" Brush Panel	£8.11
EN8401402	19" Brush Panel with Rings	£8.83

Fixed Shelves

EN8401502	600mm Depth	£20.87
EN8401602	800mm Depth	£22.61
EN8401702	1000mm Depth	£26.09

Cantilever Shelves

EN8401802	250mm Depth (1U)	£14.09
EN8401902	350mm Depth (2U)	£19.70

Sliding Shelves

EN8402002	600mm Depth	£40.00
EN8402102	800mm Depth	£48.33
EN8402202	1000mm Depth	£58.33

Support Rails

EN8402302	600mm Depth	£26.67
EN8402402	800mm Depth	£30.00
EN8402502	1000mm Depth	£36.67

Keyboard Drawer

EN8402602	2U Lockable	£47.22
-----------	-------------	--------

Cooling Units

EN8402702	2 Fan	£41.66
EN8402802	4 Fan	£55.00

Earthing Cable

EN8402902	Pack of 3	£5.82
-----------	-----------	-------

Vertical Cable Trays

EN8403002	18U	£18.33
EN8403102	22U	£22.50
EN8403202	27U	£27.50
EN8403302	36U	£34.20
EN8403402	42U	£39.17
EN8403502	47U	£45.33

Blanking Panels

EN8403602	1U	£4.86
EN8403702	2U	£5.82
EN8403802	3U	£7.28
EN8403902	4U	£8.74

Castors

EN8404002	Set of 4	£23.17
-----------	----------	--------

Cabinet Plinths (WxD)

EN8404102	600x600mm	£23.17
EN8404202	600x800mm	£29.83
EN8404302	800x800mm	£33.75
EN8404402	600x1000mm	£36.50
EN8404502	800x1000mm	£41.50

Baying Kit

EN8404602	4 Brackets	£8.17
-----------	------------	-------

Fixing Kit

EN8404702	M6 Nuts & Screws (50)	£6.12
-----------	-----------------------	-------

Patch Panels

EN8404802	24 Port Cat5e	£14.53
EN8404902	24 Port Cat6	£17.25
EN8405002	48 Port Cat5e	£28.73
EN8405102	48 Port Cat6	£39.82

EN8405202	12 Port Cat5e (10" Rack)	£17.27
-----------	--------------------------	--------

Power Distribution Units

EN8405302	6 Way Horizontal	£20.00
EN8405402	8 Way Vertical	£29.09
EN8405502	12 Way Vertical	£33.33

6" Clip-On Fan

PRO-ELEC

- 6" Mains powered desk fan
- Low and high speed settings
- Easily clips onto tables, desks, shelves etc
- Swivels easily into any position
- 360° Pivot



£6.59

order code HG0065502

677807

6" Mini Desk Fan

PRO-ELEC

- 3 Blades and radial grill
- 2 Speed operation
- Tilttable head
- Power: 17W
- Dimensions: 200x160x300mm
- Weight: 550g



£5.71

order code HG0087802

711176

Desk Fans

PRO-ELEC

- 9, 12 or 16" Desk top fans
- 3 Speeds (9" 2 settings only)
- Oscillation on/off
- 80° Head tilt
- White finish



Blade Diameter

711178

HG0065602	9" (22cm)	£8.58
HG0065702	12" (30cm)	£11.25
HG0065802	16" (40cm)	£12.79

Metal Desk Fans

PRO-ELEC

- Antique look desk fans
- Metal construction
- 3 speed settings
- Stationary or oscillation modes

12" Fan

- Power: 35W
- Dimensions: 340x240x420mm
- Weight: 3kg

16" Fan

- Power: 50W
- Dimensions: 450x280x520mm
- Weight: 3.7kg



711179

HG0087502	12"	£20.55
HG0087602	16"	£26.50

16" Pedestal Fan

PRO-ELEC

- 16" Fan blade
- 3 Speed settings
- Oscillation option
- 80° Tilting head
- Height adjustable 105 to 125cm
- White finish



£12.50

order code HG0065902

677815

16" Metal Pedestal Fan

PRO-ELEC

- Sleek & modern metal design
- High velocity motor for maximum air circulation
- Tilt adjustment for flexible use
- Triple speed selection
- Precision fan blades for powerful wind but low-noise
- Chrome stand
- Thermal protection to prevent overheating of motor
- Dimensions: 450x400x1250mm
- Weight: 6.3kg



£28.95

order code HG0087702

711180

High Velocity Fans

PRO-ELEC

- 14, 18 & 20" High velocity fans
- Complete metal structure
- Chrome finish
- 3 Speed settings
- Head is adjustable through 130°



711181

HG0066002	14"	£19.52
HG0066202	18"	£27.48
HG0066302	20"	£32.50

Hand Held Fans

- Supplied individually or as a counter top display of 48
- Powerful motor
- Extra safe foam blades
- Available in green, blue, red and purple
- Requires 2x AA batteries (not included)
- Colour will vary



65p

order code HG0072302

699101

4" Mini USB Desk Fan

- USB powered
- 360° Pivot • ON/OFF control switch
- Power Consumption: 2W
- Dimensions: 155x85x160mm
- Lead length: 1.2m • Weight: 390g

£2.75

order code HG0086802

14" Mini Tower Fan

PRO-ELEC

- 3 Speed options
- Oscillation function
- Power: 30W
- Dimensions: 135x130x350mm
- Weight: 1.45kg



711182

£15.55

order code HG0088002

29" Tower Fan

PRO-ELEC

- 3 Speed options
- Oscillation function
- 120 Minute timer function
- Power: 50W
- Dimensions: HG0088102: 245x245x760mm HG0088202: 260x260x810mm
- HG0088202 is supplied with remote



709033

HG0088102	TF-29N	£18.42
HG0088202	TF-29GR	£19.98

8 Litre Evaporative Cooler

PRO-ELEC

Model: DIET 8i

- Dura-pump technology for long life of the pump
- Empty Water Tank alarm provides consumer convenience
- Intelligent Remote, full function remote with timer (supplied with 2x AAA batteries)
- Feather-touch digital control panel for ease of operation
- System Restore function remembers and restores previous settings
- Powerful air throw with Auto Swing for faster cooling
- Cool Flow dispenser, channelled water distribution for superior cooling
- Large tank capacity gives uninterrupted night-long cooling
- Whisper-quiet performance for sound sleep
- Consumes only 115W
- Also works on inverter power
- Use it inside or outside
- Delivers fresh, filtered cool air



Technical Data

Air Flow	600 m ³ /h
Fan Speed	3 Positions
Power Consumption	115W
Watertank Capacity	8 Litres
Dimensions (WxHxD)	330x780x300mm
Weight	7.3kg

£109

order code HG0072802

702031

Portable Air Conditioning Unit

PRO-ELEC

Model: KYR-25CO

- High efficiency performance
- Adjustable fan speeds for rapid cooling or minimum noise
- Plug and Play anywhere operation
- Oscillating air vanes for dissipation of cold air
- A timer feature that will turn the unit on and off automatically
- High efficiency air filters to remove odours and particles
- Anti-mould coating for hygienic operation
- Digital display to show operational settings and temperature



Technical Data

Air Flow	370 m ³ /h
Dehumidification	1.0L/h
Exhaust Hose Length	1.7m
Exhaust Hose Diameter	150mm
Window Extraction Kit	Yes
Dimensions (WxHxD)	352x753x378mm
Weight	35kg

£239

order code HG0072602

701221

Portable Air Conditioning Units

PRO-ELEC

Models: KYR-35GW/X1C & KYR-45GW/X1C

- High efficiency performance
- Adjustable fan speeds for rapid cooling or minimum noise
- Plug and Play anywhere operation
- Oscillating air vanes for dissipation of cold air
- A timer feature that will turn the unit on and off automatically
- High efficiency air filters to remove odours and particles
- Anti-mould coating for hygienic operation
- Digital display to show operational settings and temperature
- Heat-pump model provides heating as well as cooling
- A 'Smart Air' feature that will recall previous settings at the push of a button
- Remote control with luminous night-light (supplied with 2x AAA batteries)



Technical Data

	HG0072702	HG0075602
Model	KYR-35GW/X1C	KYR-45GW/X1C
Air Flow	480 m ³ /h	
Cap. BTU/H (Cooling) kW	12,500 (3.5kW)	14,000 (4.1kW)
Cap. BTU/H (Heating) kW	12,700 (3.7kW)	16,000 (4.5kW)

Dehumidification

Exhaust Hose Length	2.0m	
Exhaust Hose Diameter	150mm	
Window Extraction Kit	Yes	
Dims (WxHxD)	600x830 x480mm	460x830 x430mm
Weight	42kg	702030
HG0072702	KYR-35GW/X1C	£280.00
HG0075602	KYR-45GW/X1C	£399.00

Rough Service



- Can be used on or around machinery where vibration occurs
- 1500 Hour average life



497814

40W				
LP0227202	BC	200/250V	£1.08	
LP0227702	ES	200/250V	£1.08	
60W				
LP0227402	BC	200/250V	£1.08	
100W				
LP0227502	BC	110/120V	£1.08	
LP0228002	ES	110/120V	£1.08	
LP0228102	ES	200/250V	£1.08	

Firelamps



Rough service construction.



Technical Data

Voltage	200/250V
Average Rated Life	2,000 hours
Finish	Fireflame
Fitting	BC (B22)
Dimensions (LxDia.)	103x60mm

LP0164402	40W	£0.68
LP0164502	60W	£0.68

LED Golf Ball Lamps



- LED alternatives to standard golfball lamps
- Offering outstanding lamp life and efficiency
- 30,000 Hours average life
- Low power consumption of 0.3W (50 times less than average incandescent versions)
- Available as fixed colour and colour changing versions
- Operating Temperature: -30°C to +85°C
- Diameter: 45mm
- Voltage: 240V
- Fitting: BA22d/BC

672935

Fixed Colour	Height	
LP0305202 White	66mm	£3.51
LP0305402 Blue	66mm	£3.51
LP0305502 Red	66mm	£3.51
LP0305602 Green	66mm	£3.51
Colour Changing		
LP0305702 Various	79mm	£6.04

Spiral Compact Fluorescent Lamps

- Not dimmable
- Save energy up to 80% compared with filament lamp
- High lumen output
- Long life of 10,000h
- Energy Class: A



Technical Data

	7W	9W	11W
Dimensions (LxØ)	98x39 mm	104x39 mm	108x39 mm
GLS Equiv	34W	43W	51W

689918

7W	Cap		
LP0670102	B15	2700K WW	£1.53
LP0670302	B22	4000K CW	£1.53
LP0670402	B22	6500K DL	£1.53
LP0670502	E14	2700K WW	£1.53
LP0670602	E14	4000K CW	£1.53
LP0670702	E14	6500K DL	£1.53
LP0670802	E27	2700K WW	£1.53
LP0670902	E27	4000K CW	£1.53
LP0671002	E27	6500K DL	£1.53
9W			
LP0671102	B15	2700K WW	£1.53
LP0671302	B22	4000K CW	£1.53
LP0671502	E14	2700K WW	£1.53
LP0671602	E14	4000K WW	£1.53
LP0671702	E14	6500K DL	£1.53
LP0671802	E27	2700K WW	£1.53
LP0671902	E27	4000K CW	£1.53
LP0672002	E27	6500K DL	£1.53
11W			
LP0672202	B22	2700K WW	£1.53
LP0672302	B22	4000K CW	£1.53
LP0672402	B22	6500K CW	£1.49
LP0672502	E14	2700K WW	£1.53
LP0672602	E14	4000K CW	£1.53
LP0672702	E14	6500K DL	£1.53
LP0672802	E27	2700K WW	£1.53
LP0672902	E27	4000K WW	£1.53
LP0673002	E27	6500K DL	£1.53

BS Approved Fluorescent Starters



637365

LA0233002	FSU	4-80	£0.24
LA0233102	FS2	4-22	£0.46
LA0233202	FS125	100-125	£0.77

9W Compact Fluorescent Lamp - GX53



- Lumen output: 315lm
- Typical colour temperature: 3000K
- Conforms to: BS EN 60598



611532

£4.95

order code LP0405502

Spiral Compact Fluorescent Lamps

- Save energy up to 80% compared with filament lamp
- High lumen output
- Long life of 8,000h
- Energy Class: A



Technical Data

	GLS Equiv	Dimensions (LxØ)
9W	43W	102x49mm
11W	52W	105x49mm
15W	66W	113x49mm
18W	100W	113x49mm
20W	83W	123x49mm
24W	100W	141x49mm

689919

9W	CCT (K)		
LP0673102	B22	WW	£1.53
LP0673202	E27	WW	£1.53
11W			
LP0673302	B22	WW	£1.53
LP0673402	B22	CW	£1.53
LP0673502	B22	DL	£1.53
LP0673602	E27	WW	£1.53
LP0673702	E27	CW	£1.53
LP0673802	E27	DL	£1.53
15W			
LP0673902	B22	WW	£1.53
LP0674002	B22	CW	£1.53
LP0674102	B22	DL	£1.53
LP0674202	E27	WW	£1.53
LP0674302	E27	CW	£1.53
LP0674402	E27	DL	£1.53
18W			
LP0674602	B22	CW	£1.53
LP0674702	B22	DL	£1.53
LP0674802	E27	WW	£1.53
LP0674902	E27	CW	£1.53
LP0675002	E27	DL	£1.53
20W			
LP0675102	B22	WW	£1.53
LP0675202	B22	CW	£1.53
LP0675302	B22	DL	£1.53
LP0675402	E27	WW	£1.53
LP0675502	E27	CW	£1.53
LP0675602	E27	DL	£1.53
24W			
LP0675702	B22	WW	£2.04
LP0675802	B22	CW	£2.04
LP0675902	B22	DL	£2.04
LP0676002	E27	WW	£2.04
LP0676102	E27	CW	£2.04
LP0676202	E27	DL	£2.04

2-Pin Compact Fluorescent Lamp



- Save energy, up to 80% compared with incandescent lamps
- Long life of 10,000 hours, 10x times longer than incandescent lamps
- High-efficient, tri-phosphor coating with excellent colour rendering
- Amalgam technology to achieve premium performance and minimum Hg content (2mg)

Technical Data

Base	G23
Colour Temperature	4000K
Luminous Flux	600lm
Power	9W
Voltage	240V
Dimensions (WxL)	44x167mm

99p

order code LP0740702

700041

GLS Energy Saving Lamps

- 80% Energy saving compared with incandescent lamps
- 8,000 Hour average lifetime
- Colour temperature: 2700K

LP0727702

- Power: 11W
- Luminous intensity: 500lm
- Dimensions (LxDia.): 120x60mm



699382

LP0727702	E27	£1.46
LP0727802	E27	£1.60

Preston Contact Centre

8am - 7pm Mon to Fri
9am - 5pm Saturday
Now open Bank Holidays

Call us on
08447 88 00 88

DD Compact Fluorescent Lamps



- Save energy up to 80% comparing with incandescent lamps
- Long life of 12,000h, 12 times longer than incandescent lamp
- High efficient tri-phosphor coating with excellent colour rendering
- Energy Class: B

702163

Technical Data

	Luminous Flux	Dims (LxWxØ)
16W Lamps	1050lm	140x138x13mm
21W Lamps	1350lm	140x138x13mm
28W Lamps	2050lm	200x198x18mm
38W Lamps	2850lm	200x198x18mm
55W Lamps	3900lm	200x198x18mm

16W	Pins	CCT (K)	
LP0683002	2	2700K	£1.06
LP0683102	2	3500K	£1.06
LP0683202	2	4000K	£1.06
LP0683302	2	6500K	£1.06
LP0683402	4	2700K	£1.24
LP0683502	4	3500K	£1.24
21W			
LP0683802	4	3500K	£1.24
28W			
LP0684002	2	2700K	£1.64
LP0684102	2	3500K	£1.64
LP0684202	2	4000K	£1.64
LP0684302	4	2700K	£1.64
LP0684402	4	3500K	£1.64
LP0684502	4	4000K	£1.64
LP0684602	4	6500K	£1.64
38W			
LP0684702	4	2700K	£2.02
LP0684802	4	3500K	£2.02
LP0684902	4	4000K	£2.02
55W			
LP0685002	4	2700K	£2.05
LP0685102	4	3500K	£2.05
LP0685202	4	4000K	£2.05

R7 LED Lamp

EBRITE



- Ultra low 9W power consumption
- Replaces standard halogen 118mm R7s
- PIR compatibility
- 705 Lumen output
- 3000K Colour temperature (WW)
- Direct retrofit
- 30,000 Hours average life
- Not suitable for use with dimmers
- Dimensions (LxHxD): 118x45x30mm

£15.23

order code LP0581802

676479

3.5W Golf Ball Lamps

- High lumen output
- Long life of 20,000h
- Instant start



Technical Data
Equivalent (W) 25W
CCT (K) 2700K
Luminous Flux 250lm
Voltage 220-240Vac
Temperature Range -20 to 40°C

LP0710502	E27	693015
LP0710602	E14	£3.99
		£3.80

LED G45 Lamps

PRO-ELEC



- Ideal replacement for halogen
- Suitable for living rooms, bedrooms, kitchens, conference rooms, universities, hotels etc...
- Long life of 30,000 hours
- Non-Dimmable
- Colour Temperature: Warm White 3000k
- Beam Angle: 180°
- Voltage: 220 - 240Vac
- Dimensions (HxW): 76x45mm

Technical Data

3.5W	5W
Lumens Output 260 - 290lm	380 - 420lm

709931

3.5W	Base	
LP0787002	E27	£2.20
LP0787102	E14	£2.20
LP0787202	B22	£2.20

5W		
LP0787302	E27	£2.49
LP0787402	E14	£2.49

5W GLS Lamps

- Long life of 30,000h
- Instant start

Technical Data
Equivalent (W) 30W
CCT (K) 3000K
Luminous Flux 325lm
Dimensions (LxØ) 105x60mm
Voltage 220-240Vac
Temperature Range -20 to 40°C

LP0710202	B22	£3.55
LP0710302	E27	£3.55

PRO-ELEC

LED Candle Lamps



- Ideal replacement for halogen
- Suitable for living rooms, bedrooms, kitchens, conference rooms, universities, hotels etc...
- Long life of 30,000 hours
- Non-Dimmable
- Beam Angle: 120°
- Dimensions (HxW): 145x37mm
- Voltage: 220 - 240Vac

Technical Data

3.5W	5W
Lumens Output 200 - 250lm	360 - 420lm

709932

3.5W	CCT	Base	
LP0783402	Warm White	B22	£1.98
LP0783502	Cool White	B22	£1.98
LP0783602	Warm White	E27	£1.98
LP0783702	Cool White	E27	£1.98
LP0783802	Warm White	E14	£1.98
LP0783902	Cool White	E14	£1.98
LP0784002	Warm White	B15	£1.98
LP0784102	Cool White	B15	£1.98

5W			
LP0784302	Cool White	B22	£2.45
LP0784402	Warm White	E27	£2.45
LP0784502	Cool White	E27	£2.45
LP0784602	Warm White	E14	£2.45
LP0784702	Cool White	E14	£2.45
LP0784802	Warm White	B15	£2.45
LP0784902	Cool White	B15	£2.45

LED Candle Lamps

- Metallic finishing to compliment chandeliers and decorative schemes
- Save energy up to 85% compared with a filament lamp
- High lumen output
- Long life of 30,000h
- Instant start
- Negligible UV output
- Mercury free
- CCT: 3000K Warm white

Technical Data

4W	5.5W
GSL Equivalent 28W	33W
Luminous Flux 300lm	360lm

689928

4W	Lamp Cap (LxØ)	
LP0696102	B22 115x38mm	£5.71
LP0696202	E14 117x38mm	£5.71
LP0696302	E27 115x38mm	£5.71

5.5W		
LP0695802	B22 115x38mm	£6.74
LP0695902	E14 117x38mm	£6.74
LP0696002	E27 115x38mm	£6.74



693014

LED GLS Lamps

PRO-ELEC



- Ideal replacement for halogen
- Suitable for living rooms, bedrooms, kitchens, conference rooms, universities, hotels etc...
- Long life of 30,000 hours
- Non-Dimmable
- Beam Angle: 120°
- Voltage: 220 - 240Vac

Technical Data

3.5W	5W	10W	12W
Lumens Output 250-300lm	360-420lm	760-800lm	950-1050lm

3.5W

LP0785002	WW	B22	£2.09
LP0785102	WW	E27	£2.09
LP0785202	WW	E14	£2.09
LP0785302	CW	B22	£2.09
LP0785402	CW	E27	£2.09
LP0785502	CW	E14	£2.09

5W

LP0785602	WW	B22	£2.39
LP0785702	WW	E27	£2.39
LP0785802	WW	E14	£2.39
LP0785902	CW	B22	£2.39
LP0786002	CW	E27	£2.39
LP0786102	CW	E14	£2.39

10W

LP0786202	WW	B22	£3.80
LP0786302	WW	E27	£3.80
LP0786402	CW	B22	£3.80
LP0786502	CW	E27	£3.80

12W

LP0786602	WW	B22	£4.50
LP0786702	WW	E27	£4.50
LP0786802	CW	B22	£4.50
LP0786902	CW	E27	£4.50

Dimmable LED Candle Lamps

- Save energy up to 85% compared with a filament lamp
- Dimmable
- Long life of 30,000h
- Instant start



689927

Technical Data

4W	5.5W
GSL Equivalent 28W	33W
Current (mA) 29mA	45mA
CCT (K) 3000K Warm White	3000K Warm White
Luminous Flux 300lm	360lm

4W		(LxØ)	
LP0695502	B22	115x38mm	£8.50
LP0695602	B22	117x38mm	£8.50
LP0695702	E27	115x38mm	£8.50

5.5W			
LP0695202	B22	115x38mm	£9.20
LP0695402	E27	115x38mm	£9.20

6.7W GU10 LED Dimmable Lamps

SAMSUNG



- Energy saving of 80% compared with conventional lamp
- Warm White light
- GU10 base
- Dimmable
- Long life of 25,000h
- Instant start
- No UV or IR output
- Mercury & lead free

Technical Data

Equivalent (W) 35W	
Dimensions (LxØ) 61x50mm	
Voltage 220-240Vac	
Temperature Range -20 to 40°C	

710337

	CCT (K)	Lumens	
LP0824302	3000K	370	£3.65
LP0824402	2700K	350	£3.65

4W LED Frosted Candle Lamps

- Save energy up to 90% comparing with halogen lamps
- Long Life of 30000h, 25 times longer than halogen lamp
- Instant start



Technical Data

Equivalent (W) 25W	
CCT (K) 3000K	
Luminous Flux 240lm	
Dimensions (LxØ) 110x37.5mm	
Voltage 220-240Vac	

689957

LP0710102	E27	£4.07
LP0710002	E14	£4.07
LP0709902	B22	£4.07

6W LED GLS Lamps

- Long life of 30,000h
- Instant start



Technical Data

	Warm White 33W	Cool White 34W	Daylight 36W
GSL Equivalent Current (mA)	50mA	50mA	50mA
Luminous Flux	380lm	400lm	420lm
Dimensions (LxØ)mm	107x61	107x61	107x61

689930

B22		CCT (K)	
LP0697902	WW	3000K	£4.80
LP0698002	CW	4000K	£4.80
LP0698102	DL	6500K	£4.80

E27			
LP0698202	WW	3000K	£4.80
LP0698302	CW	4000K	£4.80
LP0698402	DL	6500K	£4.80

5.3W LED GU10

- Warm white (3000K)
- Superb 350lumen output
- Energy class A
- Equivalent to a 50W Halogen
- 25,000 Hour lifetime
- Excellent 36° beam angle
- Dimensions (HxD): 52x50mm



£3.95

order code LP0724902

693314

8W LED GLS Lamps



- Long life of 30,000h
- Instant start

Technical Data

	Warm White	Cool White	Daylight
GLS Equivalent	42W	43W	44W
Current (mA)	65mA	65mA	65mA
Luminous Flux	580lm	580lm	600lm
Dimensions (LxØ)	113x60mm	113x60mm	113x60mm
Voltage	220-240Vac	220-240Vac	220-240Vac

B22	CCT (K)	
LP0699102	WW 3000K	£7.10
LP0699202	CW 4000K	£7.10
LP0699302	DL 6500K	£7.10

E27		
LP0699402	WW 3000K	£7.10
LP0699502	CW 4000K	£7.10
LP0699602	DL 6500K	£7.10

8W Dimmable LED GLS Lamps



- Save energy up to 85% compared with filament lamp
- Long life of 30,000h
- Instant start
- Negligible UV output
- Mercury free

Technical Data

	Warm White Lamps	Cool White Lamps	Daylight Lamps
GLS Equivalent	42W	43W	44W
Current (mA)	38mA	38mA	38mA
Luminous Flux	500lm	520lm	540lm
Dimensions (LxØ)	107x61mm	107x61mm	107x61mm
Voltage	220-240Vac	220-240Vac	220-240Vac

B22 8W Dimmable GLS		
LP0698502	3000K Warm White	£9.17
LP0698602	4000K Cool White	£9.17
LP0698702	6500K Daylight	£9.17

E27 8W Dimmable GLS		
LP0698802	3000K Warm White	£8.90
LP0698902	4000K Cool White	£9.17

3.3W GU10 LED Lamps



- Energy saving of 80% compared with conventional lamp
- Warm White light
- GU10 base
- Long life of 25,000h
- Instant start
- No UV or IR output
- Mercury & lead free

Technical Data

	Equivalent (W)	Dimensions (LxØ)	Temperature Range
3000K	20W	57x50mm	220-240Vac
LP0824502	220	40°	£1.95
LP0825102	220	25°	£1.95
2700K			
LP0825602	210	40°	£1.95
LP0825502	210	25°	£1.95

4W LED GU10



- Warm white (3000K)
- Direct retrofit
- Superb 250 lumen output
- Energy class A
- Equivalent to a 35W Halogen
- 25,000 Hour lifetime
- Excellent 50° beam angle
- Dimensions (HxD): 56x50mm

£3.12

order code LP0665802 686010

4W LED GU10



- Cool white (5000K)
- Direct retrofit
- Superb 290lumen output
- Energy class A
- Equivalent to a 35W Halogen
- 25,000 Hour lifetime
- Excellent 50° beam angle
- Dimensions (HxD): 56x50mm

£3.70

order code LP0665902 686419

GU10 LED 3W Lamp - Warm White (3000K)



£3.79

order code LP0533002 664323

4.5W, G5.3, PAR16 LED Lamps



689923

Technical Data

	Warm White	Cool White	Daylight
Equivalent (W)	20W	21W	22W
CCT (K)	3000K	4000K	6500K
Power Voltage	12Vac/dc	12Vac/dc	12Vac/dc
Luminous Flux	200lm	210lm	220lm
Dimensions (LxØ)	54.5x50mm	54.5x50mm	54.5x50mm
Beam Angle (°)	45°	45°	45°
LP0691302	Warm White		£4.48
LP0691402	Cool White		£4.48
LP0691502	Daylight		£4.48

Dimmable GU10 LED 4.5W Lamp



- Warm white (3000K)
- Direct retrofit
- Energy smart LED technology
- Energy class A
- Equivalent to a 35W Halogen
- 25,000 Hour lifetime
- 450 Candela
- Dimensions (HxD): 58x50mm

£7.36

order code LP0584502 677331

4.5W, GU10, PAR16 LED Lamps



Technical Data

	Warm White	Cool White	Daylight
Equivalent (W)	28W	30W	31W
CCT (K)	3000K	4000K	6500K
Luminous Flux	220lm	230lm	240lm
Dimensions (LxØ)	52.5x50mm	52.5x50mm	52.5x50mm
Beam Angle (°)	45°	45°	45°
LP0691002	Warm White		£4.31
LP0691102	Cool White		£4.18
LP0691202	Daylight		£4.31

1.5W, 12 LED GU10 Lamps



- Instant start
- Not dimmable

Technical Data

Equivalent (W)	10W	
No of LEDs	12	
Input Current	15mA	
Power Voltage	220-240Vac	
Dimensions (LxØ)	55x50mm	
LP0706802	White	£1.84
LP0706902	Blue	£1.84
LP0707002	Green	£1.84

GU10 LED Lamps



- Ideal replacement for halogen
- Suitable for living rooms, bedrooms, kitchens, conference rooms, universities, hotels etc..
- Non-Dimmable
- Beam Angle: 120°
- Dimensions (WxH): 50x58mm
- Voltage: 220 - 240Vac

3W	Warm White	Daylight	Cool White
Lumens	200	200	200
Output	250lm	200 - 250lm	200 - 250lm
4W	Warm White	Daylight	Cool White
Lumens	300	300	300
Output	340lm	300 - 340lm	340lm
5W	Warm White	Daylight	Cool White
Lumens	360	360	360
Output	420lm	360 - 420lm	360 - 420lm

3W	Warm White	Daylight	Cool White
LP0783102	Warm White		£1.96
LP0783202	Daylight		£1.96
LP0783302	Cool White		£1.96
4W	Warm White	Daylight	Cool White
LP0782502	Warm White		£2.22
LP0782602	Daylight		£2.22
LP0782702	Cool White		£2.22
5W	Warm White	Daylight	Cool White
LP0782802	Warm White		£2.19
LP0782902	Daylight		£2.19
LP0783002	Cool White		£2.19

7W LED GLS Lamps

PRO-ELEC



- Replacement for compact fluorescent lamp and incandescent lamp
- Energy efficiency Class A+
- Long life of 30,000h

Technical Data

GLS Equivalent	40W	
Luminous Flux	470lm	
CCT (K)	3000K	
Beam Angle	170°	
Dimensions (LxW)	107.3x60mm	
Voltage	220-240V	
LP0788502	E27	£2.90
LP0788602	BC	£2.90

4W, GU10, PAR16 SMD LED Lamps



Technical Data

Equivalent (W)	32W	
CCT (K)	6500K	
Luminous Flux	270lm	
Dimensions (LxØ)	53x50mm	
Beam Angle (°)	80°	
		689951
LP0691902	Warm White	£3.70
LP0692002	Cool White	£3.70
LP0692102	Daylight	£3.70

4.5W, GU10, PAR16 Dimmable LED Lamps



Technical Data

	WW	CW	D
Nominal Power	4.5W	4.5W	4.5W
Equivalent (W)	28W	30W	31W
CCT (K)	3000K	4000K	6500K
Power Voltage	12Vac/dc	12Vac/dc	12Vac/dc
Luminous Flux	170lm	180lm	190lm
Dimensions (LxØ)	52.5x50mm	52.5x50mm	52.5x50mm
Beam Angle (°)	45°	45°	45°
Ambient Temperature	-20 to 40°C	-20 to 40°C	-20 to 40°C
LP0690702	Warm White		£6.25
LP0690802	Cool White		£5.95
LP0690902	Daylight		£6.25

Wide Angle GU10 LED Lamp

Eterna



- Replacement for halogen bulbs
- Long life of 20,000
- Non-Dimmable
- Energy Rating: A+

Technical Data

Nominal Power	3W
CCT (k)	3000K
Luminous Flux	210lm
Dimensions (LxØ)	57x50mm
Beam Angle (°)	106°
£2.55	
order code LP0823902	712797

7.7W GU10 PAR16 LED Dimmable Lamp



- Energy saving of 80% compared with halogen lamp
- Warm White light
- 40° Beam angle • Dimmable
- Long life of 25,000h • Instant start
- No UV or IR output • 2700K
- Mercury & lead free • 420 Lumens

Technical Data

Equivalent (W)	50W
Dimensions (LxØ)	61x50mm
Voltage	220-240Vac
Temperature Range	-20 to 40°C

710341

£3.65

order code LP0826902

6W GU10 PAR16 LED Lamps



Technical Data

	Warm White	Cool White	Daylight
Nominal Power	6W	6W	6W
Equivalent (W)	50W	57W	61W
CCT (k)	2700K	4000K	6500K
Luminous Flux	400lm	420lm	450lm
Dimensions (LxØ)	55x50 mm	55x50 mm	55x50 mm
Beam Angle (°)	36°	36°	36°

689920

LP0689202	Warm White	£7.09
LP0689302	Cool White	£6.75
LP0689402	Daylight	£6.75

5W, GU10, PAR16 SMD LED Lamps



Technical Data

Equivalent (W)	40W
CCT (k)	6500K
Power Voltage	220-240Vac
Luminous Flux	350lm
Dimensions (LxØ)	53x50mm
Beam Angle (°)	80°

689926

LP0692202	Warm White	£4.10
LP0692302	Cool White	£4.10
LP0692402	Daylight	£4.10

4.5W, G5.3, MR16 LED Lamps



- Save energy up to 85% compared with halogen lamp
- G5.3 requires 12Vdc Constant Voltage LED Driver
- Long life of 20,000h • Instant start

3.5W, GU10, PAR16 LED Lamps



- High lumen output
- Long life of 35,000h
- Instant start
- Negligible UV output
- Mercury free

Technical Data

Nominal Power	3.5W
Equivalent (W)	36W
CCT (k)	3000K
Luminous Flux	220lm
Dimensions (LxØ)	52.5x50mm
Beam Angle (°)	36°

689950

LP0691602	Warm White	£3.10
LP0691702	Cool White	£3.10

GU10 LED PowerSpot Reflector Lamps



- Save energy, up to 85% compared with halogen lamp
- Direct replacement of GU10 halogen lamp
- High lumen output
- Long life of 30,000 hours • Instant start
- Negligible UV output • Mercury free

Technical Data

	LP0739402	LP0739502
Beam Angle	36°	36°
Colour Temperature	3000K	4000K
Luminous Flux	170lm	230lm
Power	4W	4W
Voltage	240V	240V
Dimensions (ØxL)	50x52.5mm	50x52.5mm

700035

	Colour Temp.	Lumin.
LP0739402	3000K	170lm
LP0739502	4000K	230lm

5W, GU10, PAR16 Dimmable SMD LED Lamps



Technical Data

CCT (k)	3000K
Power Voltage	220-240Vac
Dimensions (LxØ)	53x50mm
Beam Angle (°)	80°
Ambient Temperature	-20 to 40°C

690170

LP0708302	Warm White	£4.95
LP0708402	Cool White	£7.16
LP0708502	Daylight	£7.16

5W, GU10, PAR16 SMD LED Lamps



Technical Data

Equivalent (W)	36W
CCT (k)	3000K
Power Voltage	220-240Vac
Dimensions (LxØ)	53x50mm
Beam Angle (°)	45°
Ambient Temperature	-20 to 40°C

690595

LP0708002	Warm White	£4.85
LP0708102	Cool White	£4.85
LP0708202	Daylight	£4.85

5W LED MR16 energenjie



- 80% Energy saving
- Warm white (3000K) in colour
- 210 Lumen output
- 12V! Requires transformer
- 30 Degree beam angle
- 35,000 Hour lifetime
- Equivalent to a 35W halogen
- Dimensions (HxWxD): 45x50x50mm

£4.90

order code LA0445402

675385

6W GU10 PAR16 LED Flood Lamps



Technical Data

	Warm White	Cool White	Daylight
Nominal Power	6W	6W	6W
Equivalent (W)	38W	40W	41W
CCT (k)	3000K	4000K	6500K
Luminous Flux	310lm	320lm	330lm
Dimensions (LxØ)	52.5x50 mm	52.5x50 mm	52.5x50 mm
Beam Angle (°)	60°	60°	60°

689921

LP0690102	Warm White	£5.55
LP0690202	Cool White	£5.55
LP0690302	Daylight	£5.55

2W G5.3 18 LED Lamp



- Save energy up to 90% comparing with halogen lamps
- Long Life of 30000h, 20 times longer than halogen lamp
- Must be used with 12V DC constant voltage LED driver
- Instant start
- Not dimmable
- Lamp life may reduce when used in a enclosed fitting

Technical Data

Equivalent (W)	15W
Voltage	12Vdc
Dimensions (LxØ)	50x50mm
Ambient Temperature	-20 to 40°C

£2.04

order code LP0707402

701811

Energy Saving Dimmable LED Lamps



Technical Data

Base	LP0644702 LP0644802
Beam Angle	GU10
Colour Temperature	35°
Life	2700K 4000K
Lumens	25000h 170lm 200lm
Power	4.5W
Voltage	220V

700057

Colour Temp. Lumens

LP0644702	2700K	170lm	£6.17
LP0644802	4000K	200lm	£6.17

6W, 12V, G5.3 PAR16 Flood Lamps



Technical Data

	Cool White	Daylight
Equivalent (W)	25W	28W
CCT (k)	4000K	6500K
Voltage	12Vac/dc	12Vac/dc
Luminous Flux	250lm	270lm
Dimensions (LxØ)	54.5x50mm	54.5x50mm
Beam Angle (°)	45°	45°
Ambient Temperature	-20 to 40°C	-20 to 40°C

695860

LP0690502	Cool White	£5.05
LP0690602	Daylight	£5.05

MR16 LED PRO-ELEC Lamps



- Ideal replacement for halogen
- Suitable for living rooms, bedrooms, kitchens, conference rooms, universities, hotels etc...
- Non-Dimmable
- Beam Angle: 120°
- Dimensions (WxH): 50x50mm
- Voltage: 12-17V dc
- Available in 4W (Warm White, Daylight & Cool White) or 5W (Warm White, Daylight & Cool White)
- Lumens Output: 4W: 300-340lm; 5W: 360-420lm

709922

4W

LP0781902	WW	£2.44
LP0782002	DL	£2.44
LP0782102	CW	£2.44

5W

LP0782202	WW	£2.53
LP0782302	DL	£2.53
LP0782402	CW	£2.53

5W MR16 LED Lamps



- Energy saving of 80% compared with conventional lamp
- Warm White light
- GU5.3 base
- Long life of 25,000h
- Instant start
- No UV or IR output
- Mercury & lead free



Technical Data

Equivalent (W)	30W
Dimensions (LxØ)	51x50mm
Voltage	12V
Temperature Range	-20 to 40°C

710339

3000K	Lumens	Beam Angle	
LP0825202	320	25°	£3.10
LP0825302	320	40°	£3.10

710339

2700K	Lumens	Beam Angle	
LP0825702	310	25°	£3.10
LP0825802	310	40°	£3.10

MR16 LED Lamp



- Direct replacements of MR16 halogen lamps
- Ideal for spotlighting and general lighting in public areas such as restaurants, reception areas, corridors, lobbies, conference rooms and other areas where light is on for long periods
- Long life of 25,000 hours
- 70% Energy saving



Technical Data

Socket	GU5.3
Nominal Power	6W
Equivalent (W)	20W Incandescent bulb
Colour	Warm White
CCT (K)	2700K
Voltage	12Vac/dc
Luminous Flux	225lm
Dimensions (LxØ)	44x50mm
Beam Angle (°)	25°

£4.73

order code LP0744202

700189

7W Dimmable MR16 LED Lamps



- Energy saving of 80% compared with conventional lamp
- GU5.3 Base
- Long life of 25,000h
- Instant start • No UV or IR output
- Mercury & lead free

Technical Data

Equivalent (W)	35W
Dimensions (LxØ)	55x50mm
Voltage	12V
Temperature Range	-20 to 40°C

710342

Natural White (4000K)	Lumens	
LP0825002	390	25° £3.10
LP0826202	390	40° £3.10

Warm White (3000K)	
LP0826602	370 40° £3.10
LP0826802	350 40° £3.10

6.7W GU10 PAR16 LED Dimmable Lamps



- Energy saving of 80% compared with halogen lamp
- Warm White light • GU10 Base
- 25° Beam angle • Dimmable
- Long life of 25,000h • Instant start
- No UV or IR output • Mercury & lead free

Technical Data

Equivalent (W)	35W
Dimensions (LxØ)	61x50mm
Voltage	220-240Vac
Temperature Range	-20 to 40°C

710340

CCT (K)	Lumens	
LP0825402	3000K 370	£3.65
LP0825902	2700K 350	£3.65

2W, G9 Lamps



Technical Data

GSL Equivalent	Warm White	Daylight
Current (mA)	10W	11W
Luminous Flux	10mA	10mA
Dimensions (LxØ)	90lm	100lm
Voltage	50x14mm	50x14mm
	220-240Vac	220-240Vac

689934

LP0700402	3000K Warm White	£3.95
LP0700502	6000K Daylight	£3.95

G9 LED Lamp



- Ultra low 2W power consumption
- 90 Lumen output
- 2700K Colour temperature (WW)
- Direct retrofit
- 25,000 Hours average life
- Not suitable for use with dimmers
- Dimensions (LxØ): 46x14mm

£6.13

order code LP0581902

676478

3W, GX53 LED disc Lamps



Technical Data

GSL Equivalent	Warm White	Daylight
Current (mA)	24W	27W
Luminous Flux	43mA	43mA
Dimensions (LxØ)	240lm	280lm
Voltage	24x75mm	24x75mm
Ambient	220-240Vac	220-240Vac
Temperature	-20 to 40°C	-20 to 40°C

693025

LP0700802	3000K Warm White	£6.64
LP0700902	6000K Daylight	£6.64

Halogen Classic Shape Lamps



Technical Data

Equivalent	18W	28W	42W
Wattage	25W	37W	50W
Lamp Voltage	220-240V	220-240V	220-240V
Lamp Current	78mA	122mA	182mA
Lamp Luminous Flux	220lm	370lm	630lm

690172

18W	(Lx)mm	
LP0713202	B22 95x35	£0.74
LP0713302	E14 95x35	£0.74

28W

LP0713402	B15 95x35	£0.74
LP0713502	B22 95x35	£0.74

42W

LP0713602	E14 95x35	£0.74
LP0713702	E27 95x35	£0.74

LP0713802 B22 90x35 £0.74

LP0713902	E14 95x35	£0.74
LP0714002	E27 90x35	£0.74

Halogen Bent Tip Lamps



Technical Data

Equivalent	28W	42W
Wattage	37W	60W
Lamp Voltage	220-240V	220-240V
Lamp Current	122mA	190mA
Lamp Luminous Flux	370lm	600lm

28W Bent-tip

LP0714102	B15 125x35	£0.67
LP0714202	B22 125x35	£0.67

LP0714302 E14 125x35 £0.67

LP0714402	E27 125x35	£0.67
-----------	------------	-------

42W Classic Shape

LP0714502	B22 125x35	£0.67
LP0714602	E14 125x35	£0.67

LP0714702	E27 125x35	£0.67
-----------	------------	-------

Halogen Golf Ball Lamps



Technical Data

Equivalent	18W	28W	42W
Wattage	25W	37W	50W
Lamp Voltage	220-240V	220-240V	220-240V
Lamp Current	78mA	122mA	182mA
Lamp Luminous Flux	220lm	370lm	630lm

Halogen Saver GLS Lamps



Technical Data

Equivalent	28W	42W	70W
Wattage	40W	50W	100W
Lamp Voltage	220-240V	220-240V	220-240V
Lamp Current	125mA	182mA	315mA
Lamp Luminous Flux	320lm	630lm	1100lm
Dims (LxØ) mm	96x55	95x55	96x55

693012

28W Lamp Cap

LP0712602	B22	£0.71
LP0712702	E27	£0.71

42W

LP0712802	B22	£0.71
LP0712902	E27	£0.71

70W

LP0713002	B22	£0.71
LP0713102	E27	£0.71

Halogen Energy Saving Golf Ball



669457

B22 Cap

LP0425602	18W	£0.81
LP0426002	28W	£0.81

B15 Cap

LP0426102	28W	£0.81
LP0426402	42W	£0.81

E27 Cap

LP0425802	18W	£0.81
LP0426202	28W	£0.81

LP0426502	42W	£0.81
-----------	-----	-------

E14 Cap

LP0425902	18W	£0.81
LP0426302	28W	£0.81

LP0426602	42W	£0.81
-----------	-----	-------

18W

	Lxmm	
LP0714802	B22 72x45	£0.68
LP0714902	E14 78x45	£0.68

28W

LP0715102	B15 78x45	£0.68
LP0715202	B22 72x45	£0.66

LP0715302	E14 78x45	£0.68
LP0715402	E27 78x45	£0.68

42W

LP0715502	B15 78x45	£0.68
LP0715702	E14 78x45	£0.68

LP0715802	E27 72x45	£0.68
-----------	-----------	-------

Halogen Energy Saving Reflectors

- Energy saving of up to 30%
- Double the life time of incandescents
- 100% Dimmable
- No flickering
- Immediate start of light
- No hazardous waste
- Excellent colour rendering
- Dimensionally identical to incandescent equivalents
- 30° Beam angle
- 2800K Colour



657690

R50 SES (E14)

LP0429102	28W	£1.02
R63 ES (E27) Diffused		
LP0429302	42W	£1.08
R80 ES (E27)		
LP0429402	42W	£1.23
LP0429502	70W	£1.23

Halogen Energy Saving Candles

- Energy saving of up to 30%
- Double the life time of incandescents
- 100% Dimmable
- No flickering
- Immediate start of light
- No hazardous waste
- Excellent colour rendering
- Dimensionally identical to incandescent equivalents
- 2800K Colour



660201

B22 Cap

LP0426702	18W	£0.89
LP0427102	28W	£0.89
LP0427502	42W	£0.89

B15 Cap

LP0426802	18W	£0.89
LP0427202	28W	£0.89
LP0427602	42W	£0.89

E27 Cap

LP0426902	18W	£0.89
LP0427302	28W	£0.89
LP0427702	42W	£0.89

E14 Cap

LP0427002	18W	£0.89
LP0427402	28W	£0.89

12V G5.3 Halogen Reflector Lamp



- Fused to prevent the lamps from explosion
- Dimmable
- Voltage: 12V
- Beam Angle: 36°
- Available in dichroic or aluminium reflectors

693016

20W

LP0716302	Dichroic	3000K	£0.35
-----------	----------	-------	-------

35W

LP0716402	Aluminium	3000K	£0.35
LP0716502	Dichroic	3000K	£0.35

50W

LP0716602	Aluminium	3000K	£0.35
-----------	-----------	-------	-------

GU5.3 MR16 Halogen Lamps

- Dimmable
- Clear
- Voltage: 12V
- Colour Temperature: 2700K
- Dimensions: 45x50mm



699110

Technical Data

Wattage	20W	50W
Lumen output	250lm	750lm
LP0722602	20W	£0.27
LP0722802	50W	£0.29

G4 Halogen Capsule Lamps

- Dimmable
- Bulb Type: Clear



693029

Technical Data

Lamp Voltage	10W	20W
Lamp Luminous Flux	12-12V	12-12V
	140lm	320lm
LP0717402	10W	£0.20
LP0717502	20W	£0.20

GU10 Halogen Lamps

- 2,000 Hours average life
- Aluminium coated reflector
- Beam Angle: 40° (Flood)
- Dimensions (LxDia): 50x50mm
- Voltage: 230V



681018

LP0569202	20W	£0.50
LP0569402	50W	£0.50

Double-Ended Halogen Lamps



- Rough service linear tungsten halogen lamps
- Ideal for use in rough-service applications, interior uplights and external floodlights
- 2,000 Hours average life
- Triple support

686186

240V

Watts	Length	
LP0281802	100W	80mm £0.71
LP0281902	150W	80mm £0.71
LP0282002	200W	80mm £0.71
LP0282202	200W	118mm £0.68
LP0282302	300W	118mm £0.68
LP0282402	500W	118mm £0.68

110V

LP0282802	300W	118mm	£0.97
-----------	------	-------	-------

G9 Halogen Capsule Lamp - 25W

- Dimmable
- Bulb Type: Clear

Technical Data

Lamp Voltage	18W
Lamp Current	220-240V
Lamp Luminous Flux	78mA
	260ml

G9 Halogen Saver Capsule Lamp

- Dimmable
- Bulb Type: Clear



Technical Data

Equivalent (W)	28W
Lamp Voltage	40W
Lamp Current	220-240V
Lamp Luminous Flux	122mA
	400lm

38p

order code LP0717202

695862

Mains GU10 Halogen Lamps - 2500hr



501249

Beam Angle		
LP0258002	35W	25° (Flood) £0.82
LP0258102	50W	25° (Flood) £0.82
LP0258202	50W	50° (W/Flood) £0.82

GU10 PAR16 Halogen Lamps



Technical Data

Lamp Voltage	25W	28W	42W
Lamp Current	220-240V	109mA	122mA
Lamp Luminous Flux	150lm	260lm	370lm
Dimensions		53x50mm	
LP0715902	20W		£0.41
LP0716002	35W		£0.41
LP0716102	50W		£0.41

Halogen Bulb Remover



£2.83

order code LP0325102

636035

240V GU10 Halogen Lamps

Models: Mains Alutech Series

Mains voltage halogen reflector lamp with aluminium coated reflector directs most of its heat to the front. With their distinct GU10 look, the cool beam and aluminium lamps are the most compact lamps of their kind available. Because the lamps can be connected directly to the mains supply, the use of bulky and costly transformers is not necessary.

Technical Data

	LP0662702	LP0662802	LP0662902	
Base	GU10			
Beam				
Angle	36°			
Colour				
Temp	2400K	2500K	2650K	
Life	1500h			
Power	20W	35W	50W	
Voltage	240V			
	Colour Temp.	Power		712800
LP0662702	2400K	20W	£0.75	
LP0662802	2500K	35W	£0.75	
LP0662902	2650K	50W	£0.75	

GU10 Coloured Halogen Lamps



610670

LP0218102	Amber	£1.40
LP0209202	Green	£1.40
LP0218402	Lilac	£1.40
LP0218502	Magenta	£1.40
LP0218602	Pink	£1.40
LP0218702	Purple	£1.40
LP0209002	Red	£1.40
LP0209302	Yellow	£1.40

E27 (ES) and E14 (SES) Ceramic Lampholders




Technical Data

Fitting	Dimensions (HxW)	Hole Size for Mounting Screws	
E27 (ES)	44x43mm	5.2x4.2mm	
E14 (SES)	44x30mm	3.6mm	
LP0083702	E27 (ES)		£1.13
LP0083802	E14 (SES)		£2.05

Preston Contact Centre

8am - 7pm Mon to Fri
9am - 5pm Saturday
Now open Bank Holidays
Call us on
08447 88 00 88

GU10 Lampholder



- 190mm of cable supplied
- Dimensions (HxW): 23x32mm

77p

order code LA0452502

676481

GU5.3 Lampholder



- 150mm of cable supplied
- Dimensions (HxW): 10x17mm

77p

order code LA0452602

676482

T5 Linkable Fluorescent Fittings - IP20



- Easy to install linkable fluorescent fittings with diffuser
- Electronic ballast and rocker switch
- Compact and slimline-only 21x55mm (WxH)
- Supplied with tubes:
 - 8W: T5 fluorescent 300mm
 - 13W: T5 fluorescent 525mm
 - 21W: T5 fluorescent 850mm
 - 28W: T5 fluorescent 1150mm
- Complete with 2m mains cable, 500mm link lead and fixings

LA0279302	8W	345mm	£10.23
LA0279402	13W	570mm	£8.14
LA0279502	21W	900mm	£10.82
LA0279602	28W	1.2m	£13.34

IP54 - Anti Corrosive Fittings



- Supplied with switch gear-no lamp
- Cable entry-20mm knockout on each side
- BS4533, EN60598-1 VDE, IMQ, CE

530234

Single	(LxW)	
LA0220402	2ft 18W - 660x100mm	£17.33
LA0220602	5ft 58W - 1570x100mm	£20.95
LA0220702	6ft 70W - 1840x100mm	£36.23
Twin		
LA0220802	2ft 18W - 660x160mm	£16.28
LA0220902	4ft 36W - 1270x160mm	£28.88
LA0221002	5ft 58W - 1570x160mm	£27.83
LA0221102	6ft 70W - 1840x160mm	£46.73

Fluorescent Battens with Tubes - IP20



Single	Dims. (LxW)	
LA0278502	36W 1.225mx55mm	£15.97
LA0278602	58W 1.52mx55mm	£17.61
Single + Diffuser		
LA0278802	36W 1.23mx55mm	£18.44
LA0278902	58W 1.53mx55mm	£21.73
Twin + Diffuser		
LA0279202	58W 1.53mx125mm	£32.39

Ultrathin Link Triphosphor Fittings



- Each fitting supplied with 1x T4 fluorescent tube (3400K) (Tube length shown without/with pins)
- Up to 6 fittings can be linked to a 6-way connector block
- 6-Way connector block comes complete with 2m mains cable and 3 amp fused plug
- Fitting dimensions (HxD): 43x19mm

White Plastic Fittings	(mm)	
LA0274302	6W 270	£7.40
LA0274402	10W 390	£8.75
LA0274502	16W 520	£9.20
LA0274602	20W 620	£9.95
Spare Tubes		
LA0274702	6W 220/231	£2.20
LA0274802	10W 341/352	£2.50
LA0274902	16W 468/479	£2.60
LA0275002	20W 567/571	£2.80
Accessories (Link Lead)		
LA0275202	250mm	£1.15
LA0275302	500mm	£1.45
LA0275102	1m	£1.80

LED Rectangular Bulkhead




- Model: Hecate Series
- The Hecate LED rectangular outdoor bulkhead is constructed from diecast aluminium and contains an integral high output 8W LED.
- Lamp: 8W Integral LED
- IP Rating: IP44
- Dimensions (HxWxD): 290x180x80mm
- Finish: Anthracite
- Material: Diecast aluminium and polycarbonate
- Lumen output: 600lm
- LED temperature: 6000K

£32.50

order code LA0537702

712802

Double Ended Halogen Lamps




- Linear halogen lamps
- 1,000 Hours average rated life
- Length: 117mm
- CCT: 2700K Warm White
- Operating Voltage: 240V

707157

LP0584802	300W	5600lm	£0.29
LP0584902	500W	9000lm	£0.25

Linkable LED Strip Light



- IP20 Rated
- Conforms to: BSEN 60598

Technical Data

611594

	Power LEDs	Dimensions (LxWxD)
LA0373602	9 0.72W	270x18x35mm
LA0373402	15 1.2W	395x18x35mm
LA0373502	27 2.15W	620x18x35mm

	LEDs	
LA0373602	9	£16.50
LA0373402	15	£21.50
LA0373502	27	£27.50

Accessory Leads

LA0275202	250mm Link	£1.15
LA0275302	500mm Link	£1.45
LA0275102	1m Link	£1.80

IP65 Bulkheads



- Dimensions (WxHxD): 133x240x102mm

628178

LA0271802	Black - Polycarbonate	£6.75
LA0302502	White - Polycarbonate	£6.75
LA0271902	Grey - Aluminium	£6.75

Weatherproof Emergency Bulkhead - IP65



- Non-maintained or maintained bulkhead
- External and internal use
- Self extinguishing fire properties
- Wall or ceiling mounted
- BESA fixing and rear cable entry
- 3 Way mains terminal block
- Screw down diffuser
- Vandal resistant polycarbonate base and diffuser
- Hinged gear tray
- 6x 20mm Knock outs for additional functions
- 8W T5 fluorescent lamp included
- Designed BS EN 60598-2-22
- Emergency lumens: 96 lumen
- Dimensions (HxWxD): 80x340x80mm

£11.50

order code LA0507802

695560

Trade prices on over 100,000 stocked products

Weatherproof Emergency Bulkhead



- Non-maintained or maintained bulkhead
- Compact and tough construction
- External and internal use
- Easy to install
- Self extinguishing fire properties
- Wall or ceiling mounted
- BESA fixing and rear cable entry
- 3 Way mains terminal block
- Screw down diffuser
- IP65 rated
- Vandal resistant polycarbonate base and diffuser
- Hinged gear tray
- 6x 20mm knock outs for additional functions
- 8W T5 fluorescent lamp included
- Designed BS EN 60598-2-22
- Emergency lumens: 96 lumen
- Ballast lumen factor: 0.24
- Dimensions (HxWxD): 72x350x118mm
- Ideal for: Public buildings, car parks, industrial facilities, general lighting of stairwells, canopies or corridors etc.

Technical Data

Supply Voltage	230V
Lamp	8W
IP Rating	IP65
Dimensions (LxWxD)	350x118x118mm

£8.95

order code LA0329302

704098

3W LED Maintained Bulkhead Light



- 50 Ultra bright White LEDs, 0.06W per LED
- Polycarbonate base
- 24 Hour recharging time
- Lumen Output: 130lm
- Over charge and over discharge protection
- Continuous illumination: > 3 Hours
- IP rating: IP65
- 3.6V, 1.5Ah Nickel Cadmium battery
- Dimensions (LxWxD): 350x120x75mm

£10.75

order code LA0518602

709906

LED Round Bulkhead



- Model: Mars
- Light source: E27
- Lamp: 1x LED, incandescent or Halogen GLS (60W max)
- IP rating: IP44
- Dimensions (Dia x D): 180x100mm
- Finish: Black
- Material: Polycarbonate and glass

£3.98

order code LA0537802

712803

3W LED PRO-ELEC Bulkhead Emergency Lights



- 50 Ultra bright White LEDs, 0.06W per LED
- Polycarbonate base
- 24 Hour recharging time
- Lumen Output: 130lm
- Over charge and over discharge protection
- Continuous illumination: > 3 Hours
- IP rating: IP65
- 3.6V, 1.5Ah Nickel Cadmium battery
- Dimensions (LxWxD): 345x106x76mm
- Available in Maintained or Non-maintained

709907

LA0518702	Maintained	£10.50
LA0518802	Non-Maintained	£10.25

3W LED PRO-ELEC Maintained Emergency Exit Sign



- 15 Ultra bright White LEDs, 0.9W per LED
- Wall or ceiling mountable
- 24 Hour recharging time
- Lumen Output: 20lm
- Over charge and over discharge protection
- Continuous illumination: > 3 Hours
- 3.6V, 900mAh Nickel Cadmium battery
- Voltage input: 220 - 240Vac
- Dimensions (LxWxD): 392x190x61mm
- Available in Single side maintained (SM), Single side non-maintained (SNM), Double side maintained (DSM) or Double side non-maintained (DSNM)

709908

LA0518902	SM	£12.50
LA0519002	SNM	£11.45
LA0519102	DSM	£14.25
LA0519202	DSNM	£13.20

IP65 LED Bricklight



- Fits standard brick size hole
- 20,000 Hours average life
- 125 Lumens • Integral driver
- Dimensions (LxDxH): 233x75x105mm

£19.94

order code LA0449202

676342

Corner Mounting Lights - IP65



- Requires 1x BC GLS lamp, 100W max. (not included)
- Supplied with corner mounting bracket
- Dimensions (HxD): 220x230mm

450931

LA0272202	Black	£19.80
LA0272302	White	£19.80

Polycarbonate Eterna Wall Lanterns - IP44



- Requires 1x ES GLS lamp, 60W max. (not included)
- Dimensions (HxD): 393x230mm

651950

LA0303002	Black	£9.98
LA0303102	White	£9.98

IP65 PRO-ELEC Slimline LED Floodlights



- Suitable for walls, driveways, buildings, security lighting, porch lighting, workshop lighting and area flood lighting
- CCT Cool White, 6500K
- High efficiency long life span and stable performance
- Life time: 30,000 hours
- Silver Aluminium casing
- IP rating: IP65
- Operating Temperature: -20°C to 50°C
- Beam Angle: 110°
- Power Cord: 1.5m x 0.75mm²
- Input voltage: 220 - 240Vac
- Dimensions (WxHxD): 174x140x65mm

Technical Data

Power	Lumen Output	
10W	850 to 1000lm	
20W	1800 to 2000lm	
30W	2050 to 2250lm	709919
LP0781602	10W	£13.70
LP0781702	20W	£22.00
LP0781802	25W	£23.60

IP65 LED Floodlight 20W



- 1m of cable supplied
- 20W Power gives 1600 lumen output
- Weight: 1.12kg
- Daylight (6400K)
- Dimensions (HxWxD): 103x180x150mm

£25.73

order code LA0448502

674940

Order online at
cpc.co.uk

IP65 LED PRO-ELEC 10W Floodlight



- Suitable for walls, driveways, buildings, security lighting, porch lighting, workshop lighting and area flood lighting
- CCT: Cool White, 6500K
- High efficiency long life span and stable performance
- Life time: 30,000 hours
- Silver Aluminium casing
- IP rating: IP65
- Operating Temperature: -20°C to 50°C
- Beam Angle: 120°
- Power Cord: 0.3m x 0.75mm²
- Input voltage: 220 - 240Vac

Technical Data

Power	Lumen Output	(WxHxD)mm
10W	700 to 800lm	114x86x75

£9.45

order code LP0781002

709918

LED Floodlights - IP65



Model: YYC Series

- Direct replacements for your existing halogen, metal halide or SON floodlights
- Constant current driver ensuring light stability and reduces power consumption
- Lifespan of up to 35,000 hours
- Beam angle: 100°
- Input Voltage: 100-240Vac, 50/60Hz

Technical Data

Wattage	Colour	Lumens (lm)	Dimensions (WxHxD)mm
10W	Pure White	750lm	157x133x56.5
10W	Warm White	650lm	157x133x56.5
20W	Pure White	1500lm	201x166x77
20W	Warm White	1300lm	201x166x77
30W	Pure White	2500lm	215x178x81
30W	Warm White	1950lm	215x178x81
100W	Pure White	8000lm	309x250x192
150W	Pure White	12750lm	375x310x192
200W	Pure White	17000lm	400x340x192

700047

10W LED Floodlights

LA0511302	PW	£20.55
LA0511402	WW	£20.55

20W LED Floodlight

LA0511502	PW	£36.57
LA0511602	WW	£36.57

30W LED Floodlight

LA0511702	PW	£51.45
LA0511802	WW	£51.45

100W LED Floodlight

LA0512002	PW	£194.16
-----------	----	---------

150W LED Floodlight

LA0512102	PW	£272.44
-----------	----	---------

200W LED Floodlight

LA0512202	PW	£365.14
-----------	----	---------

LED Floodlights Manhattan



Models: V-FL Series

- A range of IP65 rated floodlights, with COB LED, aluminium die-cast alloy body and toughened glass.
- 45x45mm Single COB (chip-on-board) panel
- Fitted with toughened silicon sealed glass
- Powder coated paint finish to prevent corrosion
- Stainless steel external bolts and screws
- 80% energy saving when compared with halogen floodlights
- 50,000 hours life, so low maintenance unlike halogen bulbs
- Rated at 85V-265V 50/60Hz
- Supplied with 1m rubber connecting cable

Technical Data

Colour Temp.	Lumen Output	Power Rating	Dimensions (WxHxD) mm
6000K	900lm	10W	115x86x81
6000K	1800lm	20W	180x140x105
6000K	2700lm	30W	225x185x120

707789

LA0508102	10W	£10.85
LA0508202	20W	£18.38
LA0508302	30W	£26.10

IP65 LED Floodlight 10W



- Black, die-cast aluminium
- 1m of cable supplied
- Hexagonal key and stainless steel screws included
- 10W Power gives 800 lumen output
- Daylight (6400K)
- Dimensions (HxWxD): 105x115x85mm

£15.45

order code LA0448402

674942

IP65 LED Floodlight 70W



- 1m of cable supplied
- Hexagonal key and stainless steel screws included
- 70W Power gives 5600 lumen output
- Daylight (6400K)
- Dimensions (HxWxD): 405x328x120mm

£95.22

order code LA0448802

675446

IP65 LED Floodlight 50W



- 1m Of cable supplied
- Hexagonal key and stainless steel screws included
- 50W Power gives 4000 lumen output
- Weight: 3kg
- 85-265V AC
- Daylight (6400K)
- Dimensions (HxWxD): 170x290x240mm

£69.95

order code LA0448702

LED Floodlights

- Aluminium construction with tempered glass
- Ultra-compact design
- Pre-wired for quick and easy installation
- Adjustable mounting bracket
- 30,000 Hours average rated life
- Energy efficient alternative to halogen floodlights
- SMD LED chips placed behind a diffusing device with a reflector
- Offers a better lighting solution as when placed further back in the fixture the reflector can actually perform its function and enhance the lighting effect
- Large connection block within the housing, allows the option for direct wiring
- 4000K Colour temperature for neutral white appearance, delivers stable light colour and low glare
- IP44 rated

Technical Data

	LA0516002	LA0516102	LA0516202
Colour Temp.	4000K		
Lumens	710lm	1410lm	2130lm
Power	10W	20W	30W
Rated Life	30000h		
Dims. (WxHxD)	140x215x95mm	185x270x105mm	

704826

LA0516002	710lm	10W	£10.29
LA0516102	1410lm	20W	£19.43
LA0516202	2130lm	30W	£27.83

IP65 LED Floodlight 100W



- 1m of cable supplied
- Hexagonal key and stainless steel screws included
- 100W power gives 9000 lumen output
- Weight: 4.75kg
- Daylight (6000K)
- 85-265V ac
- Dimensions (HxWxD): 360x290x100mm

£163.77

order code LA0448902

675389

24W Low Energy Floodlight - IP44



- One lamp included
- Conforms to: BS EN 60598
- Dimensions (LxWxD): 210x100x135mm

£12.32

order code LA0367602

628184

Low Energy Floodlight



- Pre-wired with 1m mains cable
- Fully adjustable mounting brackets
- 2x 26W G24q-3 D 4 pin supplied
- Dimensions (LxHxD): 220x180x115mm

£22.08

order code LA0450902

676353

Exterior Recessed Decklight - IP68



- Accepts 1x GU10 50W halogen lamp, GU10 base cold cathode lamp and GU10 base CFL lamp (not included)
- Complete with 1m silicone cable, allen key and connection box
- Dimensions (HxØ): 110x85mm (92mm hole cut out)

£19.06

order code LA0279702

530263

IP65 LED Floodlight 30W



- 1m of cable supplied
- Hexagonal key and stainless steel screws included
- 30W Power gives 2400 lumen output
- Weight: 2kg
- 85-265V AC
- Daylight (6400K)
- Dimensions (HxWxD): 155x225x185mm

£37.50

order code LA0448602

679639

IP65 LED Floodlight 10W

- Energy efficient LED floodlight
- Superbright chip
- Suitable for outdoor and indoor use
- Black, die-cast aluminium
- 10W Power gives 700 lumen output
- Weight: 0.55kg
- 30000 Hours life
- 120° Beam angle
- 85-265V AC
- Daylight (6200K)
- Dimensions (HxWxD): 107x135x87mm

£9.50

order code LA0455202

686940

Rechargeable LED Floodlights with Stand

Model: LEDRCF10 / LEDRCF20

- Floodlight contains built-in LED lamp (lamp cannot be changed)
- Full charge provides 4 hours illumination
- 2x Lighting levels available: Full power and energy saving
- 30,000 Hour rated life
- Floodlight tilts up and down on stand and has 360° rotation, allowing the light to be directed at different angles
- Insulated handle grip
- Safety glass cover • IP65 rated
- Supplied with mains charger, car charger and rechargeable batteries

Technical Data

	LEDRCF10	LEDRCF20
Power Rating	10W	20W
Lumen Output	650lm	1200lm
Colour Temp.	6000K	6000K
Dimensions (WxHxD)	150x250x165mm	215x280x185mm

711460

LA0518502	LEDRCF10	£20.55
LA0564102	LEDRCF20	£42.50

LED Floodlight with Stand

Model: V-FL-FS-10N

- Portable, free-standing IP65 rated floodlight with COB LED, aluminium die-cast alloy body and toughened glass.
- 45x45mm Single COB (chip-on-board) panel
- Fitted with toughened silicon sealed glass
- Powder coated paint finish to prevent corrosion
- Stainless steel external bolts and screws
- 80% Energy saving when compared with halogen floodlights
- 50,000 Hours life, so low maintenance unlike halogen bulbs
- Rated at 85V-265V 50/60Hz, suitable for use with 100V and 240V power supplies
- Supplied with 0.5m rubber connecting cable

Technical Data

Colour Temp.	Lumen Output	Power Rating	Dimensions (WxHxD) mm
6000K	900lm	10W	155x240x165


£16.54

order code LA0508402

700038

LED Light Chain/Party Lights - IP44

brennenstuhl®



Colourful party lighting for indoor and outdoor use

- Flexible rubber cable for easy hanging
- 10x Coloured lamps with 7x LEDs each
- Colours: Red, yellow, blue and green
- Several chains can be connected one to another
- Mains power supply 230V
- Output: 4.9W
- Cable lengths: 1.5 + 8.5m

£25.24

order code LA0461702

Maintained Emergency LED Bulkhead - IP65



- Hinged gear tray and push fit terminal block
- 20mm Gland entries as standard
- Minimum 3 hours in emergency mode
- 124 Lumens, 2.6W LED lamp
- Remote Switching and Non-Maintained modes
- 35,000 Hours average life
- Self-adhesive legend set included
- Dimensions (LxHxD): 350x110x70mm

£11.80

order code LA0450702

676351

Complete Photocell Kit

- Switching delay: 10-15 seconds
- Supply Voltage: 240V @50Hz
- Relay switching: 10A Max.



£5.56

order code LA0378502

668104

LED Emergency Downlight

- Aluminium construction
- Pre-wired for easy installation
- 104 Lumens in emergency mode
- Minimum 3 hour functionality in emergency mode
- 1.5W Super bright white LED
- Dimensions (LxHxD): 40x21x40mm



£21.36

order code LA0450802

676352

Emergency Twinspot



- Designed with high ceiling applications in mind
- Directional twin heads
- Ideal source of emergency lighting for warehouses and sports halls

Technical Data

Voltage	240V
Lamp	20W HA3 (x2)
Emergency Duration	3 Hours
Control Gear	Non-maintained
IP Rating	IP20

Battery	Sealed Lead Acid - 12V/7.0Ah (x2 in 3 HR model)
Dimensions (LxWxDia)	Head: 70x138x65mm Body: 232x312x73mm

£36.90

order code LA0437902

668039

Solar LED Wall Light with Motion Detector



Solar LED wall light in a compact and stylish stainless steel case. Suitable for outdoor use, IP44 rated.

- 1x LED illuminates at dusk, when motion is detected a further LED is illuminated
- Up to 8 hours of light when fully charged
- Easy to install
- All in one enclosure, no cabling required
- Motion detector angle 90°, detection range of 5m
- Dimensions (LxWxD): 170x45x80mm
- Weight: 322g



£12.96

order code LA0464002

699384

Bathroom Opal Globe Lights

- Die-cast aluminium body
- Requires 60W ES lamp (not included)
- Dimensions (HxDia): 190x153mm



£3.55

order code LA0221702

701817

LED Night Light with Photocell



- Automatic nightlight
- Plugs into any standard mains supply (230V/50Hz)
- Turns on automatically at dusk
- Turns off automatically at dawn
- LED low energy and long lasting
- Dimensions (HxWxD): 100x53x44mm



£3.80

order code LA0366802

612522

LED Night Light

- Automatic on-off
- Light sensor switches on at dusk and off at dawn
- Simply plugs directly into a 3 pin 13 amp plug
- For use all around the home
- A gentle light for comfort and home safety




£1.89

order code LP0572402

693040

3D Teenage Mutant Ninja Turtle LED Lights



A range of 3D Teenage Mutant Ninja Turtle lights supplied with crack back sticker, making it appear like they have broken through the wall.

- Requires 3x AA batteries (not included)

Dimensions:

- Donatello: 19x21x8.5cm (approx)
- Raphael: 23x19.5x9.5cm (approx)
- Leonardo: 22x18x8.5cm (approx)
- Michelangelo: 20x20.5x8.5cm (approx)

LA0514402	Donatello	£15.50
LA0514502	Raphael	£15.50
LA0514602	Leonardo	£15.50
LA0514702	Michelangelo	£15.50

706684

GU10 Interior Spotlights



- Requires 1x 50W 240V GU10 halogen reflector
- Conforms to: BSEN 60598
- Dimensions (DiaxD): 80x115mm



612533

LA0370602	Polished Chrome	£11.28
LA0370702	White	£11.28

Compact Fluorescent Lamp Set



The LivingWhites set integrates into your present home lighting by making your luminaires dimmable using the remote control. The set consists of 3x 20W bulbs, 2x 15W bulbs and a remote control.

- Lamps can be controlled individually or together
- Remote control can store lighting settings
- Energy efficiency rating 'A'
- 8000 Hour average lifetime
- 2700K Warm White light
- BC fittings

£37.50

order code LA0458302

684957

5m Single Colour LED Tape Kits



- 5m Single colour LED tape kits
- Self adhesive backing for easy installation
- Can be cut at 5cm intervals
- 60x SMD3528 LEDs per metre
- Beam Angle: 130°-150°
- IP65 Rated
- Power Supply: 12VDC
- Power consumption: 5.76W/m
- Current: 480mA/m
- Dimensions (WxD): 8.15x2.76mm

677463

DP3284302	Blue	£19.43
DP3284402	Warm White	£19.43
DP3284502	Cool White	£19.43
LA0516302	Green	£19.95
LA0516402	Red	£19.95
LA0516502	Amber	£19.95
LA0516602	Cyan	£19.95
LA0516702	Pink	£19.95

5m Tri Colour LED Strip Kit

Strip features:

- 3m Self adhesive backing
- IP-54 gel coating
- Can be cut at regular intervals
- High output and low power consumption
- Roll length: 5m
- LEDs per metre: 30
- 390 Lumens/metre (all channels driven full)

I.R. remote features:

- Built-in programmes
- 16 Static colour buttons
- Adjustable brightness/speed buttons
- On/off button
- Programme selection buttons
- Static colour, change and fade modes

£28.88

order code DP3300702

681168

Order online at
cpc.co.uk

12V 5m LED Tape Kits



Strip features:

- 3M Self adhesive backing
- 12V LED tape kits
- IP-44 rated with silicone coating
- Can be cut at regular intervals every 50mm
- High output and low power consumption
- Roll length: 5m
- LEDs per metre: 60
- LED spacing is 16.6mm
- Supplied with mains lead and controller
- Adjustable brightness/speed buttons
- Programme selection buttons
- Static colour, change and fade modes
- Plug to power supply 1.5m
- Power supply to LED tape 1.5m

694747

LA0500802	Blue	£16.50
LA0500902	Green	£16.50
LA0501002	Red	£16.50
LA0501102	White	£16.50
LA0501202	Warm White	£16.50
LA0501302	Yellow	£16.50
LA0501402	RGB	£37.50

Circular 3W LED Fitting



- Dimensions:
 - Cut out: (ø): 62mm
 - Light head (øxH): 71x31mm
 - Battery (øxL): 41x188mm
 - Emergency module (øxL): 41x216mm

Technical Data

Voltage	220V - 240V, 50/60Hz
Wattage	3W
Illumination Duration	3 Hours
Charge Time	24 Hours
Battery	3.6V, 3Ah
Maintained/Non-maintained Lumen Output	Maintained 110 Lumen

£35.54

order code LA0438102

668041

Mains Voltage Fireproof Downlights

- Fire tested and assessed for up to 90 minutes
- Easy to install, with strong springs for a better ceiling fit
- Ventilation holes in top for cooler operation
- Complies to BS476: Parts 21 & 23: 1987 and Hospital Regulation HTM 81
- Part "E" compliant (Acoustics)
- Lamps not included



Technical Data

	Fixed	Tilted
Voltage	230V	230V
Wattage	50W	50W
Base	GU10	GU10
Panel Cut-out Diameter	65mm	75mm
External Diameter	85mm	85mm

Fixed Downlights

LA0298502	White	£3.59
LA0298602	Satin Chrome	£3.59
LA0298702	Chrome	£3.59
LA0298802	Brass	£3.59

Tilting Downlights

LA0298902	White	£3.59
LA0299002	Satin Chrome	£3.59
LA0299102	Chrome	£3.59
LA0299202	Brass	£3.59

7.5W LED Fire Rated Downlights

- Fire Rated Downlights with integrated LED light engine achieves high lumen efficiency.
- Save up to 85% energy usage compared to traditional halogen fittings
 - Class II, IP40
 - BS476 Part 21 fire rated to 90 minutes
 - High lumen output
 - Non Dimmable
 - Long life of 35,000h
 - Instant start
 - No UV output
 - Mercury free

Technical Data

	Warm White	Daylight
GSL Equivalent	61W	69W
Current (mA)	61mA	61mA
Beam Angle	45°	45°
Luminous Flux	490lm	530lm
Dimensions (LxØ)	115x82mm	115x82mm
Voltage	220-240V	220-240V

White

LA0471502	3000K WW	£15.50
LA0471802	6500K DL	£15.50

Chrome

LA0471402	3000K WW	£15.50
-----------	----------	--------

GU10 / Low Voltage Ceiling Downlight Converter

- Converts traditional mains R50, R64 and R80 downlights and eyeball dimensions to modern GU10 or Low Voltage lighting
- Supplied with GU10 and low voltage lampholder
- Hole cut out 70-140mm
- IP20 Rated
- Conforms to: BS EN 60598-2-2
- Dimensions (DiaxD): 150x25mm

LA0373702	Polished Brass	£5.53
LA0373802	Polished Chrome	£5.53
LA0373902	Brushed Nickel	£5.53
LA0374002	White	£5.53

Spotlights - GU10




- Stylish GU10 spotlights
- Polished chrome effects
- Fitting rated at 35W max.
- Iron construction with aluminium alloy heads
- Fully enclosed lamp holder
- IP44 Rated for bathroom zone 2
- Fully adjustable heads for directional light source
- Lamps not supplied
- Dimensions single (HxLxD): 120x85x85mm
- Dimensions double (HxLxD): 140x335x85mm
- Dimensions triple (HxLxD): 125x150x150mm

LA0454902	Single	£10.03
LA0455002	Double	£22.84
LA0455102	Triple	£27.50

Sales Counter Open 7 days a week

Ultra Bright Square LED Surface Lamps Kit



- Stylish, super thin and compact design
 - Suitable for under cabinet or in cabinet lighting
 - Surface mounted with screws or double sided adhesive tape
 - Colour temperature: 3000k Warm White
 - Aluminium finish
 - Supplied in packs of 5 (6 LEDs per light)
 - Life time: 35,000
- Contents:** 4x LED Lights (1.5m per cable), 8x screws, 4x adhesive pads, 1x driver & 1x instruction manual

Technical Data

Power Lumens	Beam Angle	Dimension (LxD)
1.6W	108lm 35°	57x8.7mm

£44.50

order code LA0545902 712805

12V Dimmable Lighting Transformer



- ITS/EMC approved, SELV tested
- Short circuit, overload and surge protected
- Thermal cut-off
- RFI suppression in accordance with EN55015
- Ambient temp (max): 50°C
- Case temp (max): 85°C
- Dimensions (LxWxH): 120x30x22mm

Technical Data

Input Voltage	230-240V 50Hz
Input Current	0.27A 60W
Rated Power	60VA 20-60W
Output Voltage	11.6V-eff
Power Factor	0.99

£2.10

order code LA0308102 628148

Clip-on Lampholder with Extension Lead



A clip-on lampholder with a 13A plug (with 5A fuse) and 2m lead. Suitable for use with bulbs with a maximum power rating of 60W.

£1.79

order code PLO203902 631637

Fireproof Showerlights - IP65



- A range of low and mains voltage fireproof showerlights
- Fire tested and assessed for up to 90 minutes
- Designed to comply with Fire Safety & Sound Insulation requirements of the various national UK Building Regulations
- In-built protection against the spread of fire and noise pollution
- In the event of a fire the intumescent material completely seals the downlighter
- Maintains acoustic barrier
- IP65 rated
- Easy to install, with strong springs for a better ceiling fit
- Ventilation holes in top for cooler operation
- Coated pressed steel in various finishes
- Complies to BS 476: Parts 21 & 23: 1987 and Hospital Regulation HTM 81
- Part "E" compliant (Acoustics)
- Lamps not supplied

Technical Data

	Low Voltage	Mains Voltage
Voltage	12V	230V
Wattage	50W	50W
	GU5.3 / GU5.3	GU10
Base		
Panel Cut-out Diameter	68mm	68mm
External Diameter	85mm	85mm

Low Voltage

LA0299302	White	£6.81
LA0299402	Satin Chrome	£6.81

Mains Voltage

LA0299702	White	£6.81
LA0299802	Satin Chrome	£6.81
LA0299902	Chrome	£6.81

Constant Current LED Drivers

- Constant current driver
- Terminal block connections
- Short circuit and overload protection
- IP rating: IP20
- Input voltage: 100 - 240Vac, 50/60Hz
- Ambient Temperature: -10°C to 50°C

Technical Data

	7W	12W	22W	30W
Output Voltage	15-24V	24-40V	15-35V	21-43V
Output Current	350mA	350mA	700mA	700mA
Dimension sLxWxH/mm	88x39x23	115x45x28	115x45x28	140x45x30

60W Inspection Lamps

- Impact resistant, flexible basket
- 5m Cable with plug
- Glass bulb-protector and bayonet holder
- 240V for bulbs up to 60W

£6.06

order code LA0107102 499708

Flexi Desk Lamps



- Flexible arm
- Base mounted on/off switch
- 40W E27 lamp holder (bulb not included)
- Dimensions (height x base) 350x120mm
- Lead length: 1.5m

LP0791202	Black	£3.45
LP0791302	White	£3.45
LP0712702	28W, E27 Halogen Lamp	£0.71

Flexi Desk Lamps

- Base mounted on/off switch
- 40W E14 GLS or reflector lamp (not inc.)
- Dimension (HxB-Dia): 340x120mm

LA0138602	White	£4.89
LA0138702	Black	£4.89

Lamp

LP0426302	SES E14	£0.81
-----------	---------	-------

Flexi Desk Lamp

- Flexible arm for easy adjustment
- Base mounted on/off switch
- 40W E14 Lamp holder (lamp not included)
- Dimensions (height x base) 380x145mm
- Lead length: 1.5m

£4.49

order code LP0791402 711297

LP0714902	18W, E14 Halogen Lamp	£0.68
-----------	-----------------------	-------

Table Magnifying Lamp

- Small and powerful table magnifying lamp
- 9cm (3.5") Diameter lens (1.75x) with inset lens (4x)
- 12W Energy saving Naturalight tube
- Fully flexible head in three directions
- Supplied with tube and lens cover
- Dimensions (HxWxD): 315x150x205mm

£19.43

order code LA0325002 673659

Express Next Day UK Delivery
Available on in-stock orders

24 LED **PRO-ELEC** Mini Work Light



- Foldable hanging hook
- Push switch
- Requires 3x AAA batteries (not included)
- Dimensions (LxWxD): 106x62x35mm

£1.70

order code LP0574302

680788

72 LED Inspection Light

- Inspection lamp with 3 magnets on the reverse for mounting on most metal objects
- Ideal for car use, in the garage and in case of emergencies
- Optional hook for hanging
- Supplied complete with 4x AA batteries



£5.67

order code LA0479002

693703

30 + 7 LED Worklight

- ABS housing
- Strong magnet on the reverse for attaching onto metal surfaces
- Includes a swivel hook that adjusts to many angles
- Comes complete with 2x AA batteries



£4.38

order code LA0480302

693714

Mini **PRO-ELEC** Work Light



- 24 White LEDs
- Foldable hanging hook
- Push switch
- Requires 3x AAA batteries (not included)
- Dimensions (LxWxD): 70x70x35mm

£1.34

order code LP0574202

711233

Mini **PRO-ELEC** Work Light - 24 LED



- Foldable hanging hook
- Requires 3x AA batteries (not included)
- Dimensions (LxWxD): 210x60x30mm

£2.16

order code LP0574102

680787

LED Work Light



Model: WL-1

- Ideal work light for the car, garage, home, camping, emergency etc.
- Rubber coated to give added protection and soft touch
- Strong magnet on the back plate
- Swivel hanging hook
- 24 Super bright LEDs
- 3x AA batteries supplied
- On/off switch



£5.51

order code LA0447502

698314

28 LED **PRO-ELEC** Worklight with Magnet



- 4x LEDs on head
- 24x LEDs on body
- Magnet on the back
- Complete with hanging hook
- Requires 3x AA batteries (not included)
- Dimensions (LxWxD): 232x50x20mm

£2.68

order code LP0718502

705156

8 LED **PRO-ELEC** Headlamp



- Push switch
- Adjustable brightness
- Adjustable headstrap
- Requires 3x AAA batteries (not included)
- Dimensions (LxDxH): 80x52x42mm

£1.28

order code LP0574002

680795

LED **PRO-ELEC** Headtorch



- 3W CREE LED
- LED Brightness: 150 Lumens
- Adjustable headstrap with padded front for added comfort
- Push switch on side
- Requires 3x AAA batteries (not included)
- Torch head dimensions (HxWxD): 35x55x60mm

£7.71

order code LA0500002

694519

LED **PRO-ELEC** Headtorch



- CREE Q3 headlamp
- Functions: on/off
- Brightness: 130-150 Lumens
- Requires 3x AAA batteries
- Dimensions (LxWxD): 75x40x25mm
- A full battery can last 5 hours

£6.28

order code LA0500402

694522

Super Spot LED Headlight



Model: HL13

- Concentrated spot beam
- 150m Beam range
- Duration time of up to 18 hours high beam, 24 hours low beam
- Weight: 220g
- Supplied with head strap, rechargeable battery pack and mains charger

£20.96

order code LA0446802

691830

LED **PRO-ELEC** Bicycle Light Set



- Front Light: 1x 1W White super bright LED
- Back light: 3x Red LEDs
- Front light dimensions (Dx): 91x26mm
- Back light dimensions (LxWxD): 60x38x20mm
- Up to 50m range
- Front Light requires 3x AAA batteries (not included)
- Back Light requires 2x AAA batteries (not included)

£5.86

order code LA0500502

697681

LED Head **LED LENSER** Lamp



- Fixed focus multi-LED Head Lamp
- Three energy efficient LED light chips producing a flawless single white light beam
- State-of-the-art, reliable German engineering
- Swivelling lamp head for directional 90° lighting
- Integrated dimmer switch enable light adjustment down to 3.5 lumens thus conserving battery life
- Lightweight, comfortable and adjustable head strap
- Stretch safe flexi-cable
- Water and dust resistant to IPX54
- Power: 60 lumens maximum
- Run Time: up to 62 hours
- Beam Distance: up to 31m
- Weight: 114g
- Contents: Belt pouch and Duracell batteries (3x AAA)

£18.80

order code LA0481802

705030

LED **PRO-ELEC** Headtorch



- 12x High intensity LEDs (100,000 hours average life)
- 4 Mode operation - 4 LED, 8 LED, 12 LED, 12 LED Flashing
- Adjustable head strap with padded front section for comfort
- Adjustable position head for work area focus
- Torch head dimensions (WxHxD): 70x55x60mm
- Requires 3x AAA batteries (not included)

£1.44

order code LA0306402

701821

Atex LED Head **Energyizer** Torch



- Approved for Zone 0/EX I & IIC T4
- Drop test up to 5m
- Uses 3x AAA batteries (not included)
- Waterproof IPX4
- Night vision: 2x red LEDs
- Pipe inspection: 1x green LED
- Battery pack at the back
- Approvals: CE 0539 EX I M 2/II G EEx ia I/IIC T4 DEMKO 08 ATEX 0803999

£29.95

order code LA0343102

605728

Order online at
cpc.co.uk

3 LED **PRO-ELEC** Bicycle Backlight



- 3x Super bright red LEDs
- Two modes - static or flashing light
- Requires 2x AAA batteries (not included)
- Dimensions (HxWxD): 32x55x50mm

£1.63

order code LP0469102

665056

Battery **PRO-ELEC** Powered Push Light



- Requires 4x AA batteries (not included)

82p

order code PL1002102

631504

LED **PRO-ELEC** Lantern



- Sturdy rubber casing
- Requires 4x D batteries (not included)
- Dimensions (HxWxD): 102x102x202mm

£5.36

order code LA0392202

637339

Rechargeable **RAC** Lantern



- Krypton bulb 75% brighter
- Multi-directional pivoting head
- Wall-mountable docking charger
- Auto switch on if mains power fails
- Emergency blinking light
- Red LED lamp indicates charging and helps locating the light in the dark
- Powerful magnetic base
- Dimensions (WxHxD): 216x103x94mm

£10.25

order code LA0468102

695337

Multi-Function **RAC** Rechargeable LED Torch

Model: RACHP693

This innovative multi-function, motion sensor night light and torch is an essential gadget for all homes. Plug the device into a plug socket and it will light up when you walk on to the landing - no need to turn the light on. You can lift the light out of the charging base and use it as a torch.

- 15x Ultra-bright LED area light
- 5x Ultra-bright LED torch
- Motion sensor nightlight
- Always able to locate the torch
- Auto switch-on if mains power fails
- Integrated plug and charger cradle so it is always there and ready to use
- Induction charging base
- Charge time: 8 Hours
- Usage: Area light - 2 1/2 hours, Torch light - 12 hours
- Motion sensor range up to 3m



£9.87

order code LA0507902

704827

CREE LED **PRO-ELEC** Torch



- Shock, dust and weather proof
- Quality LED with 100,000 hour lifespan
- Tailcap on/off switch
- Cross-hatch decorated handle for secure grip
- Lightweight and compact
- Requires 1x AA battery (not included)
- Beam Effective Distance: 100m
- Colour: Black
- External Length / Height: 94mm
- External Width: 20mm
- Range: 100m

£11.23

order code LA0499202

694513

9 LED Torch



- Compact torch with 9x super bright LEDs
- Made from heavy duty aluminium
- Incorporates a handy strap
- Supplied with 3x AAA batteries

£3.76

order code LA0472202

698315

Preston Contact Centre

**8am - 7pm Mon to Fri
9am - 5pm Saturday**

Now open Bank Holidays

**Call us on
08447 88 00 88**

28 LED **PRO-ELEC** Torch



- Super bright LED torch
- Dust and water resistant
- Quality LED with 100,000 hour lifespan
- Anodized finish
- Push button on/off switch
- Cross-hatch decorated handle for secure grip
- Lightweight and compact
- Requires 3x AAA batteries (not included)
- Supplied with lanyard
- Beam Colour: White
- Range: 40m
- Dimensions (Lx): 144x46mm

£5.05

order code LA0498902

694511

Aluminium LED **PRO-ELEC** Torch



- Requires 3x AAA batteries (not included)
- Supplied with lanyard

LA0322802	Blue	£2.78
LA0322902	Black	£2.52

LED Flexible Book Light

- Super bright LED
- Provides over 100,000 hours of use
- Simple adjustable lamp arm
- Supplied with 2x CR1220 batteries



£1.29

order code LA0486102

698002

Tool Light - LED



- Automatically lights up when attached to any metal surface which is conductive
- V-shaped magnetic cavity
- Will attach to tools with diameter 3mm to 10mm (1/8" to 3/8")
- Two LEDs provide light to aid visibility when working with hand tools
- Suitable for working in dark or poorly lit areas
- Includes batteries
- Dimensions (HxWxD): 23x18x16mm

£3.40

order code LA0540802

712811

6 + 1 LED **Rechargeable Hand Lamp**

- 6x Super-bright SMD LEDs front with up to 3 hours of light when fully charged
- Additional switching stage for a SMD LED light in the head
- Charging time about 4 hours
- Rubber-clad housing
- Folding stand moves 170° and has an integrated magnet
- 2x Magnets additionally on the back and 2x 360° rotating hooks for flexible use
- Integrated Li-ion battery 3.7V/2.1Ah with charging indicator
- Inclusive 100-240V AC, 50-60Hz UK charger and 12V charger for car cigarette lighter
- On-Off switch



£33.55

order code LA0531002

712807

7 + 1 LED **Clip-On Lamp**

- Easy to use, compact, optimal illumination from a small lamp
- 7x Powerful LEDs with up to 6 hours of light ON time
- Additional setting provides another LED in the lamp head
- Clip with integrated magnet turns 180°
- On-Off switch
- Supplied with 3x AAA batteries



£3.25

order code LA0531202

712808

100W **Rechargeable Spotlight**



This portable rechargeable spotlight provides excellent illumination in either of its modes; full (100W) or half (55W). It also includes a small 8W 270° rotating fluorescent work light and a 12V DC socket which allows the user to power other 12V products.

- Built in fluorescent worklight and 12V DC power outlet
- Robust, heavy duty rubberised casing
- 12V 7Ah sealed battery
- Rechargeable by 230V mains adaptor or 12V in-car charging cable (included)
- Comes with integral stand and carry strap
- Weight 4.1kg
- Dimensions (LxWxH) 360x225x245mm

£42.50

order code LA0540202

712810

Get FREE UK delivery online

Conditions apply.
See website for details

Self-Retracting Key Reel



A self-retracting key reel featuring a reliable spring return mechanism and spring clip fixing on the rear. Enables keys to be used without detaching from key ring.

- Lightweight pocket watch sized
- 650mm (26") stainless steel chain with nylon coating
- Can be attached to waistband, pocket or bag

£1.13

order code SR0675702

637446

Video Door Phone



- 4" HD TFT-LCD colour screen
- Handsfree monitor
- Easy to install
- Door lock control
- Video and two way audio
- Infrared night-vision

£47.75

order code SR0876702

698446

Video Door Phone with Handset



- 4" HD TFT-LCD colour screen
- Handsfree or handset option
- Easy to install
- Door lock control
- Video and two way audio
- Infrared night-vision

£47.75

order code SR0876602

698445

Digital Coded Locks



- 14 Digit keypad offers 8000 codes of 4 to 7 digits
- Hold-back facility allows lock to be set for free access

632340

SR0740402	Silver Finish	£22.97
SR0740302	Polished Brass	£24.98

Portable Key Storage Box



- 4 Dial resettable combination lock
- Wall mountable
- Dimensions: (HxWxD) 120x88x40mm

£8.75

order code SR0822802

651240

Bike Locking Cable



- 10mm Braided stainless steel cable.
- Vinyl coated to protect your bike etc.
- 800mm Length

64p

order code SR0820002

659544

8 Zone Alarm Kit



A complete alarm system which incorporates pet tolerant detectors that offer a simple, reliable alarm system, with the peace of mind that your pets will not cause false alarms.

- 8 Zones each separately identified on the keypad
- Personal attack buttons to activate in emergency
- LCD remote keypad
- Zones 7 & 8 may be programmed as Fire Zone
- Last 250 event logs are stored in the memory
- Chime can be used to select a low security chime alarm for various areas
- Built-in tamper control to protect all wiring and detectors in the system from unauthorised access

Contents: Control panel with LCD keypad, 3x pet tolerant PIR sensors, 2x door contacts, panic button, 100m 6 core cable, bell box, 12V 1.2Ah battery, fixing kit

£129.94

order code SR0824602

655455

Wireless Alarm System



Standard Kit

- Keypad enables you to set or unset the alarm via an access code
- 100% Wire free
- Expandable up to 20 devices

Contents: Siren box with flashing LED, Remote keypad, 2x PIR detectors, 2x door/window contacts, batteries and fixings

£94.50

order code SR0818502

651103

Accessories

SR0818802	PIR Detector	£17.80
SR0818902	PIR Detector (3 Pack)	£52.83
SR0819002	PIR Detector (Pet Friendly)	£21.36
SR0819102	Door Contact	£15.50
SR0819202	Remote Fob	£14.96
SR0819302	Keypad	£18.97
SR0819402	Panic Button	£13.49
SR0819502	Smoke Detector	£28.32

Wireless Alarm System



Premium Kit

- Telecommunicating panel performs all the functions of the standard control panel with the additional feature of alerting you by telephone should the alarm be activated
- Can store up to three telephone numbers
- 100% Wire free

£149.99

order code SR0818702

651112

Accessories

SR0818802	PIR Detector	£17.80
SR0818902	PIR Detector (3 Pack)	£52.83
SR0819002	PIR Detector (Pet Friendly)	£21.36
SR0819102	Door Contact	£15.50
SR0819202	Remote Fob	£14.96
SR0819302	Keypad	£18.97
SR0819402	Panic Button	£13.49
SR0819502	Smoke Detector	£28.32

800TVL 20m IR Weatherproof Camera



- 1/3" HDIS 960H sensor
- 800TVL High resolution
- Water resistance - IP66 rated
- 3.6mm Fixed lens
- 20m IR night vision
- 12V 1A PSU recommended (not included)

£24.50

order code SR0874802

701028

20m IR Day/Night 650TVL Camera



- 1/3" Sony Super HAD CCD
- Built-in 24 IR LED for 20m night vision range
- Connection via BNC sockets
- Automatic gain control
- Automatic electronic shutter
- Scanning mode NTSC/PAL
- Mounting bracket included
- Supplied with power adaptor

Technical Data

Image Sensor	1/3" Super HAD
Resolution	650TVL
Min. Illumination	0 Lux
Lens	3.6mm
Dimensions (WxHxD)	100x77x77mm
Voltage Supply DC	12V/1000mA
Weight	450g

£22.50

order code SR0873802

699473

800TVL 40m IR Vari-Focal Camera



- 1/3" HDIS 960H sensor
- 800TVL High resolution
- Water resistance - IP66 rated
- 2.8-12mm Manual zoom
- 40m IR night vision
- 3 Axis cable built-in bracket
- 12V, 1A PSU recommended (not included)

£32.90

order code SR0874902

701029

1000TVL 1280H Weatherproof 50m IR Varifocal Bullet Camera



- 1000TV lines high resolution
- 120dB WDR, Day & Night (ICR)
- Min. Illumination 0Lux (IR LED on)
- IR distance: 50m
- 0.05Lux@F1.4, 50IRE (Colour), 0.02Lux@F1.4, 30IRE (Colour), 0Lux (IR LED on) (B/W)
- 3.3x Varifocal lens (310mm)
- SDR, SSNR IV, Defog
- Video analytics: Fence, (Dis)Appear, Counting (Off-On)
- Privacy masking 24x zones (4x point polygonal)
- Coaxial communication
- Weatherproof, IP66 rated
- Dual power, 24V AC/12V DC

£134.50

order code SR0924002

710612

Wireless Driveway Alarm with PIR

DIGITECH



- PIR weatherproof wireless sensor and receiver unit
- Wireless RF transmission up to 400 feet/121 metres
- Alarm/chime/off select switch
- Wireless sensor requires 9V battery (not included)

628666

SR0773702	White	£21.00
SR0939202	Black	£21.00
SR0939302	Black/Green	£21.00

4CH Wireless CCTV Kit with 4 Weatherproof Cameras

DEFENDER

A complete digital wireless CCTV kit giving interference free clear pictures on the 7" LCD monitor with integrated video recorder.

Cameras:

- 1/6" Colour CMOS Sensor
- Night vision range: 5m
- Weatherproof IP54 rating
- 70° Viewing angle
- Unobstructed range 200m
- Dimensions: (HxWxD) 58x63x131mm

Monitor:

- 7" LCD TFT monitor
- Video recorder via SD card (support up to 32GB)
- Simultaneous viewing of all cameras
- Manual, schedule, overwrite and motion recording
- USB and AV Out
- Dimensions: (HxWxD) 157x214x26mm

Contents: 4x Cameras, 7" LCD monitor, 5x power adaptors, AV out cable, monitor bracket, 2GB SD card

£199.98

order code SR0826402

667823

Vehicle Journey Recorder with LCD Monitor

SMARTWITNESS



The Smart-i Drive is a HD 720p vehicle collision camera with a 1.5" LCD monitor for live viewing, playback and setup. In addition, the camera features a high-quality lens capturing clear images of the driver's view of the road. The unit is designed to look like a part of a vehicle with a small and unobtrusive frame, preventing any unwanted attention from passengers and passers-by.

- Protection against 'crash for cash'/pre-meditated staged accidents, conflicting reports of actual events and lack of witnesses
- 72° Lens
- DIY installation
- Records to micro SD card up to 32GB (not included)

£32.50

order code SR0903802

706307

2 Camera Vehicle Journey Recorder with LCD Monitor

SMARTWITNESS



The Smart-i Duo is a HD 720p vehicle collision camera with an additional internal rear view camera for help when reversing and to watch the rear of the vehicle. The recorder also features 2" LCD monitor for live viewing, playback and setup. In addition, the camera features a wide angle, high-quality lens capturing clear images of the driver's view of the road. The unit is designed to look like a part of a vehicle with a small and unobtrusive frame, preventing any unwanted attention from passengers and passers-by.

- Protection against 'crash for cash'/pre-meditated staged accidents, conflicting reports of actual events and lack of witnesses
- Camera includes a rotating lens
- Optional audio recording
- 120° Lens
- DIY installation
- Records to micro SD card up to 32GB (not included)

£99.97

order code SR0903902

706303

In-Car CCTV System

BlackSys



- Provides strong evidence in the event of a non-fault road traffic accident
- Speeds up the time taken to settle a claim
- Proven to modify driver behaviour
- Reduction in fleet costs and ensure your drivers are abiding by company rules
- Easy installation, in minutes, by any user. No training required
- Optional parking recordings (None, 10 mins, 20 mins)
- A single SD flash memory card holds days of video, audio, and GPS Data. (speed, direction & time/date)
- Simple, Quick file capture
- GPS Data clearly shows car speed before (MPH or KPH), during and after any event
- GPS Mapping overlay using Google Earth shows exactly where the vehicle has been and the route taken
- Warning beep alerts you to harsh manoeuvres
- Units can be powered from a car accessory socket or hard-wired in place

Contents: User manual, bracket, 4GB micro SD card, GPS module, in-car charger, double sided 3M sticker, cable ties, spare fuse

£49.97

order code SR0842402

678709

8 Channel All-in-One Security Kit

SAMSUNG

- 4x 700 TVL high resolution weatherproof cameras
- 8-Channel 960H recording DVR with 500GB surveillance class HD installed
- Easy setup and Wi-Fi connectivity
- Anytime/anywhere viewing with free app
- Motion event and tampering alerts
- Clear, vivid video quality
- 72° Wide angle coverage
- Night vision up to 25m
- True day and night/IR cut filter

Do-It-Yourself CCTV Security Kits

HOMIE



- Simple set up installation, no expert help required
- Fully featured 4-channel D1 DVR with HD output
- Ultra-simple, remote viewing set up to view on smartphone, laptops or PC from anywhere
- Pre-installed WD Purple 1TB HDD, designed for 24/7 use
- Weatherproof (IP66), 480TVL camera with 15-20m night vision

702936

SR0879002	1 Camera Kit	£139.40
SR0879102	2 Camera Kit	£155.70
SR0860002	Additional Camera	£33.32

8-Channel HD Security Kits

HOMIE



- D1 Resolution on all 8 channels, HD output port
- WD Purple HDD pre-installed, designed for 24/7 audio/video environments
- H.264 Compression technology and pentaplex operation
- 4x Weatherproof (IP66) 600 TVL CCTV cameras with 15-20m night vision range
- Remote viewing apps allow you to view live footage, with simple auto setup

696003

SR0859702	1TB HDD Kit	£289.00
SR0859802	2TB HDD Kit	£304.16
SR0880002	3TB HDD Kit	£322.79
SR0880102	4TB HDD Kit	£354.72
SR0860102	Additional Camera	£39.99

LUNAR 8-Channel 960H DVR Camera Kits



- Easy Setup Wizard with user friendly GUI
- Full 960H, 8-Channel WD1 recording
- Camera sensor: 1/6" CMOS 960H
- 800TVL resolution camera
- 3.6mm Wide angle lens
- 20m Night vision range via 24x LEDs
- 8-Channel WD1 real-time playback
- 8-Channel simultaneous playback
- HDMI and VGA video output
- Backup to USB flash disk, USB hard disk or USB CD/DVD-RW burner
- Remote View software included - View Client, PC and Mac compatible

704061

SR0885902	4 Cameras, 1TB HD	£259.95
SR0886002	8 Cameras, 2TB HD	£398.96

4 Channel All-in-One Security Kit

SAMSUNG



- 2x 700 TVL high resolution weatherproof cameras
- 4-Channel 960H recording DVR with 500GB surveillance class HD installed
- Easy setup and Wi-Fi connectivity
- Anytime/anywhere viewing with free app
- Motion event and tampering alerts
- Clear, vivid video quality
- 72° Wide angle coverage
- Night vision up to 25m
- True day and night/IR cut filter

£229.95

order code SR0906002

704857

4 Channel All-in-One Security Kit

SAMSUNG



- 960H real-time monitoring and recording
- View from anywhere: Android, iPhone, iPad, PC, Mac
- Support network monitoring without LAN cable connection to router
- Built-in 500GB HD
- 4x 700TVL line high resolution cameras
- True day and night with IR for perfect colour reproduction
- IP66 weather resistant rating
- Night vision up to 25m

£273.80

order code SR0905402

705265

8-Ch 500GB DVR with 4 Cameras

DEFENDER



- 8-Channel simultaneous playback DVR
- 420TVL 1/4" Sony CCD cameras
- 500GB Hard drive installed
- 15m Night vision
- Remote surveillance on smartphones and tablets
- USB backup
- Simple plug and play installation all items needed are supplied in the box

Contents: H.264 DVR Network DVR, 500GB HDD, 4x cameras, remote control, 18m cable, instructions and software disc

£149.99

order code SR0878502

700704

Wireless Home Camera

HOMIE



- Wireless pan/tilt IP camera
- CCTV, baby, pet, granny cam
- Simple smartphone/tablet access with app
- Fits most consumers' existing setup, just needs internet access
- Genuine plug-and-play, very easy to setup and use
- Night vision, 2-way audio, motion detection

Contents: Wireless home camera, power adaptor, Wi-Fi antenna, network cable, software & manual CD and mounting bracket

£39.99

order code SR0880602

702769

Professional HD 960H Camera with 60m IR



A professional bullet camera offering 6m number plate recognition and 60m IR night vision along with the latest Sony 960H CCD and Xvision X7 DSP for outstanding image quality and features. The camera is suitable for indoor or outdoor use and features a good quality 2.8-12mm lens for 23-92° viewing angles.

- Sony 960H CCD sensor
- Xvision X3K DSP
- 700TVL (960x576) resolution
- 0.0003 Lux low light sensitivity
- 50/60m Smart IR night vision
- 6m NPR (number plate recognition)
- Varifocal 2.8-12mm HD megapixel auto iris lens
- Viewing angle of 23-92°
- Advanced wide dynamic range
- High speed digital slow shutter
- 3D Digital noise reduction
- Programmable high light suppression
- Headlight compensation and powerful optics for number plate recognition
- Designed for wall or ceiling mounting
- Cable managed bracket
- Weatherproof to IP66

£94.75

order code SR0876902

698669

120m IR Pro Camera with 25m NPR



- Sony 960H CCD sensor
- Xvision X3K DSP
- 700TVL (960x576) resolution
- 0.0003 lux low light sensitivity
- 100/120m Smart IR night vision
- Varifocal 5-50mm HD megapixel auto iris lens
- Viewing angle: 6-49°
- Advanced wide dynamic range
- High speed digital slow shutter
- 3D Digital Noise Reduction
- Programmable high light suppression
- Headlight compensation
- Number plate recognition up to 25m
- Cable management bracket
- Designed for wall or ceiling mounting
- Weatherproof to IP66

£169.97

order code SR0882002

702799

800TVL 20m IR Mini Dome Camera



- 1/8" HDIS 960H sensor
- Vandalproof housing
- 800TVL High resolution
- 3.6mm Fixed lens
- 20m IR night vision
- Size: 93mm (Dia) x 86mm (H)
- 12V 1A PSU recommended (not supplied)

£22.90

order code SR0875402

701439

800TVL 20m IR Mini Dome Camera



- 1/8" 960H High sensitivity sensor
- 800TVL High resolution
- 3.6mm Fixed lens
- Automatic gain control
- 20m IR Range
- 12V 1A PSU Recommended (not included)
- Dimensions (HxD): 70x90mm

£22.90

order code SR0863002

691862

800TVL Vandalproof 20m IR Dome Camera



- 1/8" HDIS 960H image sensor
- 800TVL Resolution
- 3.6mm Fixed lens
- 20m IR range
- Dimensions (ØxH): 94x70mm
- 12V 1A PSU recommended (not included)

£23.90

order code SR0867502

696066

1000TVL Weatherproof Dome Cameras



- 1/8" Sony Exmor digital image sensor IMX238
- 1000TVL high resolution
- IR LED range 25-30m
- 3.6mm fixed lens
- Day/night operation
- Armoured housing
- IP66 weatherproof rating
- Power requirement: 12Vdc, 1A (not included)

SR0876002 Grey

SR0876102 White

SR0876202 Black

699836

800TVL 30m IR Dome Camera



- 1/8" HDIS 960H sensor
- Vandalproof housing
- 800TVL High resolution
- 2.8-12mm Manual zoom
- 30m IR night vision
- 12V, 1A PSU recommended (not included)

£29.75

order code SR0875002

701030

800TVL 20m IR Dome Cameras



- 1/8" HDIS 960H sensor
- Vandalproof housing
- 800TVL High resolution
- 3.6mm Fixed lens
- 20m IR night vision
- 12V 1A PSU recommended (not included)

701440

SR0875502 Black

SR0875602 White

£24.50

800TVL Dome Camera



Colour dome camera designed for good quality internal surveillance in all types of premises.

- 1/8" HDIS 960H sensor
- 800TVL Resolution
- Automatic white balance
- 3.6mm Board lens
- Designed for internal use, ceiling mounted
- Supplied with power adaptor

Technical Data

Image Sensor/DSP	1/8" HDIS 960H
Lens	3.6mm/78°
Resolution	800TVLTVL
Illumination Min	0.4lx
Connection Power	2.1mm DC Socket
Connection Video	BNC Socket
Dimensions (ØxH)	145x135mm

£15.50

order code SR0873102

708120

HD960H Covert Camera with Audio



- 10x10mm with pinhole cone lens & 2mm aperture
- Sony 960H CCD sensor
- 3.6mm Wide angle lens for 78° viewing angle
- Xvision X1K DSP
- 700TVL (960x576) resolution
- 0.01 Lux low light intensity
- Automatic Digital Noise Reduction
- Integrated microphone for high quality audio

£41.50

order code SR0882402

702803

800TVL 30m IR Dome Camera



- 1/8" HDIS 960H sensor
- Vandalproof housing
- 800TVL High resolution
- 2.8 - 12mm manual zoom
- 30m IR night vision
- 12V, 1A PSU recommended (not included)

£37.90

order code SR0875102

702938

1000TVL Weatherproof Varifocal Dome Cameras



- 1/8" Sony Exmor digital image sensor IMX238
- 1000TVL High resolution
- IR LED range 25-30m
- 2.8-12mm Varifocal lens
- Day/night operation
- Armoured housing
- IP66 Weatherproof rating
- Power requirement: 12Vdc, 1A (not included)

699470

SR0876302 Grey

SR0876402 White

SR0876502 Black

£44.90

800TVL 25m IR Dome Camera



- 1/8" HDIS 960H sensor
- Vandalproof housing
- 800TVL High resolution
- 2.8 - 12mm Manual zoom
- 25m IR night vision
- 12V, 1A PSU recommended (not included)

£33.45

order code SR0875302

702939

Preston Contact Centre

**8am - 7pm Mon to Fri
9am - 5pm Saturday
Now open Bank Holidays**

Encapsulated CCTV Switch Mode PSUs

- 12V DC, with 1A, 2A, 3.5A or 5A versions available
- Encapsulated
- Ideal for CCTV
- UK mains plug
- 2.1mm DC output plug
- 3-Year warranty




Technical Data 704067
SR0898602SR0898702SR0898802SR0898902

Amp Rating	1A	2A	3.5A	5A
Input Voltage	100 - 240VAC			
Output Voltage	12VFixed			
SR0898602	1A			£8.82
SR0898702		2A		£11.48
SR0898802			3.5A	£12.95
SR0898902				5A £14.78

Low Profile CCTV Switch Mode PSUs

- Ideal for CCTV
- Compact enclosure
- 3-Year warranty
- SR0899002:
 - 12V DC, 4A
 - 4x 1A Fused outputs
- SR0899102:
 - 12V DC, 4A
 - 8x 500mA Fused outputs
- SR0899202:
 - 12V DC, 8A
 - 8x 1A Fused outputs
 - Lockable lid
- SR0899302:
 - 12V DC, 8A
 - 16x 500mA Fused outputs
 - Lockable lid



703171

SR0899002	4x 1A	£37.89
SR0899102	8x 500mA	£37.89
Lockable Lid		
SR0899202	8x 1A	£58.50
SR0899302	16x 500mA	£56.70

Spider Repellent

- Designed to stop spiders spinning webs and nesting on CCTV cameras
- Suitable for use in other areas to deter spiders, indoors or outdoors
- Also use on PIRs to reduce false alarms
- Can be used to remove other crawling insects such as ants, fleas, flies and wasps
- 300ml Aerosol



£5.94

order code SR0841702

CCTV DC Power Plug Adaptor



Convert the DC socket on your camera into a terminal connection.

45p

order code SR0810002

651138

CCTV DC Power Socket Adaptor



Convert the DC plug on your PSU into a terminal connection.

45p

order code SR0810102

651139

CCTV BNC and Power Cables

- Combined power and BNC video leads
- Pre terminated cables with no crimping required
- Simple plug and play solution
- Various lengths available



SR0801502	40m	£12.45
SR0801602	30m	£9.65
SR0801702	20m	£6.85

653185

Solar Dummy Outdoor Camera



- Dummy outdoor camera housing with flashing LED for realistic effect
- Solar powered
- Dimensions: (LxHxW) 160x80x74mm

£7.98

order code SR0805802

651239

12.1" LCD CCTV Monitor

- Ideal for connection to DVRs or direct to camera
- Front panel controls
- Maximum resolution 800x600
- 16.7 Million display colours
- Dimensions: (LxHxW) 320x160x320mm

£89.99

order code SR0805002

19" TFT CCTV Monitor

A 19" TFT CCTV monitor that deliver a high resolution and super bright image without flicker and static and is energy efficient. Can be wall or desk mounted.

- LCD Monitor
- BNC, HDMI, VGA, Composite video in/out
- Supplied with desk stand and 12V power supply
- Simple user interface
- Anti-glare
- Resolution: 1280x1024

£146.74

order code SR0884802

704059

960H DVRs



4, 8 & 16-Channel Model



24-Channel Model



32-Channel Model

- 960H Full WD1 recording
- Intuitive GUI for very simple set up and installation
- The CMS (Central Monitoring System) can pull in pictures from multiple sites simultaneously, giving full control and access from a central station PC, Mac, iPad or smartphone
- Control PTZ (Pan/Tilt/Zoom) and can do presets, cruises and track scans
- Multi-user management
- 2-Way audio
- HDMI/VGA/Spot monitor outputs
- 32-Channel models housed in a standard 2U case
- 2-Year manufacturer's warranty
- Available with or without HD installed

706282

	Channels	HDD Cap.	
SR0891802	4	None	£79.97
SR0891902	8	None	£91.99
SR0892002	16	None	£123.50
SR0892102	24	None	£346.94
SR0892202	32	None	£599.97
SR0892302	4	1TB	£142.24
SR0892402	8	1TB	£156.25
SR0892502	16	1TB	£187.82
SR0892602	4	2TB	£172.25
SR0892702	8	2TB	£186.20
SR0892802	16	2TB	£217.82
SR0892902	4	3TB	£184.50
SR0893002	8	3TB	£213.39
SR0893102	16	3TB	£244.95
SR0893202	24	4TB	£512.60
SR0893302	32	4TB	£809.76
SR0893402	24	6TB	£559.70
SR0893502	32	6TB	£872.60

LUNAR 4-Channel 960H DVRs



- Easy Setup Wizard with user friendly GUI
- Full 960H, 4-Channel WD1 recording
- 4-Channel WD1 real-time playback
- 4-Channel simultaneous playback
- HDMI and VGA video output
- Search by date, time or even list
- Backup to USB flash disk, USB hard disk or USB CD/DVD-RW burner
- Remote View software included - View Client, PC and Mac compatible

SR0884902	500GB	£98.52
SR0885002	1TB	£105.72
SR0885102	2TB	£124.29
SR0885202	3TB	£144.98

Pentaplex Digital CCTV Recorders



A range of recording/playback/backup/network transmission/mobile browsing (Pentaplex) digital recorders in 4, 8 and 16 channels, with various sized hard drives installed.

- HDMI, VGA and BNC Video output
- H.264 Video compression
- Free client software (PC and Mac)
- 2x USB 2.0 interface
- Mobile phone browsing
- Fanless operation
- Free iPhone and Android app available
- Manual motion and Alarm recording modes
- IR remote and mouse control (included)

687287

4-Channel			
SR0853802	500GB	£155.81	
SR0853902	1TB	£173.23	
SR0854002	2TB	£194.78	
SR0854102	3TB	£249.29	
8-Channel			
SR0854202	500GB	£184.26	
SR0854302	1TB	£204.58	
SR0854402	2TB	£234.73	
16-Channel			
SR0854502	500GB	£239.92	
SR0854602	1TB	£263.17	
SR0854702	2TB	£269.62	
SR0854802	3TB	£324.35	

Security PIR Floodlight with Camera

A low cost alternative to a complete CCTV recording solution. The security camera light can store many hundreds of photos or video clips that can easily be recovered following an incident. When triggered, day or night, the colour camera will either take single or multiple photos or record up to a 60 second video.

- 500W Floodlight
- PIR motion detector
- 12MP images
- Time and date stamped photos
- Continuous recording or delayed retriggering
- Built-in SD card slot
- Adjustable mounting bracket
- Supplied with a 4GB SD card

£87.90

order code SR0907302

706302

Multi-Purpose Dry Powder Fire Extinguishers



- Manufactured to BS EN3, Kitemarked and CE tested
- 6 Year manufacturer warranty
- Supplied with mounting brackets

Technical Data

Capacity	1kg	2kg
Fire Test Rating	8A, 34BC	13A, 89BC
Range	4m	4m
Discharge Duration	8 sec	10 sec
Dimensions	290x90mm	320x110mm
Weight	1.6kg	3.7kg

SR0869702	1kg	£15.42
SR0662202	2kg	£24.61

Fire Blanket



Extinguish fires in seconds. Ideal for home or work.

- High quality glass fibre
- Both sides are coated
- Size: 100x100cm
- PVC Container with quick release action
- Certified DIN EN1869:997



£6.56

order code SR0755802

541555

Carbon Monoxide & Smoke Alarm Kit



Smoke Alarm

- Compact 100mm in diameter
- Test button for alarm and battery
- Loud alarm
- Low battery indicator

Carbon Monoxide Alarm

- Provides protection during power cuts
- Test/reset button
- Loud alarm
- Low battery indicator

N.B. Both alarms supplied with batteries.

£14.97

order code SR0870702

693503

10 Year Smoke Alarm

- Activated when attached to bracket and will operate for 10 years
- Lithium (non-replaceable) battery installed
- Optional tamper resist feature
- Large test button
- Ramp-up horn, low level when testing
- 85 Decibel alarm at 3m
- Dimensions: 104x104x42mm
- Certified by BSI to EN14604: 2005/CE

£13.60

order code SR0861302

Dorgard Fire Door Retainers



Wedging open fire doors is illegal and dangerous. Dorgard provides a simple solution for legally holding open fire doors, and will automatically close the door when the fire alarm sounds.

- Wireless unit with fail-to-safe technology
- Improves access throughout buildings inline with recommendations contained within BS8300
- Complies with BS EN 1155 and accepted by the Fire and Rescue Services
- Automatic night-time release facility
- Adjustable sensitivity
- Supplied with 2x C batteries
- Expected battery life: 12 Months
- Available in black, red or white

Warning: Do not use rechargeable batteries with this product.

SR0913302 Black	707033
SR0913402 Red	£99.98
SR0913502 White	

Dusk Till Dawn Bulkhead



- With a built-in dusk till dawn photocell that offers automatic low-level illumination throughout the night
- Automatically switches on at dusk and off at dawn
- Maximum 60W lamp B22 fitting
- Operating temperature of -20°C to 40°C



£12.95

order code SR0749702

643542

28W PIR Ceiling Light - IP44



- PIR Triggers from last movement
- 360° Detection zone
- Detection distance: 6m at 2.5m height or 12m at 3.5m height
- Time adjustable: 5 seconds - 8 minutes
- Lux adjustable, electronic ballast
- Requires 28W GR10q 4 pin DD CFL lamp (supplied)
- Dimensions: (Dia x D) 325x110mm

£29.98

order code SR0825002

657854

90° PIR Lantern - IP44



- Polycarbonated plastic construction
- 10m Range with sensitivity adjustment control
- Time on adjustable 5 sec - 4min
- 60W Incandescent load capacity
- 90° Detection zone
- BS EN 60598, BS EN 61347
- Requires 1xES GLS lamp max. 60W (not included)

643540

SR0721002 Black	£16.29
SR0721102 White	

PIR Lanterns



- Fittings are rated at 60W max.
- Polycarbonate construction: corrosion resistant
- One piece lens: quick and easy assembly
- 12 Metre max detection range
- Time on 3 minutes +/- 20 sec
- 120° Detection zone
- Factory preset PIR - no override facility
- Requires 1x suitable ES energy saving lamp (not included)

680885

SR0842702 Black	£18.40
SR0842802 White	

PIR Bulkhead - IP44



- Vertically and axially adjustable PIR
- Time on adjustable from 5 secs to 5 mins
- ABS construction in black
- Requires 1x BC GLS 60W lamp (not included)

£16.75

order code LA0280702

643497

**Fax your order on
08447 88 00 89**

Rechargeable Solar LED Wall Lamps with PIR Sensor




Practical solar LED lamps suitable for outside use, IP44 rated.

- Compact lamps with integrated solar module and PIR sensor
- 2x Super-bright LEDs, good light for orientation
- Detection angle approx. 100°, max. range 7m
- Light switches itself on automatically for approx. 1 minute when the detection area is breached
- Can operate independent of the mains
- Twilight sensor
- All-in-one housing, no cable connection necessary
- Operating time of approx. 80 - 90 minutes with fully loaded rechargeable battery
- 3x Rechargeable AA batteries included
- Available in black or grey white

696297

SR0851002 White	£17.48
SR0851102 Black	

Solar Charged PIR Activated Light



- Detect movement in a 5m area, at an angle of 120°
- 12 LEDs provide super bright light for up to 8 hours on a full charge (equ. to 60W)

£23.90

order code SR0743202

628651

Solar PIR Utility Light



- Can be used outside as a solar security light or inside as a solar shed light
- Will light for 16 hours once fully charged
- Will light for 25 seconds once motion is detected
- 0.6W Polycrystalline solar panel
- Rechargeable batteries: 3x AAA Ni-MH 750MAH (included)
- PIR detection range 2m to 4m
- 4.8m of cable between solar panel and light
- Batteries, screws, rawl plugs, instructions and mounting bracket included
- Dimensions (HxWxD): 130x130x90mm

£17.77

order code LA0393402

637385

ECO Wedge Solar Motion LED Welcome Light

- This light is solar powered and does not require mains power to work
- A well positioned solar panel will enable this product to work in typical UK winter conditions
- Brightness is equivalent to a 50W incandescent bulb
- Once motion is detected, this light can activate up to 250 times a night
- Installs in minutes
- Superbright white SMD LED bulbs
- Detects motion up to 3m away
- IP64 Waterproofing
- Battery and fixings included
- 1-Year manufacturer's warranty



£11.98

order code SR0908102

706800

Curve Solar Motion LED Light

- Beautifully designed aluminium solar welcome light
- Lights for 30 seconds each time it detects motion within 3m
- Ideal for lighting doorways, entrances, pathways
- A well positioned solar panel will enable this product to work in typical UK winter conditions
- This light is solar powered and does not require mains power to work
- Brightness is equivalent to a 50W incandescent bulb
- Once motion is detected, this light can activate up to 250 times a night
- Simple and safe to install, can be set up in minutes and everything you need is in the box
- Fully waterproof
- LED bulbs last for 10 years or more
- 1-Year manufacturer's warranty



£11.45

order code SR0908002

706799

Twin Solar LED PIR Light



- A super-bright, twin-head, LED security light. Perfect for illuminating your door, driveway, garage, garden and shed or deterring potential intruders.
- 2x High intensity LED lights
 - Amorphous solar panel charges the internal battery throughout the day
 - LED lights will turn on whenever motion is detected by the built-in PIR sensor
 - 1.8m Extension cable
 - Fully adjustable light time and sensitivity
 - Adjustable spotlight heads
 - 3.2V, 800mAh 18500 Li-Ion battery
 - Detection area: 5m, 120°
 - Dimensions (WxHxD): 250x280x120mm

£29.99

order code SR0902902

704861

Evo SMD Solar Security Light



- Brightness is equivalent to a 100W halogen light
- Once motion is detected, this light can activate up to 500 times a night
- A well positioned solar panel will enable this product to work in typical UK winter conditions
- This light is solar powered and does not require mains power to work
- Motion activated with 12m sensor range
- IP56 rated for superior water resistance
- Activation time can be set from between 10 seconds and 9 minutes
- As bright as mains powered lights
- Can be installed almost anywhere
- Simple and safe to install with everything you need in the box
- 5m Cable between solar panel and light
- 2-Year manufacturer's warranty

£27.90

order code SR0907902

706798

Solar LED External Light with Motion Detector

- Solar LED lamp with motion detector
- 14x Bright LEDs for bundled light
- Motion detector can be swivelled up to 180° angle with max. 10m range
- Horizontally and vertically adjustable
- Duty cycle adjustable from 10 seconds to 4 minutes
- Adjustable dimmer switch and brightness sensitivity
- Independent from the power supply thanks to solar cell
- Operating time of approx. 100-120 minutes with fully charged battery
- Includes 3x NiMH rechargeable batteries and 3m connection cable
- IP44 Rated




£19.90

order code LA0438502

701589

Motion Detector Light, D-Lite

- This innovative D-LITE is an unique LED courtesy (or security) light with an internal PIR sensor and hence, covert detector which offers modern style with maximum performance.
- Discrete and innovative sensor light
 - 40W LED power illuminator
 - 5000K Cool White light
 - Selectable time on, sensitivity and light level settings
 - Adjustable positioning of internal PIR sensor
 - Energy Efficient
 - Lifetime in excess of 10 years
 - No maintenance required



£57.17

order code SR0844402

680739

City Duo Premium 54 LED Lights with PIR Sensor



LV5405 PIR

SV5405 PIR

For interior and exterior wall mounting, IP44 rated. With 54x 0.5W high power LEDs and motion detector.

- Solid, modern aluminum casings
- 54x High-power LEDs
- PIR sensor pivots horizontally
- Detection range up to 10m, detection angle 180°
- Duty cycle adjustable between 10 seconds and 4 minutes
- Spotlights can be rotated and locked
- Dimensions (LxWxD): 400x210x110mm
- Weight: 2kg
- Model: LV5405 PIR
- Frosted glass for wide illumination
- Model: SV5405 PIR
- Clear glass with bunched ray of light

LA0462702

LV5405 PIR

£54.90

LA0462802

SV5405 PIR

£54.90

LED Security Lights



- Available in low energy 6W and powerful 12W (250-300W halogen equivalent) versions
- Uses powerful, super-reliable Samsung 90 lumens/watt LEDs
- Fully adjustable PIR sensor for optimum detection
- Weather resistant (IP44)
- 120° Detection angle
- 5 Year manufacturers warranty

SR0833802

6W

£17.50

SR0833902

12W

£23.40

LED Floodlights with PIR

- A range of long life, low energy LED floodlights with PIR sensors which are wall mountable.
- Detection angle: 180 deg.
 - IP65 Weather rated
 - 6000K Colour temp.
 - 5 Sec to 6min adjustable time on
 - 30000 Hrs nominal life time



SR0848002

- 10W LED (eq. to 85W Halogen)
- 800lm Flux Lumens
- Dimensions: 115x180x90mm

SR0848102

- 20W LED (eq. to 170W Halogen)
- 1600lm Flux Lumens
- Dimensions: 180x220x105mm

SR0848202

- 30W LED (eq. to 255W Halogen)
- 2400lm Flux Lumens
- Dimensions: 225x280x125mm

SR0848002

10W

£16.95

SR0848102

20W

£26.50

SR0848202

30W

£36.97

685896

25W LED Floodlight with PIR



- Bright Lumen output
- Dusk to dawn - can identify day and night
- Adjustable time delay
- Energy savings of 85% and low maintenance costs
- 180° Detection angle
- 12m Detection range
- Black steel and PC case
- Power: 25W
- LED colour: 4,000-4,500K
- LED luminous flux: 1,700lm
- Input Voltage: 220-240V AC

£44.50

order code SR0923002

710886

15W Floodlight with PIR - IP64



Compact design with subtle PIR available with 15W generating 1300 Lumens.

- Adjustable light level, range and time
- Switchable to override PIR
- 50,000 Hours lifespan
- Colour temp: ANSI 5700K
- Dimensions (HxWxD): 110x160x125mm
- 3 Years manufacturers warranty

£34.59

order code SR0855502

687302

LED PIR Floodlights

- Aluminium construction with tempered glass
- Ultra-compact design
- Pre-wired for quick and easy installation
- Adjustable mounting bracket
- 30,000 Hours average rated life
- Energy efficient alternative to halogen floodlights
- SMD LED chips placed behind a diffusing device with a reflector
- Offers a better lighting solution as when placed further back in the fixture the reflector can actually perform its function and enhance the lighting effect
- Large connection block within the housing, allows the option for direct wiring
- 4000K colour temperature for neutral white appearance, delivers stable light colour and low glare
- 12m Detection range with 180° adjustable detection angle
- Time on adjustable: 5 secs to 8 mins
- IP44 Rated



Technical Data

Colour Temp.	4000K	4000K	4000K
Lumens	710lm	1410lm	2130lm
Rated Life	30000h		
Dims. (WxHxD)	140x215x95 mm	185x270x105 mm	
	Lumens	Power	
SR0882802	710lm	11W	£16.65
SR0882902	1410lm	21.6W	£27.30
SR0883002	2130lm	31.1W	£36.29

50W LED Floodlight with PIR

DIGITECH

A low energy, LED floodlight with PIR sensors which is wall mountable.

- Beam angle: 120°
- 4000K Colour temperature
- 4,000 Lumens
- 50,000 Hours life time
- IP66 Rated
- Working Voltage: 3036V DC
- 2-Year manufacturer's warranty
- Dimensions (WxHxD): 290x235x150mm



£49.99

order code SR0914502

707705

23W Low Energy Bulkhead with PIR

Eterna

- Modern design, low energy bulkhead with PIR
- Uses self ballasted low energy lamp
- Adjustable mounting bracket
- Low energy consumption
- Polycarbonate
- IP44 Rating

PIR Controlled:

- 120° Detection angle
- Adjustable time control: 2 - 4 mins
- Adjustable lux control
- 8m Detection range
- Supplied with 23W ES helical lamp



£19.45

order code SR0819702

646754

400W PIR Floodlights - IP44

Eterna



- Fitted with an energy saving C class halogen lamp
- Vertical and horizontally adjustable PIR head
- Adjustable lux level
- Time on adjustable 5 sec-5 min
- 12 Metre detection range
- 110° Detection zone
- Dimensions (HxWxD): 245x185x135mm

701445

SR0860602	Black	£9.95
SR0860702	White	£9.95

Automatic Dusk to Time Off Security Lamp Holder

Autosave

- For use with bayonet fitting electronic energy saving bulbs (min 9W to max 20W) and normal bayonet fitting filament/incandescent bulbs (min 40W to max 100W (60W closed shade))



£9.94

order code SR0592902

628658

External PIR Detector

Eterna



- ABS Construction
- Vertically & horizontally adjustable PIR head
- Bracket included for optional corner mounting; versatile installation options to suit a wide range of requirements
- Adjustable lux level
- 12 Metre detection area
- 360° Detection zone
- Time on adjustable 5 sec - 5 min
- 2000W Incandescent lamp / 500W fluorescent load capacity
- IP44 Rated
- 240V


£19.95

order code SR0842602

679855

120W PIR Floodlights - IP44

Eterna



- Fitted with an energy saving C class halogen lamp
- Vertical and horizontally adjustable PIR head
- Adjustable lux level
- Time on adjustable 5 sec - 5 min
- 12 Metre detection range
- 110° Detection zone
- Dimensions (HxWxD): 190x135x130mm

703385

SR0860402	Black	£8.95
SR0860502	White	£8.95

External PIR Light Controller

An adjustable angle 180° motion sensor with the ability to switch lighting loads up to 1kW @ 240Vac. The unit utilises a passive infra red detector that senses body heat movement and can switch on the load accordingly, turning it off after an adjustable length of time. The units IP44 rating makes it suitable for outdoor use and as such is ideal for use with a security/courtesy light. An internal photocell switches the unit off during daylight to save energy and unwanted daytime usage. Supplied with installation instructions and fixing screws. TUV approved.

Technical Data

Voltage Rating	240Vac
Power Rating	1100W maximum
Detection Range	12m @ 180°

£10.29

order code SR0019902

527012

Electronic Digital Safe



- Steel construction
- 3-8 Digit programmable combination codes
- Capacity: 12 litres
- External dimensions (HxWxD): 310x200x200mm

110° & 180° PIRs - IP44

Eterna



- ABS casing
- Vertically and axially adjustable head
- Adjustable lux level
- 12m Range
- Time on adjustable 5sec - 5min
- 1000W Incandescent, 300W fluorescent load capacity
- BS EN 60730-2-7
- Dimensions (HxWxD): 150x95x120mm

SR0700302	110°	Black	£9.24
SR0700402	110°	White	£9.24
SR0700702	180°	Black	£9.99
SR0700802	180°	White	£9.99

Twin Spot PIR's

Ignitek Ltd



Twin spot floodlight & PIR. At night, the built-in passive infrared (PIR) motion sensor turns on the floodlight when it detects motion in its coverage area. During the day, the built-in photocell sensor saves electricity by deactivating the lights. Time and light adjustment functions let you select how long and when the light will stay on after activation.

- Detection range of up to 15m at 20°C
- Detection angle of 180°
- Mounting height of 1.8m to 2.0 m
- Auto/Off, manual override switch function
- Requires 2x PAR38 bulbs (not supplied)
- Lamps not supplied, for use with 120W PAR38 spotlights

643541

SR0749502	White	£18.54
SR0749602	Black	£18.54

Vehicle & Personal GPS Tracker

streetwise



- Compact size
- Track cars, vans, caravans and other vehicles
- Also for tracking children, the elderly and even pets
- Compatible with Vodafone Pay-as-you-go SIM cards only

How to use

- Insert pay-as-you-go SIM card (not included)
- Send the tracker a text
- Receive a location

Note: Mobile phone not supplied

£47.50

order code SR0881102

701395

Microwave Sensor Motion Activated Switch

ENSA

The ENSA-MS1 is an automated motion-activated switch that uses a 5.8GHz microwave sensor to detect motion. It also features a built-in daylight sensor and control electronics. The switch is ideal for use in conjunction with any light and can multiply power cost savings by controlling energy-efficient lights to turn on only when required.



- Daylight sensor measures ambient light levels (adjustable 5-2,000 Lux)
- Microwave motion sensor is activated if light levels fall below the set limit
- Connected light will turn on when movement is detected
- Microwave sensor has an adjustable detection range (2-8m radius), 360° detection arc
- Can detect motion through doors, glass windows or thin walls
- When movement is no longer detected, light turns off automatically as per the on-time delay settings (5s - 10min)
- DIP switches control motion, daylight sensitivity and on-time delay

£16.65

order code SR0907002

706310

2300W PIR Light Controller

Autosave

- 12m Detection range
- 180° Area detection
- Pan and tilt feature
- Light ON times from 5 seconds to 5 minutes
- Adjustable light level control
- IP55 Weatherproof
- Total PIR switching 2300W incandescent/halogen, 500W fluorescent, 80W low energy
- 3 Year warranty



£14.79

order code SR0848602

687523

360° Occupancy Sensors

Ignitek Ltd



A choice of fully automatic occupancy sensors which are capable of controlling up to 2000W incandescent or 1500W fluorescent lighting using the passive infrared sensor which reacts to changes in heat patterns created by movement.

- Ideal for security or reducing energy costs
- Time ON adjustable from 5 seconds to 40 minutes
- Adjustable Lux levels
- Surface or flush mounted options available

690618

SR0864502	Flush Mount	£19.35
SR0864602	Surface Mount	£20.57

Preston Contact Centre

8am - 7pm Mon to Fri
9am - 5pm Saturday
Now open Bank Holidays

Cat6 U/UTP HD Cable



- 4 Pairs to the core with non-metallic cross separator (spline)
- Violet LSHF sheath jacket
- Conforms to EIA/TIA-568-C.2, ISO/IEC11801 2nd edition, IEC 61156-5, EN50173-1 & EN 50288-6-1 standards
- Single bare copper wire conductor (0.54mm)
- 0.95mm Polyethylene insulation
- External Diameter: 5.3mm
- Insulation resistance (500V): $\geq 500M\Omega$
- Resistance (unbalanced): $\leq 2\%$
- Mean Impedance @ 100MHz: $100\Omega \pm 5\Omega$
- Propagation delay: Nominal 535ns/100m
- Delay skew: Nominal 20ns/100m
- 305m Length supplied in a Reel box

£83.48

order code CB1748402

700959

Networking Cable, UTP CCA Conductors



- Economy network cable
- CCA (Copper Clad Aluminium) conductors
- Impedance 100 ± 15 Ohm

Technical Data

Frequency (MHz)	SRL (dB)	Attenuation (dB/100m)
0.772	19.4	1.8
1	20	2.99
4	23	4.32
8	24.5	5.8
10	25	6.5
16	25	8.2
20	25	9.3
25	24.3	10.4
31.25	23.6	11.7
62.5	21.5	17
100	20.1	22

693083

305m

CB1403202	Grey	£26.63
CB1508202	Red	£26.63
CB1508302	Blue	£26.63
CB1508402	Green	£26.63
CB1508502	Yellow	£26.63
CB1508602	White	£26.63

100m

CB1472202	Grey	£11.30
CB1508702	Red	£11.30
CB1508802	Blue	£11.30
CB1508902	Green	£11.30
CB1509002	Yellow	£11.30
CB1509102	White	£11.30

Networking Cable, UTP CCA Conductors - Low Smoke



- Economy network cable
- Low smoke sheath
- CCA (Copper Clad Aluminium) conductors
- Impedance 100 ± 15 Ohm
- Supplied on 100m reels or in 305m boxes


Technical Data

Frequency (MHz)	SRL (dB)	Attenuation (dB/100m)
0.772	19.4	1.8
1	20	2.99
4	23	4.32
8	24.5	5.8
10	25	6.5
16	25	8.2
20	25	9.3
25	24.3	10.4
31.25	23.6	11.7
62.5	21.5	17
100	20.1	22

658407

CB1477802	100m	£14.23
CB1461802	305m	£35.26

Networking Cable, C6 CCA Conductors



- Copper clad aluminium conductors
- Supplied in 305m boxes

Technical Data

Frequency (MHz)	SRL (dB)	Attenuation (dB/100m)
1	20	2.03
4	23.01	3.78
8	24.52	5.32
10	25	5.95
16	25	7.55
20	25	8.47
25	24.32	9.51
31.25	23.64	10.67
62.5	21.54	15.38

£36.45

order code CB1464702

637393

Category 5 Enhanced UTP Cable



- Quality CAT5E 4 pair network cable
- Unshielded Twisted Pair (UTP) construction
- Conforms to ISO/IEC 11801, ANSI/TIA/EIA-568A
- Suitable for up to 100Mbps
- Supplied on 100m or 50m reels or in 305m boxes

693084

CB1440902	Red	100m	£20.58
CB1132302	Red	305m	£42.33
CB1441002	Blue	100m	£20.58
CB1132402	Blue	305m	£42.33
CB1441102	Green	100m	£20.58
CB1132502	Green	305m	£42.33
CB1441202	Yellow	100m	£20.58
CB1132602	Yellow	305m	£42.33
CB1441302	White	100m	£20.58
CB1440802	White	305m	£42.33
CB1478302	Grey	50m	£12.05
CB1372102	Grey	100m	£20.58
CBBR749202	Grey	305m	£40.50

CAT5E UTP Outdoor Use



- Quality outdoor cable
- CAT5E 4 pair network cable
- Solid bare copper conductor
- Double jacket
- PE insulation
- Unshielded Twisted Pair (UTP)
- Conforms to ISO/IEC 11801, ANSI/TIA/EIA-568A
- Impedance 100 ± 15 Ohm
- Suitable for up to 100Mbps
- Black in colour



655359

Technical Data

Frequency (MHz)	SRL (dB)	Attenuation (dB/100m)
0.772	19.4	1.8
1	20	2
4	23	4.1
8	24.5	5.8
10	25	6.5
16	25	8.2
20	25	9.3
25	24.3	10.4
31.25	23.6	11.7
62.5	21.5	17
100	20.1	22

CB1477602	100m	£22.45
CB1400102	305m	£59.97

Category 5E FTP Cable



- Quality Cat5E network cable
- Foiled Twisted Pair (FTP) construction
- Conforms to ISO/IEC 11801, ANSI/TIA/EIA-568A
- Suitable for up to 100Mbps
- Colour: Grey

694415

CB1477902	100m	£28.66
CBBR749302	305m	£76.01

Category 5E LSZH Cable - 305m



- HDPE insulation
- Size of insulation: 0.93 ± 0.05 mm
- Jacket colour: Purple
- Jacket size: 5.2 ± 0.2 mm
- Wall thickness: 0.5mm
- Conductor resistance: ≤ 96.0 Ohm/KM
- Insulation resistance: ≤ 5000 Ohm/KM
- Testing voltage: Wire/wire 50Hz 1 min = 1.5KV
- Permissible temperature: -10°C - 75°C



Technical Data

Freq. (MHz)	Imp (ohm)	Return loss ($\leq$ dB/100m)	Attenuation NEXT ($\leq$ dB/100m)
1	100 ± 15	20.0	2.04
4	100 ± 15	23.0	4.1
10	100 ± 15	25.0	6.5
16	100 ± 15	25.0	8.2
20	100 ± 15	25.0	9.3
31.25	100 ± 15	25.0	11.6
62.5	100 ± 15	21.5	17.0
100	100 ± 15	20.1	22.0

£53.20

order code CB1489002

675952

Heavy Duty Cat5e Cable



- High quality Cat5e heavy duty cable
- Copper conductor
- Air space PE insulation
- Insulation diameter/thickness: 0.99 ± 0.05 mm/ 0.20 ± 0.05 mm
- Jacket material: PVC
- Jacket colour: Blue
- Jacket diameter/thickness: 7.5 ± 0.2 mm/ 0.54 ± 0.10 mm
- Conductor DC resistance: 86.44 Ohm/KM
- Supplied on 100m reel

£59.98

order code CB1517002

693085

Heavy Duty Cat6 Cable



- High quality cat6 heavy duty cable
- Copper conductor
- Foam skin PE insulation
- Insulation diameter/thickness: 1.2 ± 0.05 mm/ 0.29 ± 0.05 mm
- Jacket material: PVC
- Jacket colour: Green
- Jacket diameter/thickness: 7.8 ± 0.2 mm/ 0.59 ± 0.10 mm
- Conductor DC resistance: 75.81 Ohm/KM
- Supplied on 100m reel

£64.80

order code CB1517102

693088

Cat. 6 Cable



- Solid copper conductor
- Impedance: $100 \pm 15\Omega$



Technical Data

Freq. (MHz)	Return loss (dB)	Attenuation (dB/100m)	NEXT (dB)	ELFEXT (dB)
0.772	19.4	1.8	74.0	67.0
1	20.0	2.0	72.3	64.8
4	23.0	3.7	63.3	52.8
8	24.5	5.3	58.8	46.7
10	25.0	5.9	57.3	44.8
16	25.0	7.5	54.2	40.7
20	25.0	8.4	52.8	38.8
20	24.3	9.5	51.3	36.8

693086

Unshielded (5m)

CB1132702	Grey	£65.92
CB1507202	Red	£66.85
CB1507302	Blue	£66.85
CB1507402	Green	£66.85
CB1507502	Yellow	£66.85

Unshielded (100m)

CB1507702	Red	£26.99
CB1507802	Blue	£26.99
CB1507902	Green	£26.99
CB1508002	Yellow	£26.99
CB1508102	White	£26.99

Unshielded, Low Smoke (305m)

CB1395402	Purple	£82.30
-----------	--------	--------

Shielded, Low Smoke (305m)

CB1776102	Grey	£131.40
-----------	------	---------

Category 6 LSZH Cable



- High quality category 6 networking cable
- Single bare copper conductor
- HDPE insulation
- Size of insulation: 1.03 ± 0.05 mm
- Jacket material: LSZH
- Jacket colour: Purple
- Jacket size: 6.5 ± 0.2 mm
- Wall thickness: 0.6mm
- Conductor resistance: ≤ 70 Ohm/KM
- Insulation resistance: ≤ 5000 Ohm/KM
- Testing voltage: Wire/wire 50Hz 1 min = 1.5KV
- Permissible temperature: -10°C - 60°C
- Supplied in 305m boxes



Technical Data

Freq. (MHz)	Impedance (ohm)	Return loss ($\leq$ dB/100m)	Attenuation NEXT ($\leq$ dB/100m)
1	100 ± 15	20.0	2.03
4	100 ± 15	23.0	3.7
8	100 ± 15	24.5	5.3
10	100 ± 15	25.0	5.9
16	100 ± 15	25.0	7.5
20	100 ± 15	25.0	8.4
25	100 ± 15	24.3	9.5
31.25	100 ± 15	23.6	10.6
62.5	100 ± 15	21.5	15.4
100	100 ± 20	20.1	19.8
200	100 ± 20	18.0	29.0
250	100 ± 20	17.3	32.8

£76.84

order code CB1489102

675953

Digital Coaxial Cable 100U

PRO-POWER



- Suitable for the reception of digital terrestrial and digital satellite signal

Technical Data

Conductor	1.00 mm Bare Copper
Shield	Copper Foil + 64 Strand 0.12 mm CCA
Jacket	PVC
Outer Diameter	6.50 mm
Impedance	75 Ohm (+/- 4%)
Capacitance	54 PF/m (+/- 5%)

Attenuation	MHz	100 m/ dB
	50	7.5
	230	13
	470	17
	860	22
	1000	24
	1350	27.5
	1750	28.5
	2150	35

Cable Coax RG6U

PRO-POWER



- Inner conductor: 1/1.02±0.01mm CCS 1.02±0.01mm
- Insulation: Foamed PE
- Size: 4.7±0.1mm
- Wall thickness: 1.8mm
- Screening: AL foil
- Braiding: 16x4/0.12±0.003 AL/MG
- PVC jacket
- Size of jacket: 6.8±0.2mm
- Wall thickness: 0.8mm
- Conductor resistance: ≤120 Ohm/KM
- Insulation resistance: ≥5000M Ohm/KM
- Testing voltage: wire/wire/screen 50Hz 1min=1.5kv

691661

5m

CB1524702	Black	£4.90
CB1524802	White	£4.90

100m

CB1480102	Black	£7.19
CB1480202	White	£7.19
CB1780902	Brown	£9.55

250m

CB1509302	White	£18.44
-----------	-------	--------

RG6U 75Ω Satellite Cable

PRO-POWER



- A 75Ω coaxial cable
- Designed for satellite interconnection purposes
- 1.00mm Conductor
- Semi air spaced
- Available in black or white
- Supplied on 100m reels

Technical Data

Impedance 75Ω

Conductor	1/1.0 ² mm cc5
Screen	64/0.12mm Braided Aluminium
Outer Diameter	6.50mm
CSA (mm)	0.78

Semi Air Spaced

CB1272602	Black, PVC	£9.98
CB1272702	White, PVC	£9.98

CB1524502	Black, Low Smoke and Fume	£9.64
CB1524602	White, Low Smoke and Fume	£9.64

Foam Filled

CB1717202	Black, PVC	£6.25
CB1717302	White, PVC	£6.25

628908

100U Digital Coax Cable

PRO-POWER



- High quality 100u digital coaxial cable
- Single bare copper conductor
- Air space PE insulation
- Size of insulation: 4.7±0.01mm
- Jacket material: LSF PVC
- Jacket colour: Black
- Jacket size: 6.5±0.2mm
- Wall thickness: ≈0.7mm
- Conductor resistance: ≤25 Ohm/KM
- Insulation resistance: ≥5000M Ohm/KM
- Testing voltage: Wire/wire 50Hz 1 min = 1.5KV
- Impedance: 75 Ohm
- Permissible temperature: -10°C - 60°C
- Supplied on 50m, 100m or 250m reels
- Available in black or white

Technical Data

Frequency	50	100	200	800	1000
ATT (dB/100m)	7.3	10.3	12.9	23.5	30.5

CB1523902	Black	50m	£13.28
CB1524002	White	50m	£13.28
CB1524102	Black	100m	£25.10
CB1524202	White	100m	£25.10
CB1524302	Black	250m	£62.06
CB1524402	White	250m	£62.06

693095

Twin Digital/Satellite Cable

PRO-POWER

- Suitable for the reception of digital terrestrial and digital satellite & high speed data transfer
- Manufactured to minimise signal losses and to provide excellent RLR characteristics
- Figure 8 construction
- Semi air spaced dielectric
- Cable is supplied in lengths of 100m
- Colour: Black



Technical Data

Inner conductor nominal diameter	1.00mm bare copper
Dielectric nominal Diameter	4.60mm
Outer Conductor Nom. Diameter	4.65mm
Screen	64/0.12mm ccA Braid
Nominal O/D	Screen (65% coverage)
Max. Bending Radius Single Bend / Multiple Bending	6.65mm
Conductor Resistance - inner	40/70mm
- Outer	21.50Ω
Nominal Characteristic Impedance	14.9Ω
Attenuation Loss (dB/100m)	75Ω

Attenuation Loss (dB/100m)	5	50	100	200	460	860	1000	1750	2150
MHz	MHz	MHz	MHz	MHz	MHz	MHz	MHz	MHz	MHz
1.4	4.2	5.8	8.5	13.5	19.0	20.0	27.5	30.5	30.5
CB1105602	PVC							£44.70	
CB1524902	Low Smoke and Fume							£47.28	

639096

Tri-Rated Switchgear Wire

Flexible switchgear and control wire, manufactured in accordance with BS6231, BS EN50528-2-31, UL1015, UL758 and CSA C22.2. Applications include the wiring of switch and control panels and in motor starters and controllers.

- Plain Copper wire conductors, flexible class 5
- Maximum Operating Temperature - 105°C
- Supplied on 100m reels



677395

Technical Data

Size (mm)	Size AWG	Conductor (mm)	Average Insulation Thickness (mm)	Max. External (mm)	Max. Elect. Resistance at 20°C (Ω/km)	Current Rating in Air at 45°C (A)
0.5mm	22	0.9	0.8	2.6	39.0	11
0.75mm	20	0.9	0.8	2.8	39.0	14
1.00mm	18	0.9	0.8	2.9	39.0	17
1.50mm	16	0.9	0.8	3.2	39.0	21
2.50mm	14	0.9	0.8	3.6	39.0	30
4.00mm	12	0.9	0.8	4.2	39.0	40
6.00mm	10	0.9	0.8	4.8	39.0	55
10.00mm	8	0.9	0.8	6.3	39.0	75
16.00mm	6	0.9	0.8	8.0	39.0	100

CB1510202	0.5mm Black	£7.57	CB1513602	1.50mm Yellow	£16.46
CB1510302	0.5mm Blue	£7.57	CB1513702	1.50mm Green, Yellow	£16.46
CB1510402	0.5mm Brown	£7.57	CB1513802	2.50mm Blue	£25.13
CB1510502	0.5mm Grey	£7.57	CB1513902	2.50mm Brown	£25.13
CB1510602	0.5mm Orange	£7.57	CB1514002	2.50mm Red	£25.13
CB1510702	0.5mm Red	£7.57	CB1514102	2.50mm Grey	£25.13
CB1510802	0.5mm White	£7.57	CB1514202	2.50mm White	£25.13
CB1510902	0.5mm Yellow	£7.57	CB1514302	2.50mm Yellow	£25.13
CB1511002	0.5mm Green, Yellow	£7.57	CB1514402	2.50mm Orange	£25.13
CB1511102	0.75mm Black	£9.79	CB1514502	2.50mm Green, Yellow	£25.13
CB1511202	0.75mm Blue	£9.79	CB1514602	4.00mm Blue	£37.90
CB1511302	0.75mm Brown	£9.79	CB1514702	4.00mm Brown	£37.90
CB1511402	0.75mm Grey	£9.79	CB1514802	4.00mm Red	£37.90
CB1511502	0.75mm Orange	£9.79	CB1514902	4.00mm Black	£37.90
CB1511602	0.75mm Red	£9.79	CB1515002	4.00mm Grey	£37.90
CB1511702	0.75mm White	£9.79	CB1515102	4.00mm Green, Yellow	£37.90
CB1511802	0.75mm Yellow	£9.79	CB1515202	6.00mm Blue	£61.70
CB1511902	0.75mm Green, Yellow	£9.79	CB1515302	6.00mm Brown	£61.70
CB1512002	1.00mm Black	£12.57	CB1515402	6.00mm Red	£61.70
CB1512102	1.00mm Blue	£12.57	CB1515502	6.00mm Black	£61.70
CB1512202	1.00mm Brown	£12.57	CB1515602	6.00mm Grey	£61.70
CB1512302	1.00mm Grey	£12.57	CB1515702	6.00mm Green, Yellow	£61.70
CB1512402	1.00mm Orange	£12.57	CB1515802	10.00mm Blue	£93.37
CB1512502	1.00mm Red	£12.57	CB1515902	10.00mm Brown	£93.37
CB1512602	1.00mm White	£12.57	CB1516002	10.00mm Red	£93.37
CB1512702	1.00mm Yellow	£12.57	CB1516102	10.00mm Black	£93.37
CB1512802	1.00mm Green, Yellow	£12.57	CB1516202	10.00mm Grey	£93.37
CB1512902	1.50mm Black	£16.46	CB1516302	10.00mm Green, Yellow	£93.37
CB1513002	1.50mm Blue	£16.46	CB1516402	16.00mm Blue	£157.80
CB1513102	1.50mm Brown	£16.46	CB1516502	16.00mm Brown	£157.80
CB1513202	1.50mm Grey	£16.46	CB1516602	16.00mm Red	£157.80
CB1513302	1.50mm Orange	£16.46	CB1516702	16.00mm Black	£157.90
CB1513402	1.50mm Red	£16.46	CB1516802	16.00mm Grey	£157.80
CB1513502	1.50mm White	£16.46	CB1516902	16.00mm Green, Yellow	£157.90

125 Digital/Satellite Coax Cable

PRO-POWER



- 75Ω Coaxial cable
- Specifically designed to carry TV, satellite and video signals
- Also can be used with camera and CCTV installations
- 1.25mm Solid copper conductor
- Five cell, semi air spaced dielectric
- Screening of a rigid copper foil and 64 strand copper braiding
- Available in black or white
- Supplied on 100m reels


Technical Data

Impedance	75Ω
Conductor	1/1.25mm
Screen	64/0.12mm Braided Copper
Outer Diameter	Screen+copper foil
CSA (mm)	7.80mm
	1.23

CBBR013202	125 Black 100m Reel	£38.09
CB1388302	125 White 100m Reel	£33.60

Figure 8 Car Audio Cable - 100m

PRO-POWER



Technical Data

Strands/mm	Dims (mm)	Current (Max)	CSA
2x14/0.20mm	5.4x2.70	3 Amp	0.395
2x20/0.20mm	5.6x2.80	6 Amp	0.57
2x28/0.20mm	6.00x3.00	10 Amp	0.79
2x44/0.20mm	6.60x3.30	15 Amp	1.24
2x75/0.20mm	7.60x3.80	20 Amp	2.12

628887

CBBR124302	3A	£13.18
CBBR124402	6A	£16.17
CBBR124502	10A	£22.59
CBBR124602	15A	£32.96
CBBR124702	20A	£59.33

High Quality Figure 8 Speaker Cable

PRO-POWER

- OFC conductors • Supplied on 100m reels

Technical Data				631953
No of Strands/mm	CSA (mm)	No. of Cores	Dimensions	
66/0.12	0.75	2	2.6x5.2mm	
88/0.12	1.00	2	3x6mm	
132/0.12	1.50	2	4x8mm	
224/0.12	2.50	2	5x10mm	
CB1399202	66/0.12mm			£38.20
CB1399302	88x0.12mm			£48.20
CB1399402	132x0.12mm			£66.25
CB1399502	224x0.12mm			£74.20

Loudspeaker Cable-2 Core

PRO-POWER

2-Core 1.5mm ² (78/0.15mm)				628886
CB0866602	100m	6.6mm		£42.61
CB0866702	50m	6.6mm		£22.31
2-Core 2.5mm ² (129/0.15mm)				
CB0866802	100m	7.3mm		£64.46
CB0866902	50m	7.3mm		£33.68

Audio Speaker Cable - 1.50mm/100m

PRO-POWER

£41.90

order code CB0864802 635330

Four Core Individually Screened Cable

PRO-POWER

A four core, individually screened audio cable which keeps crosstalk to a minimum. The cable is supplied on 100m reels.

Technical Data	
Conductors	4x 7/0.10mm
Sheath	PVC
O/D	4.50mm
Colour	Black
CSA	0.05mm
Reel	100m

£20.39

order code CBBR416102 635137

OFC Screened Four Core Audio Cable

PRO-POWER

High quality, four core screened cable which is ideal for general audio and microphone applications. The cable has a 112x0.10mm tinned copper braid thus keeping interference and distortion to an absolute minimum. The cable is constructed using 99.999% OFC conductors.

Supplied on 100m reels.

Technical Data	
Conductors	4x (16x0.20mm) OFC
Screen	112x0.10mm Tinned OFC
O/D	7.20mm
Colour	Grey
Sheath	PVC
Reel	100m

£53.92

order code CBBR417902 635150

High Quality Figure of '8' Speaker Cable

PRO-POWER

A high quality two core figure of '8' speaker cable featuring 99.99% oxygen free copper (OFC). The cable is over sheathed in extremely flexible transparent red and black PVC.

Technical Data				
Conductors	O/D			
CBBR631502	30x0.12mm (OFC) 2x0.34mm			635139
CBBR631402	80x0.12mm (OFC) 2x0.90mm			
CBBR631502				£21.06
CBBR631402				£23.21

Square OFC Spaced Audio Cable

PRO-POWER

- 5mm Square transparent flexible PVC jacket
- 3mm Spacing to reduce crosstalk
- Oxygen Free Copper (OFC) bare copper strands
- 99.999% Pure copper
- Suitable for high end audio or car stereo systems

Technical Data				
Conductors	2x 2.5mm ²			
Inner conductors	315x0.11mm			
	2x 5.0x5.0mm + 3mm spacing			
Outer dimensions	100m/50m			635387
Reel				
CBBR818002	100m Reel			£72.00
CBBR818102	50m Reel			£37.18

High Quality Speaker Cable - 100m

PRO-POWER

- Highly flexible round construction

Technical Data				631952
No of Strands/mm	CSA (mm)	No. of Cores	Outer Diameter	
66/0.12	0.75	2	5.50mm	
132/0.12	1.50	2	7.00mm	
224/0.12	2.50	2	8.00mm	

100m Lengths			
CB1398802	66/0.12mm		£36.31
CB1398902	132x0.12mm		£57.17
1m Lengths			
CB1407502	66/0.12mm		£0.37
CB1407602	132x0.12mm		£0.68

Loud Speaker Cable - 100m

PRO-POWER

- Cotton filling for extra flexibility and reduce crosstalk
- Oxygen Free Copper (OFC) bare copper strands
- 99.999% Pure copper
- Low contamination plastic to ensure high music transmission
- Flexible PVC jacket
- Ideal for home cinema or car stereo systems

Technical Data				635165
Conductors	2x 2.0mm ²			
Inner conductors	252x0.10mm (36/7/0.10mm)			
Outer diameter	8.0mm			
Colour	Dark blue			
Reel	100m or 50m			
CBBR816202	100m			£66.05
CBBR816302	50m			£31.29

Flexible OFC Transparent Audio Cable - 100m

PRO-POWER

- Oxygen Free Copper (OFC) bare copper strands
- 99.999% Pure copper
- Conductors: 1x tinned copper and 1x bare copper
- Very flexible PVC jacket
- Suitable for home cinema and Hi-Fi systems

Technical Data	
Conductors	2x 0.75mm ²
Inner conductors	24x 0.20mm
Outer diameter	2x 2.5mm

£20.81

order code CBBR817402 635102

High Performance Speaker Cable

PRO-POWER

- High performance two core speaker cable, ideal for use with PA systems or general A/V applications
- OFC conductors
- Highly flexible
- Supplied on 100m reels

Technical Data	
No. of Conductors	2
Conductors	41/0.16mm ²
Outer diameter	6mm
Insulation	PVC
Colour	Black
Reel	100m

£51.38

order code CB1331902 635203

High Performance Speaker Cable

PRO-POWER

- High performance two core speaker cable, ideal for use with P.A systems or general A/V applications
- OFC conductors
- Highly flexible
- Supplied on 100m reels

Technical Data	
No. of Conductors	2
Conductors	26/0.16mm ²
Outer diameter	5.5mm
Insulation	PVC
Colour	Black
Reel	100m

£36.24

order code CB1332002 635219

High Quality Transparent Twisted Speaker Cable

PRO-POWER

A superb quality, flexible two core twisted speaker cable with 189 strands of 99.99% oxygen free copper (OFC) conductors that ensures high precision music transmission and crystal clear, crisp sound quality. The conductors and cable are sheathed in transparent PVC. Supplied on 100m reels.

Technical Data	
Conductors	Size
189x0.10mm (OFC)	2x 1.50mm ²
(27/7/0.10mm)	

£45.84

order code CBBR631602 635114

Balanced Multicore Cable 4 Pair - 50m

PRO-POWER

- PE insulation
- Numbered pairs

Technical Data	
Conductors	7/0.20 + 20/0.12mm ² Earth
Outer diameter	10mm
Insulation	PE
Colour	Blue

£53.35

order code CB1332302 631947

Balanced Multicore Cable 8 Pair - 50m

PRO-POWER

- Aluminium foil screen
- PE insulation
- OFC conductors
- Numbered pairs

Technical Data	
No. of Pairs	8
Conductors	7/0.20 + 20/0.12mm ² Earth
Outer diameter	13mm
Insulation	PE
Colour	Black
Reel	50m

£80.13

order code CB1332402 635201

OFC Screened Audio Connection Cable

PRO-POWER

High quality, single core audio connecting cable which provides quality transmission of low frequency audio signal between audio equipment. The cable is constructed using 99.999% OFC conductors and screen thus enabling signal distortion, resistance and interference to be kept to a minimum.

Technical Data	
Conductors	1x (10x 0.12mm) OFC
Screen	26x0.10mm OFC
O/D	1.60mm
Colour	Grey
Sheath	PVC
Reel	100m

£4.29

order code CBBR417702 635148

Figure 8 Loud Speaker Cable - 100m

PRO-POWER

- Bare copper stranded conductors
- 99.999% Oxygen Free Copper (OFC)

Technical Data	
Conductors	2x 0.57mm ²
Inner conductors	50x 0.12mm
Outer diameter	2x 3.0mm
Colour	Black & Red

£17.10

order code CBBR817202 635385

High Quality Microphone Cable



- Superb quality, highly flexible microphone cable
- OFC conductors
- Spiral braid, Aluminium foil + cotton yarn
- Braid: 46/0.10mm OFC
- Supplied on 100m reels

Technical Data

Conductors	20/0.10mm OFC
Insulation	LDPE
O/D	5.50mm soft PVC
Colour	Black

£29.27

order code CB1395702

635314

Four Core Individually Screened Audio Cable



A high quality OFC four core flat individually lap screened audio cable that is ideal for phono leads, in-car hi-fi and general audio applications. The black outer sheath is constructed from extremely flexible PVC, with colour coded cores. Supplied on 100m reels and by the metre.

Technical Data

Overall Size	2.80x11.20mm
Conductors	18x0.10mm (OFC)
Screen	4x40x0.11mm Lap Screened

CBBR640502	Black 1m	£0.63
CBBR631202	Black 100m	£32.95

Extra Flexible Screened Single Core Cable



A high quality, very flexible screened single core cable that is suitable for microphone and general purpose audio applications. The cable is constructed using extra soft, low contamination PVC and Oxygen Free Copper (OFC) to ensure a very low loss of transmission and a long operating life.

Technical Data

Conductors	18x0.10mm OFC Copper
Screen	36x0.11mm OFC Copper
Sheath	Spiral Wrap PVC
O/D	4.50mm
Colour	Black
Reel	100m

£11.22

order code CBBR416602

635138

Single Core Screened Audio Cable



A single core screened audio cable for general audio connections. The cable has stranded copper conductors with a lap copper screen covered by a PVC sheath. **Supplied on 100m reels.**

Technical Data


Conductors	7/0.10mm
Sheath	PVC
O/D	3.00mm
Colour	Black
CSA	0.05mm
Reel	100m

£7.06

order code CBBR416402

635136

High Quality Microphone Cable



- Superb quality, highly flexible microphone cable
- OFC conductors
- Spiral braid, Aluminium foil + cotton yarn
- Supplied on 100m reel

Technical Data

Conductors	20/0.10mm OFC
Insulation	LDPE
O/D	3mm soft PVC

£18.42

order code CB1396202

635299

OFC Screened Two Core Audio Connection Cable



High quality, two core screened audio connecting cable which provides quality transmission of low frequency audio signals between audio equipment. The cable is constructed using 99.999% OFC conductors that are twisted and an OFC screen, thus enabling signal distortion, resistance and interference to be kept to a minimum.

Technical Data

Conductors	2x (10x0.12mm) OFC
Screen	38x0.11mm OFC
O/D	2.80mm
Colour	Grey
Sheath	PVC
Reel	100m

£9.24

order code CBBR417802

635103

Twin Individually Screened Audio Cable



- Supplied on 100 metre reels.
- Black

Technical Data

Overall Size	4.00x8.00mm
Conductors	20x0.12mm (OFC)
Screen	2x45x0.11mm Lap Screened (OFC)

£21.53

order code CBBR631302

631962

Double Shielded Balanced Microphone Cable - 100m



- OFC copper conductors and braid
- Suitable for use in studios, P.A equipment, and general audio applications
- Spiral bare copper braid + tissue

Technical Data

Number of Conductors	2 (white and red)
Conductors	20/0.12mm ² bare copper
Outer diameter	6mm
Insulation	PVC
Braid	16x6/0.12mm bare copper + Al foil

CB1330502	Black	£47.50
CB1330702	Blue	£47.50

AV Interconnection Cable



- AV interconnection cable available in 2 core configuration
- Ideal for PA and general audio video applications
- OFC conductor and braid
- Double Shielded
- Highly flexible
- 100m Reels

Technical Data

No. of Conductors	2
Conductors	2x 20/0.12mm ²
Outer diameter	5.5x11mm
Insulation	PE
Braid	36/0.12mm ² BC

£50.61

order code CB1331802

635202

Single Screened Two Core Microphone Cable - 100m



Very flexible, two core screened noiseless microphone cable. Each core is constructed of stranded copper conductors with conductive plastic and copper lap screen, with an overall PVC sheath.

Technical Data

Conductors	2x 20/0.10mm
Sheath	PVC
O/D	6.30mm
CSA	0.16mm

CBBR416802	Black	£41.41
CBBR416902	Red	
CBBR417002	Blue	

631960

Releasable & Reusable Cable Ties



- Use time and time again
- Packs of 10 and a mixed pack of 40
- Mixed pack contains: 5x each colour in both sizes

CB1370502	Black	£0.95
CB1370602	Red	£0.95
CB1370702	Yellow	£0.95
CB1370802	Blue	£0.95
CB1371102	Black	£1.88
CB1371202	Red	£1.88
CB1371402	Blue	£1.88
CB1371502	Yellow	£1.60
CB1371602	Mixed Pack	£6.98

653473

Weather Resistant Cable Ties



- Permanent locking
- UL recognised (E97527)
- Supplied in packs of 100

628921

Standard Non-Releasable Cable Ties



628920

Natural

CBBR666602	100x2.50mm	100	£0.19
CBBR666702	100x2.50mm	1000	£1.80
CBBR667002	142x2.50mm	100	£0.30
CBBR667202	142x3.20mm	100	£0.47
CBBR667402	150x3.00mm	100	£1.59
CBBR667702	160x4.80mm	1000	£7.92
CBBR667802	200x2.50mm	100	£0.42
CBBR667902	200x2.50mm	1000	£3.98
CBBR668102	203x3.60mm	100	£0.63
CBBR668202	203x3.60mm	1000	£5.70
CBBR668302	203x4.60mm	100	£0.84
CBBR668402	203x4.60mm	1000	£9.02
CBBR668502	250x3.00mm	100	£2.45
CBBR668602	292x3.60mm	100	£0.99
CBBR668702	292x3.60mm	1000	£9.70
CBBR668802	300x4.50mm	100	£1.43
CBBR668902	300x4.80mm	1000	£13.76
CBBR669002	370x3.60mm	100	£1.20
CBBR669202	370x4.80mm	100	£1.62
CBBR669302	370x4.80mm	1000	£15.80
CBBR669502	400x5.00mm	100	£2.22
CBBR669602	500x5.00mm	100	£2.64

Black

CBBR669702	100x2.50mm	100	£0.23
CBBR669902	120x4.80mm	100	£0.66
CBBR724102	120x4.80mm	1000	£6.05
CBBR724202	142x2.50mm	100	£0.30
CBBR724302	142x2.50mm	1000	£2.90
CBBR724402	142x3.20mm	100	£0.50
CBBR724502	142x3.20mm	1000	£4.40
CBBR724602	150x3.00mm	100	£1.59
CBBR724702	165x2.50mm	100	£0.36
CBBR724802	160x4.80mm	100	£0.86
CBBR724902	160x4.80mm	1000	£7.74
CBBR725002	200x2.50mm	100	£0.45
CBBR725102	200x2.50mm	100	£3.80
CBBR725202	200x3.00mm	100	£1.82
CBBR725302	203x3.60mm	100	£0.70
CBBR725502	203x3.60mm	100	£0.94
CBBR725602	203x4.60mm	100	£8.90
CBBR725702	250x3.00mm	100	£2.70
CBBR725802	292x3.60mm	100	£1.05
CBBR725902	292x3.60mm	1000	£10.34
CBBR726002	300x4.80mm	100	£1.30
CBBR726102	300x4.50mm	1000	£12.40
CBBR726202	370x3.60mm	100	£1.28
CBBR726402	370x4.80mm	100	£1.83
CBBR726502	370x4.80mm	1000	£16.80
CBBR726602	370x7.60mm	100	£3.40
CBBR726702	400x5.00mm	100	£1.98
CBBR726802	500x5.00mm	100	£2.40

CBBR770202	100x2.50mm	£0.23
CBBR770302	120x4.80mm	£0.70
CBBR770402	140x2.50mm	£0.34
CBBR770502	142x3.20mm	£0.57
CBBR770602	160x2.50mm	£0.38
CBBR770702	160x4.80mm	£0.98
CBBR770802	200x2.50mm	£0.47
CBBR770902	200x3.60mm	£0.78
CBBR771002	200x4.50mm	£1.02
CBBR771102	300x3.50mm	£1.24
CBBR771202	300x4.50mm	£1.75
CBBR771302	370x3.50mm	£1.75
CBBR771402	370x4.50mm	£2.04
CBBR771502	370x7.50mm	£4.02

Releasable Cable Ties



- Simple to install and release
- Manufactured from Nylon 66, 94V-2
- Natural in colour
- UL recognised (E97527)
- Supplied in packs of 100



Technical Data

Length (mm)	Width	Max. Tensile	Max. Strength	Bundle Ø	Colour
300mm	7.50	22 Kgs	30mm	Natural	

£4.02

order code CB1472302

639466

Cable Tie Bases



Supplied in packs of 10.

628924

Natural	Width	Length	Price
CBBR091302	19x19x4mm		£0.18
CBBR091402	28x28x5mm		£0.29
Black	Width	Length	Price
CBBR091502	19x19x4mm		£0.18
CBBR091602	28x28x5mm		£0.29

IP68 Nylon Cable Glands - Metric Thread



- Protected to IP68 rating
- Working temperature: -40°C to 100°C
- Standard IEC698
- Supplied complete with locknut
- Manufactured from nylon 66 to UL94v-2

628917

Technical Data

Threaded entry metric dia. (mm)	Cable range H (mm)	GL (mm)	Spanner Size (mm)
M12 x 1.25	3 - 6.5	21	8 15
M16 x 1.5	4 - 8	22	8 19
M20 x 1.5	6 - 12	27	9 24
M25 x 1.5	13 - 18	31	11 33
M32 x 1.5	18 - 25	39	11 42
M40 x 1.5	22 - 32	48	13 53
M50 x 1.5	32 - 38	49	13 60
M63 x 1.5	37 - 44	49	14 65 / 68

Single Glands

CBBR737102	M12 White	£0.09
CBBR737202	M12 Black	£0.09
CB0862102	M12 Grey	£0.09
CBBR737302	M16 White	£0.12
CBBR737402	M16 Black	£0.12
CB0862302	M16 Grey	£0.12
CB0890802	M16 Red	£0.12
CBBR737502	M20 White	£0.17
CBBR737602	M20 Black	£0.17
CB0862502	M20 Grey	£0.17
CBBR737702	M25 White	£0.29
CBBR737802	M25 Black	£0.29
CB0862702	M25 Grey	£0.29
CBBR737902	M32 White	£0.48
CBBR738002	M32 Black	£0.48
CB0862902	M32 Grey	£0.48
CB0863102	M40 Grey	£0.76
CB0863302	M50 Grey	£0.99
100 Pack		
CB0862202	M16 Grey	£8.90

Steel Wire LSF Armoured Cable Glands - Type BW

Cable glands that are suitable for Steel Wire Armoured, plastic and rubber sheathed cables. The gland is ideal for use in dry conditions and will provide an IP rating of IP54.



The kit contains (M20S, M20, M32) -

- 2 Brass Glands
- 2 PVC Shrouds
- 2 Brass Locknuts
- 2 Earth Tags
- 1 Brass Glands
- 1 PVC Shrouds
- 1 Brass Locknuts
- 1 Earth Tags

The kit contains (M40, M50, M63) -

Technical Data

Type	Thread	Cable Dia Min./Max.(mm)
20mm Small	M20	12.90/15.80
20mm	M20	15.50/20.80
25mm	M25	19.50/26.50
32mm	M32	26.70/33.50
40mm	M40	29.0/37.70
50mm	M50	47.10/51.40
63mm	M63	56.6/63.00

CB1538802	20mm Small	£1.59
CB1538902	20mm	£2.00
CB1539002	25mm	£3.07
CB1539102	32mm	£4.52
CB1539202	40mm	£4.42
CB1539302	50mm	£7.06
CB1539402	63mm	£10.08

Cable Tidy with Tool



Cables are easily installed using a special plastic tool, which enables the split harness wrap to be quickly, and easily wrapped around the cables.

- Manufactured from Polypropylene.
- Supplied complete with wrapping tool.

Technical Data

	Max. cable dia.	Length
CB1465602	15mm	10m
CB1465702	20mm	10m
CB1465802	25mm	10m
CB1465902	30mm	10m
CB1466002	15mm	2.50m
CB1466102	20mm	2.50m
CB1466202	25mm	2.50m
CB1466302	30mm	2.50m

CB1465602	£3.91
CB1465702	£5.77
CB1465802	£7.11
CB1465902	£8.22
CB1466002	£1.12
CB1466102	£1.52
CB1466202	£2.04
CB1466302	£2.37

Self-Amalgamating Tape - 10m



Thickness
Tensile Strength
Elongation
Disruptive Strength
Colour

0.8mm
1.5MPa
700%
10kV/mm
Black

£2.47

order code CB1449202

628934

Normal Wall Flame Retardant Heat Shrinkable Tubing 2:1



- Shrink temperature 70°C to 110°C
- Operating temperature -55°C to 125°C
- Supplied in 5m lengths & 100m spools
- Material - Cross-Linked, thermally stabilized flame retardant polyolefin
- UL/CSA recognised (E307734) UL224, VW-1, C-UL CSA 22.2 OFT

635407

Technical Data

Tensile Strength	14.8 Mpa
Elongation	460%
Tensile Strength after ageing	14.5 Mpa
Elongation after ageing	480%
Dielectric Strength	17kV/mm

Size	Nom. Unshrunk	Nom. Shrunk
1.6mm	1.60mm	0.80mm
2.4mm	2.40mm	1.20mm
3.2mm	3.20mm	1.60mm
4.8mm	4.80mm	2.40mm
6.4mm	6.40mm	3.20mm
9.5mm	9.50mm	4.75mm
12.7mm	12.70mm	6.40mm
19.0mm	19.00mm	9.50mm
25.4mm	25.40mm	12.70mm
38.1mm	38.10mm	19.10mm
50.8mm	50.80mm	25.40mm

Black	Dia.	Length	Price
CB0968002	1.6mm	100m	£4.62
CB0968102	2.4mm	100m	£5.79
CB0968202	3.2mm	100m	£6.38
CB0968302	4.8mm	100m	£8.42
CB0968402	6.5mm	100m	£10.23
CB0968502	9.5mm	100m	£10.95
CB0968602	12.7mm	100m	£16.43
CB0968702	19mm	100m	£45.67
CB0968802	25.4mm	50m	£31.25
CB0968902	38.1mm	50m	£54.77
CB0969002	50.8mm	25m	£34.39
CB0969102	1.6mm	5m	£0.30
CB0969202	2.4mm	5m	£0.40
CB0969302	3.2mm	5m	£0.42
CB0969402	4.8mm	5m	£0.48
CB0969502	6.4mm	5m	£0.56
CB0969602	9.5mm	5m	£0.77
CB0969702	12.7mm	5m	£1.01
CB0969802	19mm	5m	£2.60
CB0969902	25.4mm	5m	£3.80
CB0970002	38.1mm	5m	£7.17
CB0970102	50.8mm	5m	£8.64

Clear

CB0970202	1.6mm	100m	£4.62
CB0970302	2.4mm	100m	£5.79
CB0970402	3.2mm	100m	£6.38
CB0970502	4.8mm	100m	£8.42
CB0970602	6.4mm	100m	£10.23
CB0970702	9.5mm	100m	£10.95
CB0970802	12.7mm	100m	£16.43
CB0970902	19mm	100m	£59.75
CB0971002	25.4mm	50m	£31.25
CB0971102	38.1mm	50m	£67.10
CB0971202	50.8mm	25m	£47.36
CB0971302	1.6mm	5m	£0.30
CB0971402	2.4mm	5m	£0.40
CB0971502	3.2mm	5m	£0.42
CB0971602	4.8mm	5m	£0.52
CB0971702	6.4mm	5m	£0.63
CB0971802	9.5mm	5m	£0.77
CB0971902	12.7mm	5m	£1.01
CB0972002	19mm	5m	£2.60
CB0972102	25.4mm	5m	£3.80
CB0972202	38.1mm	5m	£12.45
CB0972302	50.8mm	5m	£8.64

Heatshrink Sleeving 2:1 Shrink Ratio



- Normal wall general purpose tubing
- Manufactured from modified radiation cross linked Polyolefin
- Operating temperature -55 to +125°C
- Minimum shrink temperature 70°C
- Shrink ratio: 2:1
- Colour: black, natural, red or blue
- UL recognised UL224, VW-1, C-UL CSA 22.20FT

Black	Unshrunk Dia. (mm)	Shrunk Dia. (mm)	Length (m)	Price
CB1145602	1.6	0.8	20	£1.96
CB1145702	2.4	1.2	15	£2.10
CB1145802	3.2	1.6	15	£2.49
CB1145902	4.8	2.4	12	£2.56
CB1146002	6.4	3.2	12	£2.72
CB1146102	9.5	4.75	8	£3.40
CB1146202	12.7	6.35	8	£3.40
CB1146302	19	9.5	5	£3.52
CB1146402	25.4	12.7	5	£4.33
Natural	Unshrunk Dia. (mm)	Shrunk Dia. (mm)	Length (m)	Price
CB1146502	1.6	0.8	20	£2.04
CB1146702	3.2	1.6	15	£2.43
CB1146802	4.8	2.4	12	£2.56
CB1146902	6.4	3.2	12	£2.84
CB1147102	12.7	6.35	8	£3.40
CB1147202	19	9.5	5	£3.52
CB1147302	25.4	12.7	5	£4.53
Red	Unshrunk Dia. (mm)	Shrunk Dia. (mm)	Length (m)	Price
CB1612102	1.6	0.8	20	£1.96
CB1612202	2.4	1.2	15	£2.10
CB1612302	3.2	1.6	15	£2.49
CB1612402	4.8	2.4	12	£2.56
CB1612502	6.4	3.2	12	£2.72
CB1612602	9.5	4.75	8	£3.40
CB1612702	12.7	6.35	8	£3.40
CB1612802	19	9.5	5	£3.52
CB1612902	25.4	12.7	5	£4.33
Blue	Unshrunk Dia. (mm)	Shrunk Dia. (mm)	Length (m)	Price
CB1613002	1.6	0.8	20	£1.96
CB1613102	2.4	1.2	15	£2.10
CB1613202	3.2	1.6	15	£2.49
CB1613302	4.8	2.4	12	£2.56
CB1613402	6.4	3.2	12	£2.72
CB1613502	9.5	4.75	8	£3.40
CB1613602	12.7	6.35	8	£3.40
CB1613702	19	9.5	5	£3.52
CB1613802	25.4	12.7	5	£4.33

Junction Box



- Thermo plastic polypropylene enclosure
- Contents include:
- 1x Connector box enclosure
- 2x Cable restraints
- 4 Screws 12.5mm x 3mm (for cable restraints)
- 2x Screws 19.5mm x 3mm (for box lid)
- Dimensions: 108x52x28mm
- Voltage: 250V AC

61p

order code CB1572502

694848

Digital TV & Satellite Meter

- Compact Digital TV & satellite signal strength meter
- Fast & optimal aligning of DVB-T roof antennas & satellite TV dishes
- Blue backlit easy to read LCD display with adjustable LCD contrast
- Selectable on/off audio tone
- Measures individual LNB current consumption & receiver voltage output
- On/Off 22KHz switch
- Overload protection
- Align Dish without receiver hook-up
- Tests coax cable runs
- DVB-T/ATSC signal level to dB exchange list
- Self-Contained Rechargeable Battery
- Input/Outputs: F type sockets
- Robust metal construction
- Optional F Type to Coaxial socket adaptor available
- Frequency Range: 300MHz to 890MHz/950MHz to 2150MHz
- Dimensions (WxHxD): 57x40x122mm
- Weight: 351g

Supplied with leather carrying case with belt clip, 2x 1.8m coaxial plug to plug leads, F type socket to socket adaptor, mains charger, car charging lead & user manual

£74.85

order code IN0621302

647405

AV1527902 F Type to Coax adaptor **£0.34**

Loudspeaker Impedance Meter



Model: 72-6948

This Audio impedance meter is essential for reliable installation of background music and paging systems in residences, offices buildings and public areas. This unit utilizes an internal 1KHz oscillator to measure true impedance.

- Accurately measure speaker lines that utilize impedance matching volume controls, switchers, transformers and passive crossovers
- Measures up to 20kΩ, it may also be utilized with 25V, 50V, 70V, & 100V speaker line transformers in commercial installations
- Large 1" digital display
- Rotary selector provides 200Ω, 2kΩ & 20kΩ scales
- Rugged, double insulated case is CATIII rated for use up to 200V
- Requires 6x AA batteries (not included)
- Supplied with test leads, carry case & owners manual
- Dimensions (WxHxD): 178x82x77mm

£106.92

order code IN0634202

670766

Battery Tester - SLA & Car Battery

Model: CHROME-IBT

Allows simulation of a full battery discharge test in seconds. A table on the meter indicates when batteries should be recharged or replaced due to age or operating conditions (65% of rated capacity). A temperature sensitive strip also records ambient temperature.

- Tests 12V SLA and car batteries
- Displays DC voltage and Ampere-hour (Ah) capacity available in the battery
- Pulse load analysis accurately measures Ah capacity available in seconds
- Reverse polarity protection
- Ideal to test 12V standby batteries in fire and security systems

£168.95

order code IN0675802

705571

Universal AV Cable Tester

This product can test the following leads 8 pole speaker, 4 pole speaker, banana, 3.5mm jack (mono & stereo), 6.35mm (1/4") jack (mono & stereo), phono, XLR (3 pin & 5 pin), din (3, 5, 7 & 8 pin) & 4 pin mini din.



£17.80

order code IN0592602

630565

Advanced Semiconductor Component Analyser - DCA75



Model: Atlas DCA75

The DCA75 Advanced semiconductor analyser combines ease-of-use with amazing features and can automatically identify a huge range of semiconductors, identify pinouts and measure detailed parameters

- Features a graphics display, USB communications, PC Software and an enhanced component identification library
- Automatically identify pinout (connect any way round)
- Can be used stand-alone or connected to a PC
- Curve Tracing when connected to a PC
- Dimensions: 10x70x20mm

Components supported include:

- Transistors (including Darlington and 'digital' transistors)
- Silicon & Germanium types, MOSFETs, enhancement mode and depletion mode types
- JFETs, including normally off SiC types
- IGBTs (insulated gate bipolar transistors)
- Diodes and Diode networks
- LEDs and bicolour LEDs (2 lead and 3 lead types)
- Zener Diodes with measurement of zener voltage up to 9V at 5mA
- Voltage regulators
- Triacs and Thyristors

Contents: DCA75 tester, 1x AAA Alkaline battery, 1m micro USB cable, PC software on USB flash drive, premium gold plated hook probes & comprehensive printed user guide

£85

order code IN0685402

704945

Network Cable Testers & Verifiers



Model: VDV II Series

The VDV II Series are easy to use cable verification testers that check the integrity of copper cables found in domestic, commercial or industrial voice, data or video installations, including telephone wiring, data network and video/security cabling.

VDV II

- RJ11/12 & RJ45 input connectors for copper cable testing
- Wiremap for miswires, split pairs, shorts and opens
- Identifies crossover/uplink cables
- Analogue tone generator with 4 selectable tones
- Unit alerts user to errant/unidentified voltage
- Tests Cat 3, Cat 5e, Cat 6, Cat 6A, Cat 7 and STP (shielded) cables
- 2.7" clear, easy to read display

VDV II Plus, as above plus:

- Larger 2.9" display with backlight
- Hub blink to identify port connectivity
- Cable length measurement including distance to opens
- Carrying case, adapters & cables

VDV II Pro, as above plus:

- TDR measurement to identify distance to opens and shorts
- PoE detection with voltage, pin and polarity information
- Ethernet detection with network rate & duplex information
- Identifies 10/100/1000Mb and Hd/Fd



IN0696302	VDV II	£94.95
IN0696402	VDV II Plus	£169.95
IN0696502	VDV II Pro	£250.00

706741

Classic Tone and Probe Kit



Model: 701 KIT

- Industry standard for cable and wire identification
- Identifies single conductors or cables within a bundle or at a cross connect point on any conductive material
- Amplifier can be used with any tone generator
- Polarity testing and continuity testing
- Talk battery supply
- Selectable warble tone
- 3 Colour LED (identifies AC ring voltage)

£69

order code IN0515202

643495

Mini Light Meter

Model: 72-9195

- Max range 40,000 Lux/Fc at 0.1 resolution
- Auto ranging
- Max hold
- Selectable Lux or Fc measurement
- Auto LCD backlight
- Threaded tri-pod mount
- Includes 9V battery



£19.95

order code IN0616402

651987

Satellite Meter with Identification

Model: Nano-S2

The Nano-S2 satellite meter utilizes the very latest developments in satellite identification technology for quick and accurate satellite installations. The single function button makes this easy to use, including giving a positive ID on selection of the satellite.

- Single button operation
- Easy to read 128x64 pixel LCD
- Lightweight ergonomic design
- 4 Satellite memory
- USB connection for satellite list updates
- Connection port savers
- Uses receiver LNB power to operate
- Lock state indicator
- Carry case supplied



£169

order code IN0700602

712767

HD Terrestrial TV Meter



Model: HD-T2

The HD-T2 terrestrial installation meter offers ease-of-use and DVB-T2 compatibility. Comprehensive information is displayed for all analogue or digital carriers. For analogue signals, RF signal strength is shown for video and audio carriers with accompanying carrier-to-noise measurements. Digital measurements include RF level, Quality, MER and BER. A pass/fail indication for rapid quality assessment is also featured. On-board selectable attenuation permits the use of the meter in multi-dwelling installations, where signals may be highly amplified.

- Easy to read 128x64 pixel high brightness LCD
- Rapid access menu system with favourites
- Real time measurement (analogue/ digital DVB-T/T2)
- Spectrum display FM, DAB, VHF and UHF
- Constellation display DVB-T/T2
- Slope test for distribution systems
- Data logging with a log all function
- Replaceable F type input connectors
- USB connection for transmitter updates
- Select transmitter by region, post code or favourite
- RF measurement of DAB/ FM
- High capacity Li-ion battery pack
- Supplied with carry case, mains charger cable, in-car charger, rain cover and USB lead

Support for the HD-T2 is available via Horizons dedicated web site - www.horizonhgc.com - and the downloads are free of charge

£399

order code IN0700502

712766

Universal Battery Tester

A handy battery tester with an easy-to-read analogue display. Suitable to test many household batteries and button cells.

- Measures the batteries under load to accurately indicate their state
- Suitable to test AA, AAA, C, D, PP3 and button cells
- Dimensions (HxWxD): 110x61x28mm
- Weight: 104g



£1.29

order code IN0696102

712765

Insulation Tester



- 250V/500V/1000V Test voltage selection for MΩ testing
- Low Ω function for testing connections
- Data hold
- Continuity buzzer
- Over range indication
- Supplied with test leads 6x AAA batteries and hard plastic carry case

£69.95

order code IN0546202

632008

Compact Clamp Meters

General purpose compact clamp meters which are suitable for many applications including HVAC and appliance repair.

- 3½ Digit, 1999 count autoranging display
- 10MΩ input impedance
- 0.8% Best accuracy
- Diode test & continuity buzzer
- Max & data hold
- Sleep mode & low battery indicator
- Supplied with zipper case, test leads, batteries & owners manual

Model: 72-7218

- AC/DC Voltage, AC Current & Resistance

Model: 72-7222

- AC/DC Voltage, AC Current, Resistance & Temperature

Model: 72-7224

- AC/DC Voltage/Current, Resistance, Frequency, Duty Cycle & Relative mode

Model: 72-7226

- As 72-7224 with additional True RMS AC measurements

Technical Data

611501

Model	72-7218	72-7222	72-7224/26
AC Voltage	2V to 600V	4V to 600V	400mV to 600V
DC Voltage	200mV to 600V	400mV to 600V	400mV to 600V
AC Current	20A to 600A	2A to 400A	2A to 400A
DC Current	—	2A to 400A	—
Resistance	200Ω to 20MΩ	400Ω to 40MΩ	400Ω to 40MΩ
Temp	—	-40°C to +1000°C	—
Frequency	—	10Hz to 10MHz	—
Duty Cycle	—	0.1% to 99.9%	—
IN0634002	72-7218		£13.44
IN0510902	72-7222		£14.18
IN0511002	72-7224		£23.72
IN0511102	72-7226		£33.15

Pen-Type Multimeter with Voltage Detect



- 1999 Count LCD display
- Auto or manual ranging
- Audible and visual non-contact voltage detection • Continuity and diode test
- Data and MAX hold
- Safety Category: IEC1010-1 CATIII 600V

Includes: Soft carry case/holster, probe test lead and alligator test lead

Technical Data

Function	Max. Range	Basic Accuracy
DC Voltage	600V	±(0.7%+2d)
AC Voltage	600V	±(0.8%+3d)
Resistance	20MΩ	±(1.0%+1d)

£13.23

order code IN0526102

632005

Voltage Test Screwdriver



An all-weather voltage test screwdriver for voltage, polarity, continuity testing, bulb/fuse testing and microwave leakage detection. Features an integral LED indication and contact/non contact inductive testing.

£1.05

order code IN0171602

628101

Voltage Detector-with Flashlight



- Non-contact detection of AC voltage from 100V AC to 600V AC
- Rugged, double moulded case
- CAT III 1000V
- Suitable for outlets or against wire insulation testing
- Flashing red LED light indicator
- Built-in bright flashlight with ON/OFF button

£4.41

order code IN0444902

628104

13A Socket Testers



- Logical 'Green for Go' indication
- The latest design means no RCD tripping
- Craftsman tester also has:
 - Continuous audible tone to indicate good wiring condition
 - Warbling tone indicates faulty wiring
 - Advanced electronics allow clear indications even on noisy circuits

Professional tester also has:

- Built-in self test at the beginning of the test sequence
- Clear indication of 17 wiring fault conditions
- Shows where the actual fault is-live, earth or neutral

628075

IN0220702	Craftsman	£14.94
IN0220802	Professional	£19.95

Voltage and Continuity Testers



Combivolt Series

- Three-in-one testers with a rugged, ergonomically formed housing for perfect handling.
- Voltage test-range from 12 up to 690V AC/DC
- Continuity test function with optical and acoustical indication
- IP65-Water-jet and dust-tight protection for outdoor use
- Electrical torch function for working in dark environments
- Fully operational voltage indication even when batteries are discharged
- Integrated single pole test for phase detection



628106

IN0542102	DL6780	Tester	£30.32
IN0542202	DL6790	Tester +LCD	£37.00
IN0542302	CP1190	Carry Case	£14.50

Digital Multimeter

- A basic low cost digital multimeter with continuity test buzzer
- DC Voltage: 200mV to 500V
- AC Voltage: 200V to 500V
- DC Current: 2000µA to 10A
- Resistance: 200Ω to 2000kΩ
- 3½ Digit, 1999 count LCD display • Transistor & diode test
- Low battery indication and overload protection

Includes: 9V Battery, two test leads and user guide

Technical Data

Function	Max. Range	Basic Accuracy
DC Voltage	500V	±(0.5%±2d)
AC Voltage	500V	±(1.5%±10d)
DC Current	10A	±(1.2%±2d)
Resistance	2MΩ	±(0.8%±2d)

£3.25

order code IN0565002

628082

Digital Multimeter



A basic, low cost multimeter supplied with test leads, rubber holster and battery.

- 3½ Digit display with back light
- AC/DC Voltage measurement
- DC Current
- Resistance measurement
- Diode & Audible continuity tester
- Data hold
- Low battery indication



£6.50

order code IN0681802

702596

72-7720/7725 Digital Multimeters

- 3½ Digit, 1999 count display
- 7½ Digits for easy at-a-glance reading
- Continuity buzzer
- Data hold
- Included standard test leads, plus separate short leads for accurate capacitance checking
- Meets 1000V CATII standards



Model: 72-7720

- AC Voltage: 200mV to 750V (±0.8%+3 Accuracy)
- DC Voltage: 200mV to 1000V (±0.5%+1 Accuracy)
- AC Current: 200µA to 20A (±1%+3 Accuracy)
- DC Current: 20µA to 20A (±0.8%+1 Accuracy)
- Resistance: 200Ω to 200MΩ (±0.8%+1 Accuracy)
- Capacitance: 2nF to 100µF (±4%+3 Accuracy)

Model: 72-7725

- AC Voltage: 2V to 750V (±0.8%+3 Accuracy)
- DC Voltage: 200mV to 1000V (±0.5%+1 Accuracy)
- AC Current: 20mA to 20A (±1%+3 Accuracy)
- DC Current: 20mA to 20A (±0.8%+1 Accuracy)
- Resistance: 200Ω to 200MΩ (±0.8%+1 Accuracy)
- Capacitance: 20nF to 100µF (±4%+3 Accuracy)
- Temperature: -40 to 1000°C, -40 to 1832°F (±1%+3)
- Frequency: 2kHz to 20kHz (±1.5%+5)

632003

IN0441502	72-7720	£14.91
IN0441602	72-7725	£17.67

Digital Multimeter with NCV Detection & USB Interface



Model: D030311

A Multifunction Digital Multimeter with NCV Detection & USB out for data logging on to PC.

- 4 Digit, 20mm height, 4000 count LCD display with backlight

- AC/DC Voltage, AC/DC Current, Resistance, Capacitance, Frequency & Duty Cycle measurements

- Diode test
- Audible continuity
- NCV Detection
- Auto/Manual Ranging
- Relative Measurement
- Data hold
- Low battery indication and overload protection
- Win XP & 7 Compatible software
- Safety: CAT.IV 600V

Contents: Multimeter, 9V PP3 batteries, test leads, USB lead, Software disk and user guide



£19.95

order code IN0686002

706744

72-7735/7740/7745 Autoranging Multimeters



- AC Voltage - 4V to 750V
- DC Voltage - 400mV to 1000V
- AC/DC Current - 400µA to 10A
- Resistance - 400Ω to 40MΩ
- Capacitance - 40nF to 100µF
- Frequency - 10Hz to 10MHz
- Temperature (72-7740 & 72-7745 only) - 40°C to 1000°C
- ± (0.8% + 1) Accuracy
- Comes complete with standard 9V battery and owners manual
- Meets 600V CATII, and 1000V CATII standards

72-7735 Extra features

- RS232C • Display backlight

72-7240 Extra features

- Sleep mode
- Temperature measurement
- Thermocouple temperature probe

72-7745 Extra features

- True RMS • RS232C • Display backlight
- Temperature measurement
- Thermocouple temperature probe

628086

IN0441702	72-7735	£23.94
IN0441802	72-7740	£26.52
IN0441902	72-7745	£39.02

Moisture Meter

Measures the moisture level in sawn timber (also cardboard or paper) and hardened materials (plaster, concrete and mortar).

Technical Data

Measuring Principle	Electrical Resistance
Electrodes	8mm integrated electrodes, replaceable
Measuring Range	Wood: 6-44% Material: 0.2-2%
Accuracy	Wood: ±1% Material: ±0.05%

£23.05

order code IN0487102

628110

25MHz Digital Storage Oscilloscope - 2CH



- 7", 400x240 widescreen colour LCD display
- Storage of waveforms setups and interfaces waveforms and setups reproduction
- Automatic measurement of 28 waveform parameters
- Unique waveform recording and replay function
- Special print screen feature
- Communication, remote control via computer through the USB device

Contents: 2x Probe (1x, 10x switchable), power cord, USB cable, PC software CD & user guide

Technical Data

Channels	2
Bandwidth	25MHz
Sample Rate	250MS/s
Rise Time	≥14ns
Memory Depth	25kpts
Vertical Sensitivity	1mV/div-20V/div
Storage	Setup, Wave, Bitmap
Trigger Modes	Edge, Pulse, Video and Alternate

£179.95

order code IN0687502

701686

TRMS Digital Multimeters



- True RMS AC measurements
- Large 6000 count display with white LED backlight
- Analogue bargraph
- Auto/manual ranging
- MIN/MAX/AVG functions
- Data hold
- CAT III 600V
- Auto/Volt automatic AC/DC selection
- LoZ: Low input impedance to prevent ghost voltages
- AC/DC Voltage measurements
- Resistance/continuity

Model: 115 Additional features

- AC/DC Current, frequency & capacitance measurement
- Diode test



651980

IN0509402	TRMS DMM	114	£112.69
IN0509502	TRMS DMM	115	£134.34

Intelligent Battery Tester



Model: GOLD-PLUS

The GOLD-PLUS can be used for continuous repeat battery testing and an LED indicator warns against accidental reverse polarity connection. Ideal for testing 6/12volt lead acid type batteries used in alarms, UPS, golf, mobility, leisure etc. Tests 6V batteries from 1.2Ah to 12Ah and 12V from 1.2Ah to 100Ah

- Can be calibrated to test Standby SLA, Cyclic GEL and Car FLOODED batteries
- Electronic reverse polarity protection



643496

£169.95

order code IN0595202

Bench Power Supply - Single Output



An affordable single output power supply unit which offers a 0V to 30V adjustable voltage output, alongside an adjustable 0A to 3A current output. Easily connect to the unit through the adaptors on the openly spaced user friendly front panel.

- Complete digital control
- Single output
- 10mV/1mA Resolution
- Low noise and ripple
- CV/CC Constant voltage and constant current mode
- OCP & OVP settings
- Constant protection mode
- 5 Sets of parameters can be stored and recalled
- Output switch control
- Power-off memory function
- Keyboard lock function

Contents: Power supply, user manual, UK power cord & Euro power cord

Voltage Range	0V to 30V
Current Range	0A to 3A
Operating Temperature	0°C to 40°C
Dimensions	110x156x260mm
Weight	3.5kg

£39.95

order code IN0682202


699396

Handheld PAT Tester



Model: Primetest 100

- Easy to use, comprehensive unit
- Compact, rugged enclosure
- Simple push button test action
- Test Class I and II equipment including IT and business equipment
- Differential leakage test
- Extension and IEC lead tests
- Power socket polarity
- LCD display giving clear pass/fail indication
- Supplied with test lead, IEC lead, instruction manual and deluxe carry case with shoulder strap



651980

£259

order code IN0499402

628095

Handheld PAT Tester



Model: Primetest 50

An easy to use, portable appliance checker with a simplified range of tests: earth continuity, insulation resistance, IEC lead and power socket. The display shows whether it's a pass or fail. With optional PATGuard Workbook software (IN05002) you can record the latest test result information to a PDA. The rugged outer casing will stand up to anything a normal working environment has to offer.



643496

£190

order code IN0499302

628094

TRMS Multimeter with USB Interface



Model: 72-7730

Full function multimeter offers a variety of ranges for every service application, the accuracy of a 19,999 count display, and an optically isolated USB interface.

- True RMS measurement
- Selectable auto/manual range
- Data logging and data recall
- Peak hold and data hold
- Max/min mode and relative modes

Technical Data

	Range	Accuracy
DC Voltage	200mV to 1kV	
AC Voltage	2V, 20V, 200V, 1kV	
DC Current	200µA to 10A	
Resistance	200Ω to 20MΩ (6 ranges)	0.4% + 20d
Capacitance	20nF to 20mF (7 ranges)	1.2% + 20d
Temperature	40°C to +1000°C	
Frequency	20Hz to 200MHz (8 ranges)	0.1% + 15d
Duty Cycle	10% to 90%	
Current Loop	4-20mA displays 0 - 100%	±(1% + 50d)

£75

order code IN0511202

674698

40MHz Colour Digital Storage Oscilloscope



Model: GA1042CAL

A 40MHz, 2 channel Digital Storage Oscilloscope with a large 7" colour display, making it ideal image for education, electronic design and industrial environments.

- Ultra-thin appearance design making it small in size and more portable
- Edge, Pulse, Video, Slope & Alternation trigger functions
- Unique digital filtering & waveform recording functions
- Pass/Fail function
- 32 Automatic & manual cursor tracking measurement functions
- Adjustable waveform & screen grid brightness
- Pop-up menu display mode
- USB Host, USB Device & RS-232 Standard configuration interfaces

Supplied with a pair of 1:1(10:1) probes, USB cable, power cable, instruction manual & PC Software (GAScope1.0) cd

Technical Data

Bandwidth	40MHz
Sample Rate	Single Channel 1GSa/s
Rise Time	Dual Channel 500MSa/s
Sampling Mode	<3.5ns
Horizontal Scale	Real-time Sampling
Vertical Sensitivity	2ns/div to 50s/div
Max Input Range	2mV/div to 5V/div
Input Coupling	400V (DC-AC Peak value)
Vertical Res. (A/D)	AC, DC, GND
Stored Waveforms	8 bit
	20 Common & 16 Setup groups

£175

order code IN0673002

697997

Bench Power Supplies - Dual Outputs



Dual output power supply units which offer a 0V to 30V adjustable voltage output, alongside an adjustable 0A to 5A or 0A to 3A current outputs. Easily connect to the unit through the adaptors on the openly spaced user friendly front panel.

- Complete digital control
- Dual output
- 10mV / 1mA Resolution
- Low noise and ripple
- CV / CC Constant voltage and constant current mode
- OCV & OVP Settings, constant protection mode
- 5 Sets of parameters can be stored and recalled
- Output switch control
- Power-off memory function
- Keyboard lock function

Contents: Power supply, User manual, UK power cord & Euro power cord

	IN0682302	IN0682402
Voltage Range	0V to 30V	
Current Range	0A to 5A	0A to 3A
Operating Temperature	0 to 40°C	
Dimensions	220x280x160mm	
Weight	9kg	7kg

708878

IN0682302	0A to 5A	£85.00
IN0682402	0A to 3A	£79.00

Waterproof Pen Type Digital Thermometer



An easy to use waterproof digital thermometer.

- 117mm Stainless steel probe
- Supplied with probe protector, 1x LR44 battery & user guide.

Technical Data

Range	-40° - +482°F
Resolution	-40° - +250°C
Accuracy	0.1°
	1.5% ±2° Full Scale

£3.67

order code IN0568502

651083

Infrared Thermometer



Compact infrared thermometer for every day applications

Technical Data

Temperature Range	-18°C to 280°C
Display Accuracy	±2°C/±2% (Condition 23°C ±2°C)
Repeatability	<±0.5°C / ±0.5%
Display Resolution	0.1
D/S (Distance to Spot Size)	10 to 1
Response Time	500ms
LCD size	22x22mm
Dimensions	145x80x40mm

£22.45

order code IN0610102

630294

Lithium Button Cells



A range of Lithium computer button cells.

- 3V Nominal charge
- Non-rechargeable
- Applications include memory support, calculators, watches and cameras
- Available in singles, twin packs and strips of 5

465016

Single Packs	Capacity	
BT0602202	1616	42mAh £0.48
BT0602302	1620	78mAh £0.68
BT0602402	2430	270mAh £1.10
BT0602502	2450	610mAh £1.12
Twin Packs		
BT0592202	2016	90mAh £1.10
BT0592302	2025	160mAh £1.10
BT0592402	2032	220mAh £1.25
5 Packs		
BT0087402	1220	35mAh £1.81
BT0087502	1616	42mAh £1.81
BT0581802	1620	78mAh £2.60
BT0087602	2016	90mAh £1.31
BT0087702	2025	160mAh £1.31
BT0087802	2032	220mAh £1.31
BT0087902	2430	270mAh £4.15
BT0456402	2450	610mAh £4.15

Lithium Coin Cells



- Non-rechargeable lithium coin cells
- Applications include cameras, communication, memory back-up and remote controlled devices
- 3V Nominal voltage
- Wide operating temperature range
- Extended shelf life



Type	Dims. (HxDia.)	Capacity (mAh)
CR1025	2.5x10mm	30
CR1225	2.5x12.5mm	48
CR2320	2.0x23mm	150
CR2325	2.5x23mm	190
CR2450N	5.0x24.5mm	540
CR2477N	7.7x24.5mm	950
BT0571502	CR1025	1 £1.52
BT0571602	CR1225	1 £1.50
BT0571702	CR2320	1 £1.70
BT0571802	CR2325	1 £1.52
BT0571902	CR2450N	1 £1.94
BT0572002	CR2477N	1 £2.40

Silver Oxide Button Cells



- Highly stable discharge characteristics compared to alkaline button cells
- Applications include watches, clocks, calculators, toys and remote controls
- Long shelf life and low self-discharge (90% capacity after 1 year)
- 0% Mercury
- Supplied in strips of 5

683017

Type	Capacity (mAh)
BT0565802	GP357/SR44 165 £5.98
BT0565902	GP364/SR60 18 £1.52
BT0566002	GP377/SR66 25 £1.70
BT0566102	GP386/SR43 120 £4.38
BT0566202	GP389/SR54 70 £2.98
BT0566302	GP392/SR41 42 £1.98

Zinc Chloride Batteries



Ideal for appliances demanding heavy or continuous use that require low to medium power.

450963

Blister Packed	Pack	
BT0009102	AAA 4	£0.67
BT0007702	AA 4	£0.61
BT0007102	C 2	£0.61
BT0006602	D 2	£0.92
BT0008402	PP3 1	£0.61
Bulk Packed		
BT0009202	AAA 40	£3.98
BT0007802	AA 40	£3.98
BT0030702	C 24	£5.41
BT0006702	D 20	£7.16
BT0008502	PP3 10	£3.52

Ultra Power Alkaline Batteries with Duralock



- Most powerful Duracell Ultra batteries ever
- Lasts up to 40% longer than Duracell Ultra in high drain devices
- Non-rechargeable and mercury free
- Guaranteed power for 10 years whilst in storage with new Duralock technology
- Ideal for high drain devices such as digital cameras, R/C toys and MP3 players
- Available in standard card packs or multi packs
- Battery tester with all card and multi packs

Type	Voltage (V)	Height (mm)	Diameter (mm)
AAA	1.5	44.5	10.5
AA	1.5	50.5	14.5
C	1.5	50.0	26.2
D	1.5	61.5	34.2
9V (PP3)	9.0	48.5x26.5x17.5 (HxWxD)	

683014

Card Packs		
BT0568302	AAA 4	£2.75
BT0568402	AA 4	£2.75
BT0568502	C 2	£2.38
BT0568602	D 2	£2.38
BT0568702	9V 1	£2.38
Multi Packs		
BT0568802	AAA 8	£4.95
BT0568902	AA 8	£4.95
BT0569002	AA 12	£7.36
BT0569102	C 4	£4.25

Trade prices on over 100,000 stocked products

Power Alkaline Batteries



- Powers all high energy consuming devices, such as electronic toys and portable audio devices
- Lasts up to 6x longer than standard zinc carbon batteries
- 5 Year shelf life
- 0% Cadmium, mercury and lead

651865

BT0533002	AAA 12pk	£2.55
BT0541002	AAA 24pk	£4.48
BT0533102	AA 12pk	£2.55
BT0538102	AA 32pk	£6.98

Alkaline Classic Value Battery Packs



464906

BT0368502	AA Value 24pk	£6.68
BT0453102	AAA Value 16pk	£5.61

Power Alkaline Bulk Batteries



- Philips AAA/AA Power alkaline batteries available in bulk quantities
- Mercury and Cadmium free
- 5 Year shelf life

679151

BT0541302	AAA 96pk	£16.95
BT0561302	AAA 288pk	£49.95
BT0541402	AA 96pk	£16.95
BT0538202	AA 288pk	£49.95

Power Alkaline Value Battery Packs



- Buy 4 Philips Power Alkaline AAA or AA batteries and get another 4 batteries free
- Buy 2 Philips Power Alkaline 9V PP3 batteries and get another 2 batteries free
- Lasts up to 6x longer than standard zinc carbon batteries
- Mercury and cadmium free
- 5 Year shelf life

674921

BT0561102	AA 4+4pk	£1.53
BT0561202	AAA 4+4pk	£1.53
BT0609602	9V PP3 2+2pk	£3.25

Plus Power Batteries 5+3 Free with Duralock



- Buy 5 Duracell Plus Power AA or AAA batteries and get 3 extra batteries free
- Guaranteed power for 10 years whilst in storage with Duralock technology
- Long lasting batteries for a wide range of everyday appliances
- Guaranteed against leakage

685559

BT0571202	AAA (5+3 Free)	£2.79
BT0571302	AA (5+3 Free)	£2.79

Ultra Alkaline AAA/AA 8+4 Free Battery Packs



- Buy 8 Ultra Alkaline AAA or AA batteries and get another 4 free
- High power, long life batteries
- Last up to 6 times longer than ordinary zinc carbon batteries
- 7 Year shelf life



643747

BT0520202	AAA 8+4 Free	£2.42
BT0520302	AA 8+4 Free	£2.42

908G Lantern Battery



- 6V Zinc Chloride lantern battery
- Applications include lanterns, road lamps and other heavy duty lighting devices
- Equivalent sizes: 4R25, PJ996
- Mercury free
- Dimensions (HxWxD): 111x66x66mm



£1.98

order code BT0575502

685558

Smart Battery Disposal Unit & Tester

- Environmentally friendly way to test and dispose of household batteries
- Integrated battery tester for AA, AAA, C and D batteries with LED indicator for battery level
- Prevents good batteries from being wasted
- Dead batteries can be stored internally, ready for recycling
- Dimensions (HxDia.) 228x128mm



£8.49
order code BT0558202

673668

Ultra Alkaline Batteries



- Non-rechargeable, mercury and cadmium free
- Long lasting, dependable power across a wide range of everyday applications
- Available in blister, business or bulk packs
- 6 Year shelf life (AAA/AA) 5 year (C/D/PP3)



Technical Data

Voltage (V)	Voltage (V)	Dimensions (HxDia)
AAA	1.5	44.5x10.5mm
AA	1.5	50.5x14.5mm
C	1.5	26.2x50mm
D	1.5	34.2x61.5mm
PP3	9	26.5x17.5x48.5mm

682432

Carded Packs

Pack Qty		
BT0561602	AAA 4	£0.90
BT0561702	AA 4	£0.90
BT0589102	C 2	£1.29
BT0589202	D 2	£1.49
BT0589302	PP3 1	£0.98

Business Packs

BT0561802	AAA 40	£4.98
BT0561902	AA 40	£4.98
BT0589402	C 10	£5.98
BT0589502	D 10	£6.92
BT0589602	PP3 10	£8.63

Ni-MH Consumer Batteries



A range of standard Ni-MH batteries which are environmentally friendly equivalents to Ni-Cad batteries. Supplied in retail carded packs or bulk packed.

- No memory effect
- Protection against overcharging
- Can be charged up to 1000 times
- Ideal for all high drain devices such as digital cameras, MP3 players and RC toys

Technical Data

Type	Voltage (V)	Capacity (mAh)	Dims. (HxDia.)mm
N	1.2	500	30x12
AAA	1.2	850-930	44.5x10.5
AA	1.2	1300-2600	50.5x14.5
C-2.2	1.2	2200	50x26.2
C-3.5	1.2	3500	50x26.2
D-2.2	1.2	2200	61.5x34.2
D-7.0	1.2	7000	61.5x34.2
PP3	8.4	170-200	Dims (HxWxD)mm 48.5x26.5x17.5

634418

Carded Packs

BT0340202	AAA-970	4	£6.28
BT0557602	AA-2550	4	£7.79

Bulk Packs

BT0221502	AAA-650	1	£1.15
BT0310002	AAA-850	1	£1.34
BT0340402	AAA-930	1	£1.43
BT0017102	AA-1300	1	£1.10
BT0222002	AA-1800	1	£1.45
BT0310202	AA-2500	1	£1.87
BT0340502	AA-2600	1	£2.08
BT0186502	C-3500	1	£4.15
BT0186702	D-7000	1	£7.58
BT0271502	PP3-170	1	£4.08
BT0392702	PP3-200	1	£4.49

Lantern Batteries



- 6V PJ996 and 9V PP9 zinc carbon batteries, typically used in lighting applications

Technical Data

	Dims. (HxWxD)mm	Weight (g) Approx.
BT0374802	6V 110x67x67	550
BT0374902	9V 81x66x52	410
BT0374802	PJ996	£2.21
BT0374902	PP9	£3.35

474194

Lithium AA Batteries



- Lithium iron disulphide AA batteries
- Ideal for use in high drain applications such as flash photography, games and GPS devices
- Better performance than alkaline at extreme temperatures (-40°C to +60°C)
- Built-in short circuit protection
- Up to 10 year shelf life
- Available in packs of 2/4 or box of 10

679358

BT0565202	AA (2 Pack Blister)	£2.29
BT0565302	AA (4 Pack Blister)	£4.50
BT0588702	AA (10 Pack Box)	£14.38

Ultimate Lithium



- Lasts 7x longer than standard alkaline batteries in digital cameras
- Up to 20 year shelf life
- Ideal for use in high drain devices, such as digital cameras, MP3 players and GPS systems

491781

	Pack	
BT0393502	AAA 2	£3.59
BT0393602	AAA 4	£5.98
BT0459902	AAA 10	£14.95
BT0393702	AA 2	£3.59
BT0393802	AA 4	£5.98
BT0460002	AA 10	£14.95

Industrial Alkaline Batteries



- High power batteries dedicated to industrial and commercial markets
- Most powerful Duracell industrial battery to date - packaged for the professional user
- 7 Year shelf life (9V PP3 5 year shelf life)

Technical Data

Type	Voltage (V)	Dia. (mm)	Height (mm)
AAA	1.5	10.5	44.5
AA	1.5	14.5	50.5
C	1.5	26.2	50.0
D	1.5	34.2	61.5
PP3	9.0	26.5	48.5

702944

Box Packed

Type	PackSize	
BT0582802	AAA 10	£3.98
BT0583002	C 10	£7.88
BT0583102	D 10	£8.95
BT0583202	PP3 10	£9.95

Bulk Packed

BT0583302	AAA 500	£99.95
BT0583402	AA 500	£124.95

Industrial Alkaline Batteries - Bulk Buy



- Industrial Alkaline cells well suited for constant or pulse discharge with high discharge currents

Technical Data

	Can Style	V	Capacity mAh	Reference IEC
BT0435802	AAA	1.5	1200	LR03
BT0307502	AA	1.5	2600	LR6
BT0307802	PP3	9	550	6LR61

637606

BT0435802	AAA Pack of 500	£76.50
BT0307502	AA Pack of 500	£79.00
BT0307802	PP3 Pack of 200	£169.95

9V Long Life Lithium Manganese Battery



- Lasts up to 5x longer than alkaline batteries
- Ideal as an alkaline replacement for smoke detectors, fire alarms and remote controls
- High running voltage with flat discharge curve
- Up to 10 year shelf life
- Same size footprint as a standard alkaline battery but with 18% less weight
- Over current protection safety feature
- Wide operating temperature range
- Low short circuit temperature
- UL Certified

Technical Data

Nominal Voltage	9V
Type	PP3
Capacity	1200mAh
Pulse Capability	1050mA
Max. Discharge	150mA continuous
Weight	34g
Dimensions (HxWxD)	48.5x26.5x17.5mm

£4.98

order code BT0519302

651264

Industrial Alkaline Batteries 6+6 Packs Free



- Buy 6 packs of Energizer Industrial AAA/AA alkaline batteries and get another 6 packs free
- 10 Batteries per pack (120 batteries in total)
- Powerseal locks in power for up to 10 years
- Lasts up to 7 times longer than conventional Zinc Carbon batteries 700745

BT0588802	AAA 6+6 Packs Free	£26.95
BT0588902	AA 6+6 Packs Free	£26.95

Primary Lithium 9V Battery



- Ideal for smoke detectors, medical equipment, wireless transmitters and military applications
- Wide operational temperature range -40°C to +60°C with excellent discharge performance at extremely low temperatures
- Lasts 5 times longer than standard 9V alkaline batteries
- Low self-discharge rate
- 10 Year shelf life



Technical Data

Nominal Voltage	9V
Type	PP3
Capacity	800mAh @ 600Ω
Operating Temperature	To 5.4V -40°C to +60°C

£4.93

order code BT0544702

665552

PB420 Ni-MH Charger with 8x AA & 4x AAA ReCyko+ Batteries



- Charges 2 or 4x AA/AAA Ni-MH batteries
- Supplied with 8x AA and 4x AAA pre-charged Ni-MH batteries
- High retention rates; ReCyko+ batteries retain 85% capacity after 12 months
- Twin channel charging with LED indicators

Technical Data

Input Voltage	230VAC 50Hz
Charge Time	AA 2000mAh - 13.5hrs
Charging Current	AA/AAA 180mA
Output Voltage	2.8V DC
Dimensions (HxWxD)	106x75x43mm

£13.89

order code BT0574402

688290

Pre-Charged Ni-MH Batteries



- Pre-charged and ready to use out of the pack
- Ideal for powering high drain devices such as digital cameras and R/C toys
- Lasts up to 6x (Extreme) and 3x (Power Plus) longer than standard alkaline batteries in high drain devices
- High capacity charge retention up to 1 year
- Can be charged more than 600 times (Extreme AA), 1000 times (Extreme AAA) or 500 times (Power Plus AAA)

Precision	Type	Pack Qty	697577
BT0518202	AA-2400	4	£9.98
Power Plus			
BT0584102	AA-2000	4	£6.59
BT0584202	AA-2000	10	£14.49
BT0584302	AAA-500	4	£4.65
BT0584402	AAA-700	2	£3.32
BT0584502	AAA-700	4	£5.92
BT0584602	AAA-700	10	£13.98
Extreme			
BT0518302	AA-2300	2	£4.15
BT0518402	AA-2300	4	£7.25
BT0518502	AAA-800	2	£3.65
BT0518602	AAA-800	4	£5.92

Rechargeable Ni-MH Batteries



- Can be recharged up to 1000 times
- Ideally suited for powering high-drain devices, such as digital cameras, PDAs and hand held games consoles
- Powers up to 500 pictures per charge in digital cameras

Type	PK	521133
BT0427402	AAA-750	4 £5.42
BT0546102	AA-1300	4 £5.42
BT0427602	C-2200	2 £7.83
BT0427702	D-2200	2 £7.98
BT0427802	9V-150	1 £6.65

ReCyko+ PB570 Ni-MH Charger

- Supplied with 4x pre-charged AA Ni-MH batteries
- High retention rates; ReCyko+ batteries retain 85% capacity after 12 months
- Dynamic LED status indicators
- Temperature and reverse polarity protection
- -ΔV and alkaline battery detection
- Safety timer with auto cut off

Technical Data	
Input Voltage	100-240VAC 50/60Hz
Charge Time	AA 2000mAh - 5hrs AAA 800mAh - 6hrs
Charging Current	AA 400mA AAA 160mA
Output Voltage	2.8V DC
Dimensions (HxWxD)	106x75x43mm



StayCharged Ni-MH Batteries with Duralock



- Stays charged for up to 12 months
- Pre-charged, ready to use out of the pack
- 1 Charge lasts up to 45 hours in a wireless mouse or 250 pictures in a digital camera
- Ideal for powering high drain devices

Technical Data	
Type (V)	Voltage Capacity Dimensions (HxD) mm
AAA 1.2	800 44.5x10.5
AA 1.2	2400 50.5x14.5
BT0558802	AAA 4pk
BT0580502	AA 4pk
£7.95	

REC Series Deep Cycle Cyclic Lead Acid Batteries



- Valve regulated, deep cycle lead acid batteries
- Designed with the latest Oxygen Recombination technology and manufactured with lead calcium grids for extended battery life
- Suitable for Float or Cyclic use and useable in any orientation (except continuously inverted)
- Electrolyte suspension system
- Superb recovery from deep discharge
- Extremely low self discharge rates
- On average provides over 1000 charge/discharge cycles • 12V

Type	Cap	Dims (HxWxD)	Weight
REC10-12	10Ah	116x65x151mm	3.4kg
REC14-12	13Ah	98x98x151mm	4.2kg
REC22-12	22Ah	167x76x181mm	6.2kg
REC26-12	26Ah	125x175x166mm	9kg
REC36-12	36Ah	169x130x197mm	11.2kg
REC50-12	50Ah	175x165x197mm	15.3kg

Type	Capacity
BT0612902	REC10-12 12V, 10Ah £22.50
BT0613002	REC14-12 12V, 13Ah £27.98
BT0613102	REC22-12 12V, 22Ah £34.42
BT0613202	REC26-12 12V, 26Ah £49.82
BT0613302	REC36-12 12V, 36Ah £59.98
BT0613402	REC50-12 12V, 50Ah £79.98

AGM Sealed Lead Acid Batteries

- A range of multi-purpose 6V and 12V maintenance-free rechargeable, sealed lead acid batteries. Applications include alarms, UPS and medical equipment
- Absorbent Glass Matt (AGM) separator construction
 - Low self-discharge to ensure long storage life
 - Up to 5 years float service
 - Can be used in any position
 - 12V, 33Ah Battery for golf cart/mobility applications
 - Leak proof
 - UL approved - MH28512
 - Supplied with fitted terminal cover to insulate and protect in transit

Technical Data		648413
Capacity	Weight (kg)	Dimensions (HxWxD) mm
6V, 1.3Ah	0.32	52x25x98
6V, 3.2Ah	0.7	60x34x134
6V, 7.2Ah	1.27	94x34x150
6V, 10Ah	1.79	93.5x50x151
6V, 12Ah	2.0	93.5x50x151
12V, 2.2Ah	0.96	60x34x177.5
12V, 3.3Ah	1.39	61x67x133.5
12V, 5.7Ah	1.84	101x70x90
12V, 6Ah	3.93	95x64x150
12V, 7Ah	2.3	94x65x151
12V, 12Ah	3.93	98x97x150
12V, 17Ah	5.45	167x76x181
12V, 24Ah	8.3	125x173x165
12V, 33Ah (Mobility)	11.0	168x130x195
12V, 45Ah	14.6	170x166x198
12V, 75Ah	23.5	225x166x258
12V, 89Ah	30.1	211x168x306
12V, 120Ah	35.8	227x176x408

BT0234902	6V, 1.3Ah	£4.25
BT0559802	6V, 3.2Ah	£5.92
BT0555802	6V, 7.2Ah	£9.48
BT0235002	6V, 10Ah	£9.82
BT0267002	6V, 12Ah	£11.42
BT0267202	12V, 2.2Ah	£7.42
BT0235102	12V, 3.3Ah	£9.59
BT0555902	12V, 5.7Ah	£11.18
BT0235202	12V, 6Ah	£11.56
BT0267302	12V, 7Ah	£11.69
BT0267402	12V, 12Ah	£23.52
BT0267502	12V, 17Ah	£34.96
BT0556002	12V, 24Ah	£43.95
BT0556102	12V, 33Ah (Mobility)	£64.78
BT0556202	12V, 45Ah	£86.42
BT0556402	12V, 75Ah	£118.85
BT0556502	12V, 89Ah	£155.58
BT0559902	12V, 120Ah	£199.24

Intelligent Charger

- Compact plug-in charger with new sleek design
- Recharges 2 or 4 AA/AAA Ni-MH batteries
- 3 Colour LED charging indicators
- Audio notification for charging, completed charge and bad/primary battery detection
- Built-in overcharge protection maximises battery life
- Reverse polarity protection
- Automatic timer cut off
- 100-240V AC for worldwide use
- Supplied with 4x AA 2000mAh ready to use NiMH rechargeable batteries

Technical Data	
AA Charging Current	500mA
AAA Charging Current	220mA
Charge Time	AA 1300-2000mAh - 3 to 4hrs AA 2000-2400mAh - 4 to 5hrs AAA 500-800mAh - 3 to 4hrs
Dimensions (HxWxD)	116x70x50mm

£14.95

order code BT0602802

Smart Energy Pre-Charged Ni-MH Batteries



- Pre-charged and ready to use out of the pack
- Ideal for household devices such as alarm clocks, remote controls and R/C toys
- High capacity retention; 80% after 24 months
- 4x Longer lasting than alkaline batteries
- Environmentally friendly
- Recharge over 300 times

- Charger:**
- Charges 1-2 Ni-MH AAA or AA batteries
 - LED Charge status indicators
 - Supplied with 2x 1000mAh Smart Energy AA batteries

Technical Data - Batteries	
Type (V)	Voltage Capacity Dim. (HxD) mm
AAA 1.2	400 44.5 x 10.5
AA 1.2	1000 50.5 x 14.5
Technical Data - Charger	
Input Voltage	230V AC 50Hz
Charging Current	180mA (AA), 70mA (AAA)
Charging Times	AA 2000mAh 13.5hrs AAA 600mAh 10hrs

BT0602002	AAA	4	£2.98
BT0602102	AA	4	£2.98
BT0592502	PB S330 Charger & 2x AA Batteries		£3.95

Unipal hahnel Extra Universal Li-ion/Ni-MH Travel Charger & PowerBank



- Versatile all-in-one charger and PowerBank
- Charges practically all Lithium Ion 3.6V/3.7V & 7.2V/7.4V and AA/AAA Ni-MH batteries
- Dual position battery contacts with fine adjustment wheels for easy, accurate contact settings
- 1A USB output for charging most devices with a USB port including smartphones and tablets
- Built-in PowerBank makes for a convenient backup charger whilst on the move
- LCD Display shows battery status while charging
- No PSU required, connects to any USB power source

£29.95

order code BT0612702

42W Switch Mode Power Supply - 12V 3.5A

pro-POWER



- Slimline AC-DC power supply
- Piano black housing
- Regulated 3500mA output
- 2.1mm DC Plug Centre +
- CEC Level V

Technical Data

Input Voltage	100V-240V AC	50-60Hz
Output Voltage	12V DC	
Output Current	3500mA	
Efficiency	CEC Level V	
Dimensions	75x49x31mm	

£8.65

order code PW0268802

631481

Universal Power Supply - 1000mA

pro-POWER



- Universal AC-DC power supply
- Multi voltage output settings: 3, 4.5, 5, 6, 7.5, 9, 12V DC
- Supplied with interchangeable plugs: 2.5mm, 3.5mm, 5 x 2.1mm, 5 x 2.5mm, 3.5 x 1.35mm, 5.5 x 1.5mm
- Optional 2.35 x 0.75 DC plug available
- Supplied with interchangeable USB ports: Female USB & Micro USB
- Regulated 1000mA output

Technical Data

Input Voltage	100V-240V AC	50-60Hz
Output Voltage	3.0, 4.5, 5.0, 6.0, 7.5, 9.0, 12V DC	
Output Current	1000mA	
Efficiency	CEC Level V	
Dimensions	69x39x31mm	

£4.45

order code PW0266702

639169

AC-DC Linear Regulated Power Supplies

STONTRONICS



- 230Vac Mains input voltage only
- Mains Vac to low voltage DC converter/adaptor
- Attractive black plastic case
- Regulated DC output voltage
- 1.8m output lead
- 2.1mm centre +ve DC output plug
- 1 Year Warranty

Note: Linear power supplies do not conform to energy efficiency legislation and should not be used for domestic applications.

711087

	Output Voltage	Output Current	
PW0282502	5V	300mA	£4.98
PW0283002	12V	300mA	£3.79
PW0283202	12V	500mA	£4.65

Universal Power Supply - 2250mA

pro-POWER



- Universal AC-DC power supply
- Multi voltage output settings: 3, 4.5, 5, 6, 7.5, 9, 12V DC
- Supplied with interchangeable plugs: 2.5mm, 3.5mm, 5 x 2.1mm, 5 x 2.5mm, 3.5 x 1.35mm, 5.5 x 1.5mm
- Optional 2.35 x 0.75 DC plug available
- Supplied with interchangeable USB ports: Female USB & Micro USB
- Regulated 2250mA output

Technical Data

Input Voltage	100V-240V AC	50-60Hz
Output Voltage	3.0, 4.5, 5.0, 6.0, 7.5, 9.0, 12V DC	
Output Current	2250mA	
Efficiency	CEC Level V	
Dimensions	88x51x42mm	

£6.95

order code PW0267302

631480

12V 3A AC-DC Switch Mode Power Supply - 36W

PowerPac UK



- 100-240V ac wide range input
- No minimum load
- Built in short circuit protection, over voltage and over current protection
- 2.1x5.5x12mm dc connector polarity +ve centre
- High reliability 100% burned in and tested
- Meets ErP/EuP/CEC Level V Energy Efficiency legislation

Technical Data

Input Voltage	100-240V ac	
Load Regulation	+/- 5%	
Output Voltage	12V DC	
Current Rating	3A	
Case Dimensions (HxWxL)	118 x 53 x 46mm	
Efficiency	>85%	

£7.95

order code PW0304002

679154

12V Switch Mode Power Supplies

pro-POWER

- 90-264V ac Wide range input
- No minimum load
- Built in short circuit protection
- 2.1x5.5x12mm dc connector polarity +ve centre
- High reliability 100% burned in and tested
- Meets ErP / EuP / CEC Energy Efficiency legislation
- Available with 500mA or 1A outputs




Technical Data

Model	PW0270802	PW0270902
Input Voltage	90-264V ac	90-264V ac
Output Voltage	12V DC	12V DC
Current Rating	500mA	1000mA

PW0270802	500mA	£2.99
PW0270902	1A	£3.96

15W AC-DC Switch Mode Power Supplies

PowerPac UK



An ultra-compact range of UK plug top switch mode power supplies providing a regulated output voltage and providing up to 15 watts of continuous output power. These power supplies meet CEC and Energy Efficiency Level V requirements.

- Wide range input 90-264V AC
- Moulded 2.1 x 5.5 x 12mm output connector Polarity +ve centre
- CE and RoHS Compliant
- Automatic built in short circuit, over voltage and over current protection
- Meets CEC Energy Efficiency Level V
- No minimum load

Technical Data

Input Voltage	90-264V ac	47-63Hz
Load Regulation	+/- 5%	
EMI	FCC Class B conduction & radiation	
Efficiency	75% typical	
MeanTime Between Failures	50,000 hours at 25°C full load	
Safety	CE, CB	

	Output Voltage	Output Current	
PW0234802	5V DC	2.5A	£5.79
PW0234902	9V DC	1.6A	£5.79
PW0235002	12V DC	1.2A	£5.79
PW0235102	15V DC	1A	£5.79
PW0293802	18V DC	1A	£5.51
PW0235202	24V DC	650mA	£5.79

24V 750mA Switch Mode Power Supply

pro-POWER



- Slimline AC-DC power supply
- Regulated 24V 750mA output
- 2.1mm DC Plug Centre +
- CEC Level V

Technical Data

Input Voltage	100V-240V AC	50-60Hz
Output Voltage	24V DC	
Output Current	750mA	
Output Rating	18W	
Efficiency	CEC Level V	
Dimensions	82x52x36mm	

£4.78

order code PW0269102

631482

12V International Battery Charger

STONTRONICS

- LED Indication
- Green - Charger connected to 100-240Vac
- Red - Charger connected to 100-240Vac & connected to a battery when charging.
- Green - Connected battery is fully charged



Technical Data

Input Voltage	100-240VAC
Output Voltage	12Vdc
Output Current	1A
Dimensions (HxWxD)	80x49.5x35.5mm

£7.94

order code PW0382302

711090

Replacement Laptop Power Supply

e-power



This slimline 90W Universal Laptop adapter comes supplied with 8 tips that cover over 95% of all Laptops & Notebooks on the market. It is an extremely slim adapter with snap on tips that automatically sense and select the correct voltage for your laptop. This means it is incredibly safe and easy to use without the worry of damaging your laptop.

- 1 Year manufacturers warranty
- Charge USB devices such as tablet PCs or smartphones via a single usb socket

Technical Data

Input Voltage	230VAC
Output Voltage	15 - 20V
Power Output	90W
Weight	290g
Dimensions (WxHxD)	122x68x21mm

Tip Compatibility Table

Tip	Tip
Tip 1	15V Toshiba
Tip 2	18.5V HP Compaq
Tip 3	19V Asus, Advent, Compaq, Dell, Fujitsu Siemens, Gateway, HP, NEC, Packard Bell, Medion & Toshiba
Tip 4	19.5V Sony
Tip 5	19.5V Dell
Tip 6	20V Lenovo
Tip 7	18.5V Compaq / HP
Tip 8	19V Acer / Gateway

£29.98

order code PW0379402

711088

USB Power Supply - 1A

STONTRONICS

- Suitable for powering a wide range of USB devices
- USB output
- Small and compact design



Technical Data

Input Voltage	100-240VAC
Output Voltage	5Vdc
Output Current	1A
Dimensions (LxWxH)	56.7x51.5x32.5mm

£3.98

order code PW0382102

711089

Universal International Power Supply - 1A



- Universal International AC-DC power supply
- Multi voltage output settings: 3, 4.5, 5, 6, 7.5, 9, 12V DC
- Supplied with interchangeable plugs: 2.5mm, 3.5mm, 5x 2.1mm, 5x 2.5mm, 3.5x 1.35mm, 5.5x 1.5mm, Micro USB and Female USB
- Optional 2.35x0.75 DC plug available
- Supplied with detachable UK and Euro AC mains head
- Regulated 1A output

Technical Data

Input Voltage 100V-240V AC 50-60Hz
 Output Voltage 12V DC
 Output Current 1000mA
 Efficiency CEC Level V
 Dimensions 69x74x42mm

£5.78

order code PW0266802

636176

USB Mains Power Supply



- USB mains adaptor
- Ideal replacement for iPod and iPhone, MP3 players and other USB powered devices
- Small compact design
- Energy efficient CEC Level V

Technical Data

Input Voltage 110-240V ac
 Output Voltage 5V DC
 Output Current 1000mA max
 Dimensions (HxWxD) 48x44x48mm

£3.79

order code PW0297902

694468

60W AC-DC Switch Mode Power Supply



- Wide range 90-264V AC input via 2 pin C8 connector
- Moulded 2.1 x 5.5 x 12mm output connector polarity +ve centre
- CE and RoHS compliant
- Compact size
- Automatic built in short circuit, over voltage and over current protection
- 100% Burned in and tested - High reliability
- No minimum load
- 24V DC
- 2.5A

Technical Data

Input Voltage 90-264V AC 47-63Hz
 Load Regulation +/- 5%
 FCC Class B conduction & radiation
 EMI
 MeanTime 50,000 hours at 25°C full
 Between Failures load
 Safety CUL, UL, PSE, TUV, GS, CE, BSMI, CCC, CSA approved

£13.35

order code PW0236202

532952

Switch Mode Power Supply - 12V 5A

- 2.1x5.5x12mm DC plug centre +
- CE and RoHS Compliant
- Automatic built in short circuit, over voltage and over current protection
- High reliability
- 100% Burned in and tested - High reliability
- No minimum load
- CEC Level V

£10.45

order code PW0271202

631485

12-24V Inline Power Supplies - 65W



- Lugged case for fixing to flat surface
- 1.5m Output lead - 2.1mm DC Plug
- 1.5m Input bare ends input
- Over current, over voltage protection
- CEC Energy Efficiency Level V
- FCC, LPS CE & RoHS Compliant

Technical Data

	PW0275902	PW0276002
Input Voltage	100-240V AC	100-240V AC
Output Voltage	12V	24V
Output Current	5A	2.7A
Operating Temperature	-20°C to +40°C	-20°C to +40°C
Storage Temperature	-20°C to +75°C	-20°C to +75°C
Mains Lead Length	1.5m	1.5m
DC Lead Length	1.5m	1.5m
Dimensions (LxWxD)	137x36x50mm	137x36x50mm

644454

PW0275902	12V 5A	£11.27
PW0276002	24V 2.7A	£11.27

CCTV Inline Power Supplies



- Universal/full range AC input
- Fixed AC mains lead (UK & EU)
- Class II power (no earth)
- Small & Compact design
- Built-in wall-mounting tabs
- Cost effective and high reliability
- Protections: Over Voltage, Short circuit & Over Temp.
- Approvals: GS, UL/cUL & CE
- Level V ErP/EuP efficiency compliant
- MTBF >50,000 hours
- 1 Year Warranty

Technical Data

Input	90-264V AC
Efficiency (max.)	77.7% typical
Dimensions (LxWxH)	75x47.5x26.5mm

682471

	Voltage	Current	
PW0287002	5V	2A	£8.68
PW0287202	12V	1A	£8.39
PW0287302	15V	800MA	£8.39
PW0287402	24V	500MA	£8.39



Technical Data

Input Voltage 90-264V AC 47-63Hz
 Load Regulation +/- 5%
 FCC Class B conduction & radiation
 EMI
 Efficiency 85% typical
 MeanTime 50,000 hours at 25°C full
 Between Failures load
 Efficiency CEC Level V

Quad USB Mobile Device Charger

- USB wall charger with four outputs
- Suitable for all devices charged via USB
- Allows simultaneous charging of 2 devices
- Twin 1A sockets for mobile phones and twin 2.1A sockets for tablets
- Short circuit and temperature protection

£8.97

order code TE0738802

711091

12V 5A Multi-Output AC-DC Power Supply

- 3 Pin IEC input
- Multiple outputs via DC plug allow the power to be distributed
- Ideal for CCTV systems
- Approved to international standards UL, cUL, TUV, PSE, CB and CE
- 4x 2.1mm DC plug centre +
- Over voltage, over temperature and short circuit protection

Technical Data

Input voltage/frequency 90-264V 47-63Hz
 Input current 1.4A
 Output voltage 12V
 Output current 5A
 Output power 60W max.
 Ripple and noise 200mV p-p Maximum
 Operating Temperature 0-40°C
 Efficiency 87% - CEC level V

£12.98

order code PW0303702

671601

DC Power Extension Leads

A range of DC type, socket to right angle plug extension leads with the most common 2.1mm or 2.5mm connector sizes.

2.1mm DC Socket to 90° Plug

PW0193902	1m	£0.74
PW0194002	2m	£0.89
PW0194102	3m	£1.14
PW0194202	5m	£1.25
PW0194302	10m	£1.49

2.5mm DC Socket to 90° Plug

PW0194402	1m	£0.69
PW0194502	2m	£0.74
PW0194602	3m	£1.09
PW0194702	5m	£1.24

In-Car Charger for iPod and iPhone



- Ideal for travel
- Small compact design
- Includes Apple original charger/sync cable

Technical Data

Input Voltage 12-13.8V DC
 Output Voltage 5V DC
 Output Current 1000mA max
 Dimensions (LxW) 63x20mm

£3.24

order code PW0269502

631473

iPod, iPad & iPhone Charger



- Ideal replacement for iPod, iPhone or iPad chargers
- For use with Apple 30 pin connector
- Ideal for travelling or taking on holiday
- Small compact design
- Energy efficient CEC Level V

NB: Not suitable for devices that require Apple lightning connector

Technical Data

Input Voltage 110-240V ac
 Output Voltage 5V DC
 Output Current 2.1A Max

£3.95

order code PW0305502

676871

Micro USB Power Supply



- Fitted with Micro USB plug
- Small and compact UK Plug design
- Protections: Over voltage, Short circuit and Over current
- Approvals: CE

Technical Data

Input Voltage 100-240VAC
 Output Voltage 5Vdc
 Output Current 1A
 Output Power 5W
 Dimensions (LxWxH) 67x49.55x64.8mm

£3.45

order code PW0381902

711093

129 Piece Tool Set **DURATOOL**



A 129 piece tool kit ideal for the household, supplied in a handy fold-up blow moulded carry case.

Kit Contents:

- Wire stripper • Torpedo level
- Knife • 4x Precision screwdrivers
- 20x 25mm Bits • Ratchet handle
- 3.5m Tape measure • 8oz Claw hammer
- 6" Adjustable wrench
- 6" Long nose pliers • 6" Diagonal pliers
- 16x Hex keys

£9.97

order code TL1495602

656490

Electricians Tool Kit **CK**



- Heavy duty polyester case
- Dimensions (LxWxD): 460x210x330 mm

£129.99

order code TL1346502

628456

Electronics Tool Kit **DURATOOL**



A comprehensive electronics tool kit supplied within a handy zipped tool bag

£23.49

order code TL1026902

628451

VDE Screwdriver Set with Side Cutter **Wera**



Tools are individually tested up to 1,000 V AC, for electrical safety in accordance with IEC 60900:2004.

- Supplied in a zipped case

Contents: Slotted: 3.0x100, 4.5x125, 5.5x125mm, Phillips: PH1x80, PH2x100, diagonal cutter 160mm

£19.97

order code TL1451402

637289

12 Piece Pound Through Screwdriver Set **DURATOOL**



- Polypropylene handles
- Chrome vanadium steel blades
- Butt-end hex bolsters for use with a spanner or ratchet for increased torque
- Magnetized black tips
- Supplied in a blow moulded plastic carrying case

Contents:

- Slotted: 3.2x75, 5x75, 6x38, 6x100, 8x150, 9.5x200mm
- Phillips: PH0x75, PH1x75, PH2x38, PH2x100, PH3x150, PH4x200mm

£8.79

order code TL1499902

656491

153 Piece Tool Set **DURATOOL**



Kit Contents:

- 7" Electric scissors • 6" Long nose pliers
- 6" Diagonal Pliers • 8" Crimping Pliers
- 8" Adjustable wrench • 6" Knife
- 6" Combination Pliers
- 10" Waterpump Pliers
- 9x Hex Keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
- 10x Combination Spanners: 8-9-10-11-12-13-14-15-17-19mm
- 9x Screwdrivers
- 10x Tester 100-250V
- 5x Wood Drills: 4, 5, 6, 8, 10mm
- 5x Nail Punch: 0.8, 3, 5, 3, 10mm
- 10" Wood Chisel • 300g Hammer
- 60x Fasteners • 6" Junior Hacksaw
- 5m Tape Measure • 5m Insulation Tape
- 12x 1/4" Sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm
- 15x 1/2" Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27mm
- 4x Extension Bars: 2, 4, 5, 10"
- 110mm Sliding Bar
- 2x 1/2" Universal Joints
- 2x 1/4" Universal Joints
- 16, 21mm Spark Plug Sockets
- 1/2", 3/4" Ratchet Handles
- 1/4" Spinner Handle

£83.94

order code TL1495702

659548

6 Piece Stubby Screwdriver **STANLEY**

- Stainless steel magnetic bit holder
- Length of bits 25mm
- Overall length 65mm
- Bit Sizes: Slotted: 4.5, 6.8mm, PZ1, PZ2, PH1, PH2

£3.98

order code TL1450602

652040

Screwdriver Set - Long **DURATOOL**



- 300mm In length
- 2 Component cushion handle provide soft comfortable grip enabling high torque
- Blade made from chrome vanadium steel
- Hex shaft
- Hanging hole
- Magnetic blade tip

Contents: PH2, PZ2, Slotted all 300mm long

£4.18

order code TL1499602

659577

Screwdrivers



- 2 Component handle
- Blade made from chrome vanadium steel
- Hex shaft
- Magnetic tip

Slotted Tip Size (mm) Blade Length (mm)

TL1497702	6mm	38 (Stubby)	£0.66
TL1497802	3mm	100	£0.68
TL1497902	5mm	100	£0.88
TL1498002	5mm	160	£0.95
TL1498102	6mm	160	£1.12
TL1498202	6mm	300	£1.40


Phillips

TL1498502	PH0	100	£0.68
TL1498602	PH1	100	£0.88
TL1498702	PH2	38 (Stubby)	£0.66
TL1498802	PH2	150	£0.89

Pozi

TL1499002	PZ1	100	£0.88
TL1499102	PZ2	38 (Stubby)	£0.66
TL1499302	PZ2	300	£1.26
TL1499402	PZ3	150	£1.79

7 Piece Insulated Screwdriver Set **DURATOOL**



£8.45

order code TL1028402

632071

Mini Ratchet and Bit Set **Wera**

Model: 073645

A great example of high quality engineering, this compact, portable mini ratchet and bit set has been specially designed for use in confined spaces and can easily fit into a pocket or toolkit.


- Fine-tooth ratchet mechanism, with a small return angle of only 6°
- Forward and reverse switch

£19.90

order code TL1558302

682638

VDE Screwdriver Sets **Wera**



- Insulation moulded directly onto the blade
- Individually tested to 10000V
- Blade made of high-quality chrome-vanadium-molybdenum hardened steel
- Comfortable multi-component anti roll handle

Contents:


Phillips/Slotted: Slotted: 0.4 x 2.5 x 80, 0.6 x 3.5 x 100, 0.8 x 4.0 x 100, 1.0 x 5.5 x 125mm, Phillips: PH1 x 80, PH2 x 100mm, Tester: 0.5 x 3.0 x 70mm

Pozi/Slotted: Slotted: 0.4 x 2.5 x 80, 0.6 x 3.5 x 100, 0.8 x 4.0 x 100, 1.0 x 5.5 x 125mm, Pozi PZ1 x 80, PZ2 x 100mm, Tester: 0.5 x 3.0 x 70mm

678772

TL1555902	Phillips/Slotted	£14.69
TL1556002	Pozi/Slotted	£14.69

Screwdriver Set - 12 Piece **Wera**



A set of high quality screwdrivers featuring the most popular sizes and types.

- Handle marking with screw symbol and size
- Multi-component handle
- Rough Lasertip-drive
- Supplied with a hanging rack

Contents:

Standard:

- Slotted: 4x 100mm, 5.5 x 125mm and 6.5 x 150mm
- Phillips: PH1 x 80mm, PH2 x 100mm
- Pozi: PZ1 x 80mm, PZ2 x 100mm

Chiseldriver:

- Slotted 5.5 x 100mm, 7x 125mm

VDE:

- Slotted 2.5 x 80mm, 3.5 x 100mm

Voltage Tester:

- Slotted 3x 70mm

£39.74

order code TL1509102

696051

6-in-1 Slim VDE Screwdriver



Model: 38611

This 6-in-1 Slim screwdriver is an innovative interchangeable screwdriver set that solves a commonly occurring problem for electricians. With many VDE screwdrivers, the insulation often obstructs and prevents access to low-lying fastening elements. The Slim system combats this by reducing the diameter of the blade by 33%, allowing access to low-lying fasteners and spring clips.

- Slim blades for access to nearly all electrical applications
- Internal magazine accommodate 6 slim Bits
- Rotating cap for comfortable handling
- Wiha SoftFinish multi-component handles with roll-off protection
- Blade locking in handle
- Blade made from high quality chrome-vanadium-molybdenum steel hardened with black-finish and protective insulation spray-coated directly onto the blade and completely integrated into the blade in the lower area

Contents:
• Slotted: 3, 4, 5mm, Pozidriv: PZ2, Phillips: PH1, PH2

£24.98

order code TL1682602

702598

Compact VDE Interchangeable Screwdriver Sets



- Insulation moulded directly onto the blade
- Individually tested to 10000V
- Even though this is a modular kit, once the blade is attached it is solid
- Blade made of high-quality chrome-vanadium-molybdenum steel, hardened with a black oxide tip
- Anti-roll protection, multi-component handle
- Manufactured to EN / IEC 60900:2004
- Tested to 10,000 volts AC
- 154mm long blades
- Robust pouch for storage

Contents:
7 Piece Set: 102mm handle, Slotted 0.4 x 2.5, 0.6 x 3.5, 0.8 x 4.0, 1.0 x 5.5 x 154mm long blades, Pozidriv: PZ 1, PZ 2 x 154mm long blades, Robust pouch

18 Piece Set: 102mm handle, Slotted 0.4 x 2.5, 0.6 x 3.5, 0.8 x 4.0, 1.0 x 5.5 x 154mm long blades, Phillips: PH 1, PH 2 x 154mm long blades, Phillips/Slotted: PH/S 1, PH/S 2 x 154mm long blades, Pozidriv: PZ 1, PZ 2 x 154mm long blades, Pozidriv/Slotted: PZ/S 1, PZ/S 2 x 154mm long blades, Switchboard Cabinet Blades 89mm long (Square 6.3, 8.1, Triangle, Wing), Slotted Tester 0.5 x 3.0 x 70mm

633671

TL1336302	7 Piece Set	£24.12
TL1336402	18 Piece Set	£47.21

Waterpump Pliers




Model: 2619-LS-175 / 250 / 300

- Made from forged chrome vanadium steel
- Oil hardened and tempered
- 7 Position adjustment
- Box jointed construction
- Slim head design for use in confined spaces

698364

	Length	Jaw Capacity	
TL1651202	175mm	30mm	£10.98
TL1651302	250mm	32mm	£11.95
TL1651402	300mm	64mm	£19.94

Tamperproof Torx Screwdriver Sets



Contents:
11 Piece: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30 and T40

£10.32

order code TL1499802

659578

VDE Side Cutter



- Chrome vanadium steel
- Individually tested to 10,000V
- Meets VDE 0682-0201, IEC 60900

£10.48

order code TL1202402

633699

Ratchet Crimping Tool



For insulated terminals red/blue/yellow

£9.59

order code TL0862002

628471

5" (125mm) Micro Cutter




- An exceptionally clean, smooth cut
- Lightweight and easy to handle
- Suitable for copper wire, not for use with steel wire
- Length: 5" (125mm)

£1.98

order code TL0991202

650991

5 Piece Mini Pliers Set



£4.99

order code TL1033002

628470

Side Cutters



Model: 2101

Ergonomically designed side cutters for cutting soft to very hard wires such as steel and piano wires.

- Progressive cutting edge will easily strip soft cables while also cutting steel nails cleanly
- Induction hardened cutting edges
- Ergonomic slip resistant grips
- Black oxidised pliers
- Return spring function

Technical Data

Length	Cutting Capacity at the tip	Cutting Capacity at the joint
Model: 2101 Standard		
125mm	2.0mm copper	1.6mm piano
140mm	2.5mm copper	1.8mm piano
160mm	3.0mm copper	2.0mm piano
180mm	3.5mm copper	2.2mm piano

Model: 2101 Heavy Duty

140mm	2.7mm copper	2.0mm piano
160mm	3.0mm copper	2.2mm piano
180mm	3.7mm copper	2.5mm piano

696024

Standard

TL0378302	125mm	£16.50
TL0378402	140mm	£17.47
TL0378502	160mm	£17.63
TL1590402	180mm	£20.34

Heavy Duty

TL1649902	140mm	£24.87
TL1650002	160mm	£25.89
TL1650102	180mm	£26.94

Cable Stripper & Punch Down Tool



- A clever little stripping tool for stripping different size cables up to 6.2mm in diameter
- The unit is also a punch down tool, ideal for IDC connection
- The tool measures only 95mm in length, which makes it small enough for a key ring

89p

order code TL0976502

633736

7" Automatic Wire Stripper



- For all types of wire from 0.2-6mm
- Strips lengths up to 25mm
- Also has a cable cutter

£2.56

order code TL1033602

633738

200mm Cable Cutter



- Drop forged, heat treated fully polished steel
- Soft grip handles

Technical Data


Size	Cutting Capacity: wire
200mm	Copper 12mm

£4.46

order code TL1496102

663082

Armourslice SWA Cable Cutter



Model: T2250

- Fast, clean, safe stripping of SWA cables
- Robust metal alloy body
- Wide stripping capacity of 12mm up to 36mm diameter
- Hardened steel alloy cutting blade
- Integrated spare blade holder
- Supplied with 5 spare blades

£27.45

order code TL1689002

700515

TL1689102	Spare Blade (PK5)	£4.98
-----------	-------------------	-------

4 Piece Locking Pliers Set



- Drop forged, heat treated, serrated steel jaws
- Adjustment screw and quick release lever
- Black finish

Set contents:

- 125mm (5") Curved jaws
- 180mm (7") Curved jaws
- 150mm (6") Long nose
- 250mm (10") Straight jaws

£9.24

order code TL1032302

633751

10m Cable Rod Kit



Perfect for installing cable into awkward areas such as cavity walls, under floors and through walls.

Contents:

- 10x 4mm x1 metre GRP rods
- 1x Mini eye • 1x Mini hook
- 1x Flexi lead (130x4mm)

NB: Not compatible with the professional Super Rod range

£14.97

order code TL1393502

632199

Cable Access Kits



12 Piece non-conductive fibreglass cable access kit allows you to gain access to wire cables under floorboards, ceiling ducts, trunking and wall cavities.

Toolbox Kit:

- Extended length 3.3m

Contents:

- 10x 12" fibreglass rods
- 1x flexible acrylic connection that can be set to any angle
- 1x Brass hook
- Plastic storage case

Standard Kit:

- Extended length 10m


Contents:

- 10x 1m fibreglass rods
- 1x flexible acrylic connection that can be set to any angle
- 1x brass hook
- Plastic storage case

712335

TL1462802	Toolbox	£5.19
TL1462702	Standard	£8.35

300mm (12") Hacksaw Blades



- Supplied in packs of 12

£1.64

order code TL0937602

633762

22" Hardpoint Hand Saw



£1.94

order code TL1047702

628480

150mm (6") Junior Hacksaw Blades



- 24 Teeth per inch
- Black finish
- Supplied in packs of 10

£1

order code TL0937502

633760

4 Piece Wood Chisel Set



- Precision ground, drop forged, heat treated blades
- Plastic blue handles
- Sizes: 12, 19, 25, 32mm

£5.98

order code TL1046202

633768

Smoothing Planes

165x45mm Plane



250x50mm Plane

- Selected cast iron
- Precision ground, high carbon steel blades
- Heat treated brass adjustable screw
- Machined sides

705222

TL1576402	175x45mm Plane	£4.19
TL1576502	250x60mm Plane	£6.97

Juice CS4 - Leatherman Multitool



A lightweight and compact multitool which is perfect for pocket, glove- or tackle-box. Packed with tools and stylish in electric blue.

- Stainless Steel with Hard-anodized Aluminum Handle Scales
- Outside-accessible Tools and Knives
- Fixed Lanyard Ring
- Blade length: 66mm
- Body Length closed: 82.5mm
- Weight: 156g

Contents:

Knife, Pliers, Slotted Screwdrivers, Phillips Screwdriver, Scissors, Saw, Bottle Opener, Can Opener, Corkscrew

£39.94

order code TL1685902

705818

Craft Knives



628482

TL1287002	Small	£0.45
TL1287102	Large	£0.59

5 Piece Engineers File Set



- Manufactured from high carbon alloy steel
- Rubber cushion grips with hanging holes
- File blades measure 200mm (8") in length

Contents: Flat, half-round, round, square and triangular files

£5.69

order code TL1602802

696277

Telescopic Magnetic Pick Up Tool



- Extends from 130mm to 625mm
- Powerful magnet for retrieving objects up to 5lb (2.27kg)

£1.84

order code TL1048202

628489

Rare Earth Magnets



These barrel-shaped Rare Earth Magnets (also known as Neodymium) plated with bright nickel for added durability. Do not be fooled by their size, these rare earth magnets are renowned for their superior magnetic powers.

- Available in 3 sizes

633896

TL1406902	8x 3mm (Pk 10)	£2.61
TL1407002	12x 3mm (Pk 6)	£3.98
TL1407102	18x 3mm (Pk 3)	£2.61

Express Next Day UK Delivery Available on in-stock orders

Recordable Inspection Camera Kit



Allows for easy visual inspections in hard to reach areas and even in total darkness and underwater. Ideal to use in the plumbing, electrical, automotive and construction industries.

- Allows for easy surveying of small, hard-to-reach places
- Water-proof 1m shaft
- LED Light on camera
- IP67 Waterproof standard
- 2.7" TFT-LCD monitor
- On Screen display menu
- Video recording capability, supports up to 32GB micro SD card (128MB supplied)
- Supplied with 3x accessories: hook, mirror and magnet

Contents: Camera, LCD monitor, power supply, 1m tube, 3x accessories hook, mirror and magnet

NB: Requires 4x AA batteries for the main unit

£25.94

order code TL1451902

650077

Accessories

TL1451802	Extension Shaft 2m	£25.94
TL1451902	17mm Camera Head with 1m Shaft	£25.94
TL1452002	9mm Camera Head with 1m Shaft	£25.94

Wire Brush



- Brassed steel wire
- Length: 265mm

98p

order code TL1042802

628492

Trim Removal and Scraping Tools



- Universal plastic pry and scraper tools, ergonomically designed for comfortable and safe use
- Made from 15% Glass filled nylon
- Minimize surface damage
- Flat shape handle
- Made in the USA
- 135mm Length

696025

TL1667502	1: Right Angle Pry	£2.39
TL1667602	2: Sharp Right Angle Pry	£2.39
TL1667702	3: Tapered Angle Pry	£2.39
TL1667802	4: Wide Angle Pry	£2.39
TL1667902	5: Narrow Pry	£2.39
5 Piece Set		
TL1667402	All The Above	£10.96

Tools, Site Maintenance & Chemicals

4.5kg Anvil **DURATOOL**




- A single block, cast iron anvil, ideal for riveting, metal forming, model making and general metal work
- Dimensions: 220x100x70mm (LxHxW)

£15.43

order code TL1577302

705403

60mm Swivel Table Vice with Anvil **DURATOOL**



- Open to 80mm
- Locking swivel base turns through 360°
- Mounting clamp opens up to 45mm

£7.92

order code TL1030802

633810

Mortar Gun Set **DURATOOL**



A mortar gun kit which is suitable for pointing of walls, chimneys and tile grouting. Simply fill the gun with jointing material into the open end of the barrel and then dispense through the nozzle.

- Aluminium body with metal handle
- Ratchet mechanism
- Easy to load and clean
- Supplied with scoop and nozzles
- Overall length 380mm


£9.94

order code TL1489602

657847

Bolster Chisels **DURATOOL**

Electricians Chisel



Bricklayers Chisel

Electrician's Chisel:

- For levering up and cutting through tongue and groove of floorboards
- Drop forged 60mm blade
- High impact protective hand guard
- Length: 220mm


Bricklayer's Chisel:

- For cutting bricks and composite blocks
- 100mm Drop forged blade
- High impact protective hand guard
- Length: 220mm

705404

TL1577402	Electrician's	£2.51
TL1577502	Brick	£4.04

Straight Edge Guide Rail



Guide rail that can be clamped across boards to provide a firm straight edge to guide a jigsaw, routers or circular saws.

- Fully adjustable up to a maximum of 1270mm

£16.94

order code TL1149702

628496

Brush Set **Harris**



- Suitable for all types of paint
- Synthetic bristles
- Wooden handle
- Sizes: 2x 1" (25mm), 2x 1½" (38mm), 1x 2" (50mm)

£3.98

order code TL1536802

675510

T-CLASS The Painter's Dozen'



12 Piece contractor's grade paintbrush set, with natural and synthetic bristles, stainless steel ferrules and comfortable wooden handles.

- For use with most paint and varnish

Contents:

- 2x 1" (25mm) Brushes
- 5x 1½" (38mm) Brushes
- 4x 2" (50mm) Brushes
- 1x 3" (75mm) Brush

£9.92

order code TL1536902

675511

Multi-Purpose Table **Harris**



A multi-purpose waterproof table that can be used as a wallpaper paste table or outdoor table for barbecues etc.

- Easily assembled and folded for easy transport and storage
- Lightweight with built-in carry handle

Dimensions:

- Open: (HxWxD) 730x1800x600mm
- Folded: (HxWxD) 600x840x95mm

£25.94

order code TL1537202

675513

Pipe Cutters

- Single handed operation
- Ideal for use in confined spaces
- Supplied with spare blade
- For copper pipes



697639

TL1602002	15mm	£3.35
TL1602102	22mm	£3.90

Drain Rod Set **DURATOOL**



- Manufactured from polypropylene with zinc-alloy and brass end connections
- 10 Rods with 2 attachments
- 9m Long when fully assembled

Contents: 9x 920mm Rods, 1 double worm screw and plunger

£10.28

order code TL1462202

660324

4 Way Utility Key



- Opens water, electricity and gas cabinets
- Can also be used for radiators, stop cocks and outside taps

£1.15

order code TL0989402

628504

Radiator Key **DURATOOL**

Radiator key for use on domestic radiator bleed screws.



29p

order code TL1577602

705228

8 Piece Metric Box Spanner Set **DURATOOL**

- Drop forged steel
- Ideal for use with hard to reach or deep set fastenings
- Supplied with a T-bar for greater leverage

Contents:

- 6x 7.8x 9.10x 11.12x 13.14x 15.16x 17.18x 19 & 20x 22mm

£3.98

order code TL1576202

Combination Spanner Set **DURATOOL**



- Offset metric combination wrenches
- Made from carbon steel
- Equal sizes at both ends

Sizes:

- 5 Piece: 8, 10, 12, 13, 15mm
- 11 Piece: 6, 7, 8, 9, 10, 11, 12, 13, 14, 17 & 19mm

704211

TL1575702	5 Piece	£2.04
TL1575802	11 Piece	£6.12

5 Piece Offset Ratchet Spanner Set **DURATOOL**



- 30° Offset design helps prevent bruised and scraped knuckles
- Sizes: 6x8, 10x12, 11x13, 14x17 and 19x21mm

£7.25

order code TL1043602

628509

Combination ratchet Wrench Sets **Wera**



- Limit stop prevents open end from slipping over the nut
- Holding function allows fasteners to be held in the open jaw
- Jaw plate grips into fastener head to prevent slipping
- Bi-Hex contact open jaw allows extra torque
- Ultra strong 80 tooth ratchet needs only 4.5° movement
- Supplied in a pouch

4 Piece:

- 10, 13, 17 and 19mm

8 Piece:

- 8, 10, 11, 12, 14, 15, 16, 18mm

11 Piece:

- 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

698373

TL1575702	4 Piece	£57.96
TL157602	8 Piece	£110.23
TL157702	11 Piece	£157.48



705230

Wide Opening Adjustable Wrench

ECLIPSE

- 40% Wider opening compared to a standard adjustable wrench of equivalent size
- Slim head, short handle and low weight make it ideal for plumbers and tradesmen
- Body made from chrome vanadium steel
- Extra thin jaws allow access to confined spaces
- Jaws are angled at 15° for a firm and secure grip
- Soft feel, anti-slip handle
- Scale laser etched onto the head
- Measurement scale in mm

TL1619602	150mm	34mm	£9.98
TL1619702	200mm	38mm	£11.99
TL1619802	250mm	50mm	£15.87

Rubber Sleeve Hex - Plus Key Set - 9pc

Wera

- Hex-Plus geometry drives from flats not corners allowing more torque and reduced rounding
- Long arm keys with ball-end for angled access to screws
- Made from round bar for more strength, eliminating small key breakage
- Sleeves give more comfort and are impervious to all workshop fluids
- Button opening tool clip holds keys firmly, but allows easy tool selection
- Sizes: 1.5x90, 2x101, 2.5x112, 3x123, 4x137, 5x154, 6x172, 8x195, 10x224mm

TL1336502	Green Sleeve	£18.94
TL1556202	Colour Coded Sleeve	£18.94

Tape Measures

DURATOOL



	Length	Width	
TL1017302	3m/10ft	13mm	£0.87
TL1017402	5m/16ft	19mm	£1.45
TL1017502	8m/26ft	25mm	£2.56

Rubber Tape Measures

DURATOOL



- Heavy-duty tape measures with rubber trim

	Length	Width	
TL1017002	3m/10ft	16mm	£1.29
TL1017102	5m/16ft	19mm	£1.89

Self Levelling Cross Line Laser

DEWALT

Model: DW088K-XJ

- Self-leveling cross line laser with an accuracy of ± 0.3 mm/m
- Self-Leveling up to 4° surface angle
- Automatic level indication
- 2 Button operation
- Low battery indication
- Built in magnetic pivot bracket
- Overmoulded housing and thick glass protects the tool
- Supplied with 3x AA batteries wall mount bracket and heavy duty carry case

Laser class - class 2, Line Accuracy- ± 0.3 Mm/ m, Number of Beams - 2, Indoor Visibility range - 10m, Self - Leveling range $\pm 4^\circ$, Power Supply- 4.5V - 3 x AA

£139.99

order code TL1475502

659573

Carbon Fibre Digital Caliper

DURATOOL



- Manufactured from extra strong carbon fibre composites
- LCD, internal/external measurement
- True mm/inch conversion
- Lightweight and durable

Technical Data

Measuring Capacity 0-150mm (6")
Graduation 0.1mm

£10.27

order code TL1101602

633873

20 Piece Tap and Die Set

DURATOOL

Set contains:
9 Piece dies set: 3 x 0.5, 4 x 0.7, 5 x 0.8, 6 x 1.0, 7 x 1.0, 8 x 1.25, 10 x 1.5, 12 x 1.75, 1/8" 27
9 Piece taps: 3 x 0.5, 4 x 0.7, 5 x 0.8, 6 x 1.0, 7 x 1.0, 8 x 1.25, 10 x 1.5, 12 x 1.75, 1/8" 27
1 Piece tap wrench
1 Piece die handle 1" OD

£10.25

order code TL1040402

628522

Swivel Base Bench Vices

DURATOOL



A tough engineering style bench vice made from solid cast iron construction.

- Large square anvil with swivel base
- Machined jaws

Technical Data

	TL1577102	TL1577202
Size	4"	5"
Jaw Width	100mm	150mm
Jaw Depth	55mm	75mm
Max Jaw Capacity	100mm	160mm

		705227
TL1577102	4"	£17.94
TL1577202	5"	£24.89

Express Next Day UK Delivery

Available on in-stock orders

Folding Hand Trucks

DURATOOL



TL1469602

Sturdy hand trucks which fold flat for easy storage. Automatically folds completely flat as the handle is pushed down, can be erected with one hand. Ideal to keep in the boot of your car.

- Lightweight, tubular aluminium construction with soft-feel rubber handles
- Single movement opening and closing
- Slip resistant base
- Rubber wheels

Dimensions:

- Overall: (LxWxH) 400x400x900mm
- Folded: (LxWxH) 385x55x350mm
- Load plate: (WxD) 390x275mm
- Max. load capacity: 68kg

TL1469702:

- Overall: (LxWxH) 500x450x1080mm
- Folded: (LxWxH) 409x60x810mm
- Load plate: (WxD) 485x270mm
- Max. load capacity: 90kg

655558

	Holding Weight	
TL1469602	68kg	£17.96
TL1469702	90kg	£24.98

Plastic Dolly

DURATOOL



- For moving items in warehouses, shops and offices etc.
- Tough, sturdy plastic construction
- 2 Fixed and 2 swivel castors
- Dimensions (WxD) 495x360mm
- Max load 100kg

£10.95

order code TL1489702

656422

Platform Trucks

- Folding handle for easy storage
- Rubber trim for protection from bumps and knocks
- 4 Castors - 2 fixed and 2 swivel

Technical Data

	TL1057202	TL1104302
Dims (WxHxL)	479x815x738mm	616x863x916mm
Platform Height	139mm	209mm
Load Capacity	150kg	300kg
TL1057202	150kg	£21.94
TL1104302	300kg	£44.07

Folding Toe Plate Sack Truck

DURATOOL

- Robust sack truck, ideal for use in warehouses, offices and the home
- Additional extended toe plate allows easy transportation of bigger items, and folds away for easy storage
- Steel construction
- Wheel guards also provide extra stability for wider loads
- Pneumatic treaded wheels for extra traction



£31.29

order code TL1104402

632081

Rotary Tool and 172 Piece Accessory Set

DURATOOL

Model: D02156

- Variable speed rotary tool kit
- Ideal for electronics, craft and hobby work
- 130W Power
- Supplied with 172 various accessories
- Attractive carry and storage case with strong perspex window
- Kit contents: Mini drill, 172 accessories and carry case



Voltage (Tool): 230V; Wattage: 130W; No Load Speed: 8000-20000rpm; Chuck Capacity: 1, 2.35, 3, 3.2mm

£18.95

order code TL1495902

659176

208 Piece Rotary Accessory Kit

DURATOOL

All the accessories you will ever need for use with the multi-tool for cutting, grinding, sanding, sharpening, polishing etc. Works on metal, wood, ceramic, glass and plastic.

- Will work with most rotary tools



£8.79

order code TL1496002

657849

DURATOOL



628528

Tools, Site Maintenance & Chemicals

3.6V Li-Ion Cordless Screwdriver

BOSCH



Model: IXO IV

A small and handy Cordless Lithium-Ion Screwdriver that is ideal for a wide range of everyday screw driving tasks around the workshop, office or home.

- Can be used with Bosch IXO attachment
- Forward and reverse screwdriving with LED indicator
- Front power light
- Soft grip handle
- 2 Finger trigger
- Battery life indicator
- Battery charger doubles as a useful toolholder
- Supplied with 5 hour charger, 10 screwdriver bits

Battery Capacity: 1.3Ah Li-Ion; Max. Torque: 4.5N-m

£24.98

order code TL1710402

703398

15 Piece Mini Rotary Tool Kit

DREMEL



Model: F0133000JB

A perfect all-round multitool for all users that like to carry out detailed tasks, such as cutting, sanding, engraving etc.

- Powerful 130W Motor
- Compatible with all Dremel accessories & attachments
- Variable speed: 10,000 - 33,000rpm
- Collet lock
- Twist nose cap for quick change of accessories
- Replaceable brushes
- Soft grip for comfort
- Integrated hang hook

Contents: Dremel 3000, zipper bag, DVD, 15 accessories

£39.98

order code TL1517002

663081

10.8V Li-Ion Driver with 2 Batteries

BOSCH

Model: GSR 108LI

- Half the size of a 12 volt standard cordless drill/driver
- 1/4" Hex chuck
- 2 Speed
- Forward/reverse
- Premium lithium-ion technology batteries for 400% longer lifetime and unbeatable battery runtime
- Integrated LED light

Contents: 2x 2.0 Ah Li-Ion batteries, quick charger L BOXX Inlay

Battery Capacity: 2Ah Li-Ion, Voltage: 10.8V, Chuck Size: " Hex, Max. Torque: 30N-m, No Load Speed: 1st Gear 0 - 350, 2nd Gear 0 - 1300 rpm, Drilling Capacity: Wood: 19mm Steel: 10mm, Weight: 0.8kg

£94.46

order code TL1580802

681318

3.6V Revolver Style Cordless Screwdriver with Bits



- Ideal for kitchen cupboards and jobs around the house
- Integrated bit cylinder with 6 screwdriver bits
- Forward/reverse indicator
- Integrated work light
- Softgrip handle
- No-load speed 180rpm
- Max. torque 3Nm
- Supplied with charger and 6 bits

£8.95

order code TL1715502

705752

10.8V Drill Driver with 2 Li-Ion Batteries

Makita



Model: DF030DWE

- Lightweight and compact design
- 1/4" Hex chuck
- Built in job light
- Lithium-Ion battery which is 40% lighter and has 430% more run time than Ni-Cad
- 18 Torque settings
- Variable speed trigger

Contents: 2x 1.3Ah Li-Ion batteries, charger, drill holster, bit storage box, screwdriver bit and robust carry case

Voltage: 10.8V Li-Ion, Chuck: 10 mm Keyless, No Load Speed: 0-350 / 0-1300 rpm, Screwing Capacity: Wood Screw: 5.1 x 63 mm, Machine Screw: M6Wood: 21 mm, Steel: 10 mm, Weight: 1.0 Kg, Drilling Capacity:

£94.97

order code TL1377102

702038

18V Combi Drill

DURATOOL



Model: D01658

A hammer drill and drill driver for drilling into masonry, concrete as well as wood, plastic and metals.

- 16 Torque settings
- 2 Speed
- Forward, reverse and brake
- On-board bit storage
- Soft touch, non-slip coating
- Supplied with 2x batteries, charger and blow moulded carry case

Battery Capacity: 1.2Ah, NiCd, Voltage: 18V, Chuck: Keyless, Chuck Size: 10mm, No Load Speed: 3500rpm, Max Torque: 11.5N-m, Hammer: Yes, Drilling Capacity: Wood: 13mm, Steel: 10mm, Weight: 1.6kg.

TL1372502	Combi Drill	663201
TL1372702	Spare Charger	£29.94
		£3.98

18V Combi Drill with 101 Piece Bit Set

Makita



Model: 8391DWPETK

- 2-Speed settings
- All metal gear box
- 13mm Keyless chuck
- 16 Torque settings

Contents: 2x 18V 1.3 Ni-cad batteries, charger, 2x screwdriver bits, carry case

Battery Capacity: NiCd, Voltage: 18V, Chuck: , Chuck Size: 13mm, No Load Speed: 0 - 400 / 0 - 1300 rpm, Blows Per Min: 19500BPM, Hammer: Yes, Max Torque: 42N-m, Drilling Capacity: Wood: 36mm, Steel: 13mm, Masonry: 13mm, Weight: 2.3kg

£97.94

order code TL1412602

628389

10.8V Combi Drill

BOSCH



Model: GSB108VLI 1X2AH

A lightweight and compact high powered professional combi drill, only 189mm in length, ideal for most tradesmen.

- Can be used for drilling and screwdriving into masonry, steel, wood and plastic
- Hammer action
- 2 Speed
- 10mm Keyless chuck with auto lock
- 20 Torque settings
- Battery charge level indicator
- Integrated LED light
- Supplied with charger, 1x 2 Ah Li-Ion battery and plastic storage case

Battery Capacity: 2Ah, Li-Ion, Chuck: 10 mm Keyless, No Load Speed: 0 - 380 / 0 - 1,300 rpm, Max. Torque: 30 N-m, Drilling Capacity: Masonry: 10mm Wood: 19mm Steel: 10mm

£66.59

order code TL1685502

698579

18V Li-Ion Combi Drill

Makita



Model: DHP456RMWX

- 2-Speed settings • 20 Minute charge time
- All metal gear box • 13mm Keyless chuck
- 16 Torque settings • Electric brake
- Automatic spindle lock • Fan-cooled motor
- Soft-Grip handle

Supplied with: 1x 18V 4Ah Li-Ion battery, charger and carry case

£134.98

order code TL1641402

687693

10.8V Li-Ion Drill Driver & Multi-Tool Kit



Model: BT-TK 10.8Li

A compact lightweight tool kit which comes with a Drill Driver and Multi-Tool kit for a variety of different jobs, this useful kit comes complete with 2x batteries and accessories.

Contents:

Drill Driver, Multi-Tool, 2x 1.3Ah 10.8V Li-Ion Batteries, Charger, Triangle Sanding Pad, 2x Sanding Sheets, Segment saw blade, scraper blade and carry case

Battery Capacity: 1.4AhLi-Ion, Voltage: 10.8V, Chuck: 10°, No Load Speed: 600rpm, Max. Torque: 12 N-m, Drilling Capacity : Wood: 10mm Steel: 8mm

£39.98

order code TL1787502

710742

12V Drill Driver with Torch



Model: 6271DWPLE

Drill Driver:

- All metal gearing • Forward and reverse action
- Variable speed, electric brake
- 30 Min Charge time • 16 Torque settings
- No Load speed 0-400rpm / 0-1,300rpm
- Max drill capacities - 25mm wood / 10mm steel

Torch:

- Continuous illumination 160 min
- Overall length 270mm

Supplied with - 2x 1.3Ah Ni-Cd batteries, torch, battery charger, carrying case and double ended driver bit

£64.96

order code TL1692302

700730

18V Li-Ion Combi Drill with 101 Piece Accessory Set



Model: DHP453RFTK

- 2-Speed settings • All metal gear box
- 13mm Keyless chuck • 16 Torque settings
- Electric brake • Automatic spindle lock
- Replaceable brushes • Fan-cooled motor
- Soft-grip handle
- Comes with: 3.0Ah Li-Ion battery, charger, carry case and 10 accessory piece set

Battery Capacity: 3Ah Li-Ion, Voltage: 18V, Chuck: Keyless, Chuck Size: 13mm, Max. Torque: 42 N-m, No Load Speed: 400 - 1300 rpm, Drilling Capacity: Wood: 36mm, Steel: 13mm, Masonry: 13mm, Weight: 1.9kg

£124.79

order code TL1711902

702145

18V Li-Ion SDS-Plus Compact Drill Kit



Model: DHR242RMJ

- 3-Mode: Switch for rotation, hammering with rotation, or chiselling only
- Brushless motor which enhances the runtime of the drill
- Built-in torque limiter clutch - disengages if bit jams
- Vibration absorbing handle design
- Chisel rotates 360°
- Only 410mm in length
- Ergonomic shape

Kit Contents:

2x 4Ah Li-Ion Batteries, charger, side handle, depth stop, carry case

Battery Capacity: 3Ah Li-Ion, Voltage: 18V, Chuck: SDS-Plus, No Load Speed: 950rpm, Impact Rate: 4700BPM Drilling Capacity: Wood: 27mm Steel: 13mm Concrete: 24mm, Weight: 3.3kg

£349.97

order code TL1777802

712822

18V Li-Ion SDS Hammer Drill



Model: GBH18VEC

- Long runtime 153 holes, 6x 40mm in concrete
- Low weight (only 2.6kg) and compact design
- 3-Mode: Switch for rotation, hammering with rotation, or chiselling only
- Highest chiselling removal rate (12 kg/hour) in its class
- Durasshield housing • Soft grip
- Overload clutch
- LED light for work-piece illumination

Contents: 2x 4.0Ah Li-Ion batteries, 30 min charger, aux handle & depth and L-Boxx

Battery Capacity: 4Ah Li-Ion, Chuck: SDS Plus; No Load Speed: 1400rpm; Impact Rate: 4550 BPM; Hammer: Yes; Drilling Capacity: Masonry: 18mm, Wood: 20mm, Steel: 13mm

£354.98

order code TL1628102

698581

10.8V Li-Ion Impact and Combi Drill Kit



Model: DK1493WX

Compact yet powerful cordless tools that are easy to control, light in weight and suitable for any user. Both drivers come with variable speed, LED light.

Combi Drill - HP330DZ

- 10mm Keyless chuck, 18 Position adjustable torque control.

Impact Driver - TD090DZW

- 1/4" Hex chuck, Impact rate 3000bpm.

Contents: Drill driver, Impact driver, 2x 1.3Ah Li-Ion batteries, charger and bag

£114.99

order code TL1639802

694279

18V Li-Ion Compact Combi Drill



Model: DCD785M2-GB

- Compact, lightweight design
- Only 202mm in length
- 14 Adjustable torque settings
- Variable speed
- 13mm Keyless chuck
- Electronic motor brake
- High performance fan cooled motor
- All metal gearing
- LED light

Contents: 4Ah Li-Ion batteries, 60 minute multi charger and robust carry case

Bare Unit = Body only. No battery, charger or case supplied

Voltage: 18V, Capacity: Li-Ion, Chuck: 13mm - Keyless, No Load Speed: 2000rpm, Max. Torque: 60 N-m, Impact Rate: 34000BPM, Drilling Capacity : Wood: 38mm, Steel: 13mm, Masonry: 13mm, Weight: 1.88kg

699754

TL1686302	Kit with 1 Battery	£119.99
TL1533002	Kit with 2 Batteries	£219.99
TL1534302	Bare Unit	£89.96

18V Li-Ion Compact Brushless Combi Drill



Model: DCD795D2

Powerful, compact combi drill with brushless motor for extreme runtime. Intelligent XR trigger protects the battery and tool, extending the lives of both.

- Compact, lightweight design
- Only 202mm in length
- 14 Torque settings
- 2 Speed settings
- Variable speed
- 13mm Keyless chuck
- All metal gearing
- LED light

Contents: 2x 2Ah Li-Ion batteries, charger and robust carry case

Voltage: 18V, Capacity: 2Ah Li-Ion, Chuck: 13mm, No Load Speed: 0-600 / 2000 rpm, Max. Torque: 60N-m, Impact Rate: 34000BPM, Drilling Capacity: Wood: 38mm, Steel: 13mm, Masonry: 13mm, Weight: 1.62kg

£189.99

order code TL1681402

693902

18V SDS-3-Mode Hammer Drill



Model: DCH253N-XJ/DCH253M2-GB

- Ideal for drilling anchors and fixing holes into concrete, brick and masonry from 4mm to 20mm
- Large 19mm hammer mechanism
- Compact gearbox
- Rear mounted battery for excellent balance
- Rotation stop for light chiselling
- Impact-stop mode for rotary drilling

Contents: 1x Multi-charger, 2x 4Ah Li-Ion batteries, multi-position side handle, grease, heavy duty carrying case
NB: Bare Unit is not supplied with battery or charger

Battery Capacity: Li-Ion, Voltage: 18V, Chuck: SDS-Plus, No Load Speed: 1200rpm, Power Output: 400W, Impact Rate: 4500BPM, Drilling Capacity: Wood: 26mm, Steel: 13mm, Concrete: 24mm, Weight: 3.1kg

683177

TL1572902	With Batteries	£293.98
TL1572802	Bare Unit	£164.98

Tools, Site Maintenance & Chemicals

10.8V Li-ion Drill Driver and Impact Driver Kit **DEWALT**

Model: DCK211D2T-GB

10.8V Li-ion Drill driver and Impact Driver from the latest DeWalt range. Both come with variable speed, all metal gearing, rubber coated handles and LED lights. Ideal for industrial and home use.

Drill Driver:

- 15 Adjustable torque, 10mm Keyless chuck, Max torque: 16Nm, No load speed 0-400 / 0-1500rpm, Drilling Capacity: Wood 19mm, Steel 10mm

Impact Driver:

- Ideal tool that delivers a strong, sudden rotational and downward force, loosens larger screws (bolts) and nuts that are over-torqued, can also be used where screws have to be tightened with torque greater than 6.35, 6.35 mm keyless hex-drive chuck, No load speed 2450rpm, Impact Rate 3400bpm, Max torque 107Nm, Bolt Capacity M12

Contents: Drill driver, Impact Driver, 2 x 10.8V 2Ah Lithium Batteries, Multi-voltage charger, TSTAK Heavy duty case

£124.97

order code TL1787402

710733

250W Bench Pillar Drill **SID**

Model: 01422

A quality precision pillar drill which offers a wide range of features. A solid cast iron construction reduces noise, vibration and movement. The milled table is fully adjustable, rotational, tilt and swing. The depth gauge and stop increases the precision of the drill and makes this pillar drill ideal for general purpose drilling.



£64.98

order code TL1456002

654374

220W Multi Cutter **DURATOOL**

Model: D01960

- Will saw, cut and sand
- Toolholder with universal changing of all accessories with a hex key
- Powerful 220W motor
- Accessories can be attached at different angles
- Softgrip compact housing
- Segment saw blade that is supplied will not cut flush
- Supplied with segment saw blade, E-cut saw blade (raised), spade, hex key, 1pc sand paper fixing plate, 2x sand paper for paint and wood, blow moulded case



Operating Voltage: 230V; Power Input: 220W; Oscillation Angle: 2.8°

£24.98

order code TL1470402

663298

TL1470502

Accessory Set

£8.98

500W Hammer Drill **BOSCH**



Model: PSB 500RE

- Twin-sleeve keyless chuck
- Forward reverse operation
- Integrated switch for continuous operation
- Screwdriving/ drilling and Impact drilling function
- Cable guide with hanging hook

£34.96

order code TL1408202

652067

4 1/2" Angle Grinder **Einhell**



Model: BT-AG 850

A mains operated professional quality 115mm angle grinder

- 850W Motor
- Metal gear housing
- Soft start
- Easy to hold
- Side handle

NB: Disc not included

Voltage: 230V, Power input: 850W, No Load Speed: 11000rpm, Disc diameter: 115mm, Spindle: M14

£22.98

order code TL1531302

676821

Multi-Tool Accessory Set - 3 Piece **BOSCH**

Blade kit
Suitable for Bosch Multi-tools and any other tools that use the OIS tool interface.

Contents:

- 1x Segment saw blade wood
- 1x Plunge cut blade wood
- 1x Plunge cut blade metal

Segment saw blade Wood 26086614637:

- Ideal for cutting door frames near floor up to 25mm of thickness, cut out parquet/laminate flooring and small aluminum strips

Plunge cut blade Wood 2608661643:

- Ideal for cutting door frames (near floor), plunge cut in skirting boards

Plunge cut blade Metal 2608661640:

- Ideal for cutting into nails, screws and small ferrous metal

£14.89

order code TL1692002

701425

4 Function SDS Drill **EVOLUTION**



Model: SDS4

- Four functions: Drill, hammer drill, hammer, chisel (with angle adjust)
- Ergonomic main handle with soft grips for comfort
- Auxiliary rubber coated handle
- Enhanced functionality over regular SDS drills
- 650W Variable speed
- Mechanical safety clutch

Supplied with: 3x SDS drill bit, 2x chisel bits and carry case

Wattage: 650W, Voltage: 230V, Chuck Type: SDS, Impact rate: 4200BPM, Impact Energy: 1.6J, Hammer: Yes, Drilling Capacity: Wood: 30mm, Steel: 13mm, Masonry: 26mm, Weight: 2.7kg

£43.94

order code TL1391902

639090

23 Piece Multi-Cutter Accessory Set **DURATOOL**

- Accessories to use with Duratool Multi-cutter

Contents:

- 1x High carbon raised steel saw blade
- 1x Scraper blade
- 1x HCS Half-Moon raised saw blade
- 5 of each 60, 80, 120, 240 grade sand papers



£8.98

order code TL1470502

659552

4 1/2" Metal Cutting/Grinding Discs **BOSCH**

- Can be used for cutting, grinding and finishing with one disc
- Ideal to use on metals, stainless steel and titanium
- Better at absorbing vibrations during grinding
- Pack of 10



£7.33

order code TL1632202

695693

32 Piece Colour Coded Screwdriver Bit Set **BOSCH**



Contents:

- 1 Quick-change universal magnetic holder
- Phillips: PH1, 2 x PH2, PH3 • Pozzi: PZ1, 2 x PZ2, PZ3
- Slotted: 3, 4, 5, 6mm
- Torx: T10, T15, T20, T25, T27, T30, T40
- Tamperproof Torx: T10, T20, T25, T27, T30, T40
- Hex: 3, 4, 5, 6mm • Tough plastic case



£9.98

order code TL1691302

700731

54mm Circular Saw

Model: Fury

- Easily cuts steel, aluminium, wood & plastic, using one blade
- Cuts sheet steel up to 3mm in thickness



Power: 1.2kW, Saw Blade Size: 185mm, No Load Speed: 3500rpm, Voltage: 230V, Weight: 5.5kg, Mild Steel*: Box Section (3mm Wall 90°): 54mm, Box Section (3mm Wall 45°): 35mm, Sheet Steel: Max Thickness: 3mm, Wood: Capacity 90°: 54mm, Capacity 45°: 35mm

£47.23

order code TL1392102

632092

Fury Twin Cutting Tool



Model: Fury Twin

Featuring a twin blade system, where the blades spin in opposite directions – one counteracts the other, resulting in virtually no kickback. Ideal for plunge cuts and work in tight areas.

- Easily cuts steel, aluminium, wood (even wood with nails), copper and plastics
- Cuts through steel producing no burr or heat
- Supplied with 2x 125mm TCT blades and carry case

Wattage: 650W, Voltage: 230V, No Load Speed: 5500rpm, Blade : 125mm, Cutting Capacity: Wood 90°: 33mm, Mild Steel 90° 3mm Thickness: 3mm

£62.89

order code TL1391702

628394

250mm Folding Table Saw



Model: TH-TS 1525 U

- 1500W 250mm Table saw with stand and side extensions.
- Saw blade protection with splinters exhaust device
- Parallel guide with aluminium rail
- Cross fence with angle scale
- Saw blade height and angle adjustment
- Power: 1500W
- No Load Speed 5700 rpm
- TCT saw blade: 250x30mm
- Cutting height at 90°: 75mm
- Cutting height at 45°: 48mm
- Table size: 640x446mm
- Size additional table (left/right): 640x250mm

£104.98

order code TL1726202

712826

Spare Blades

TL1672802	24 tpi	£9.44
TL1672902	48 tpi	£12.94
TL1673002	60 tpi	£13.99

280W Mini Belt Sander



Model: MINIBELTSANDER

A professional mini belt sander designed to fit neatly in the palm for single-handed use, this compact sander is ideal for the fast removal of wood and paint.

- Compact design will easily fit in a toolbox
- Adjustable belt tracking enables the sanding belt to be easily re-centred
- Soft grip handle with rubber coated grip
- Fan-cooled motor • Dust extraction facility
- Supplied with dust bag and 3x sanding belts

Wattage: 280W, Voltage: 230V, No Load Speed: 380rpm, Belt dimensions: 40 x 303mm

£25.98

order code TL1536302

679046

24 Ltr Air Compressor Kit



Model: Hurricane 06296

This compressor is powerful and robust yet light, easy to transport and is oil free. Ideal for professionals and serious DIY users looking for high performance and a good air reserve.

- Anti-Vibration rubber feet
- Twin gauges providing multiple accessory usage
- Supplied with gravity fed spray gun, degreasing gun, inflator with pressure gauge, duster gun and 3m coiled air hose

NB: Please note when purchasing this compressor you will also need to order TL1406106 adaptor

£94.49

order code TL1582302

683056

105W Palm Sander



Model: D01665

- Lightweight and well balanced
- Engineered to operate at low noise levels with reduced hand vibration
- Compact detail point for accessing tight corners
- Hook and loop abrasive base
- Soft-grip for additional comfort
- Dust-proof ON/OFF switch
- Supplied with 1x P80 sanding pad

Replacement pads in pack of 10

- 4x Coarse (60 grit) • 3x Medium (120 grit)
- 3x Fine (180 grit)

Voltage: 230V, Power Input: 105W, No Load Speed: 13000RPM, Sanding Pad Size: 140x100mm

TL1373202

Sander

659406

£9.49

TL1416702

Replacement Pads (PK10)

£1.83

HSS Jobber Drill Bits



- HSS - Ground to DIN338
- Black oxide M1 material
- 118° Standard point
- For metal, wood and plastic

628368

	Dia. (mm)	Length (mm)	Pack Size	
TL1126002	0.5	22	5	£0.28
TL1126102	1.0	34	5	£0.33
TL1126202	1.5	40	5	£0.38
TL1126302	2.0	49	5	£0.54
TL1126402	2.5	57	5	£0.67
TL1126602	3.2	65	5	£0.98
TL1126702	3.5	70	5	£1.11
TL1127202	5.5	93	1	£0.58
TL1127402	6.5	101	1	£0.78
TL1127502	7.0	109	1	£0.89
TL1127702	8.0	117	1	£1.12
TL1128102	10.0	133	1	£1.61
TL1128202	10.5	133	1	£1.56
TL1128502	12.0	151	1	£2.61

Masonry Drill Bits




- Hard alloy
- For drilling concrete, wallboard, stone, brick and slate
- For use in electric drills

678189

	Dia. (mm)	Length (mm)	
TL1130102	3.0	65	£0.21
TL1130202	4.0	70	£0.22
TL1130302	5.0	80	£0.22
TL1130402	5.5	80	£0.27
TL1130502	6.0	100	£0.25
TL1130702	7.0	110	£0.29
TL1130802	8.0	125	£0.38
TL1131602	5.5	150	£0.29
TL1131902	7.0	150	£0.40

1m SDS Drill Set




- For concrete masonry, block and stone
- Tungsten carbide tipped ground centre point
- Copper brazed
- 3 Sizes: 12, 16 and 24mm

£12.54

order code TL1029002

628373

HSS-R Drill Bit Sets



- General purpose metal drill bits
- Manufactured from high speed steel to DIN338, using a hot roll forging process.
- Cylindrical ground right hand cutting point angle
- Finish - steam tempered black
- Supplied in a plastic cassette case

Contents:

19 Piece: 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10mm
25 Piece: 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13mm

695692

TL1635902 19 Piece

£7.96

TL1636002 25 Piece

£16.89

6 Piece Downlight Installers Kit



- For use on plasterboard, wood, plastic, and other soft materials
- Fits most common size of downlights
- 6 Hole saw sizes: 50, 60, 65, 72, 75 and 86mm



£5.76

order code TL1046802

628375

Sales Counter
Open 7 days a week

Soldering Iron



- High quality ceramic heating element
- Built-in white LED worklight illuminates work area

Technical Data

Power 40W
Temperature 370 to 420°C

£3.49

order code SD0167302

633472

Temperature Controlled Soldering Iron



Versatile hobbyist iron with in-handle temperature adjustment making it suitable for a variety of different soldering applications.

Technical Data

Power 50W
Temperature 200 to 450°C

£5.75

order code SD0167402

633473

Soldering Iron Kit - 30W



- Integral hanging hook
- Ceramic heating element
- Replacement tips available

- Contents:**
- 30W soldering iron
 - Desoldering pump
 - Safety stand
 - Solder

£7.99

order code SD0170802

652858

Soldering Kit

Contents:

- 30W Mains soldering iron with spare tip (1mm pointed), holder, aluminium desoldering pump with spare tip and 'O' ring, solder, soldering grease, 4.5" wire cutters



£6.99

order code SD0115702

628797

100W Soldering Gun



- Built in worklight illuminates the work area
- Ideal for cutting and sealing as well as soldering

£8.99

order code SD0170102

654301

Soldering & Electronics Tool Kit



- Integral hanging hook
- Ceramic heating element
- Replacement tips available

Contents:

- Soldering iron with spare tip
- Desoldering pump, with spate nozzle and piston ring
- Long nose plier, 4.5"
- Diagonal cutting plier, 4.5"
- Voltage tester
- Screwdriver(+/-)5x100mm
- Holder
- Multimeter
- Solder

Technical Data

Supply Voltage 230V (220-240V) / 50Hz
Temperature range 150°C - 450°C
Dimensions 190x105x22mm
Weight 120g

£14.99

order code SD0170702

652857

Soldering Station, 48W



- Variable temperature control
- Integrated safety iron holder
- 24V 48W Soldering iron and tip also supplied
- Replacement tips available

Technical Data

Supply Voltage 230V (220-240V)/50Hz
Electric Iron Power 48W
Temperature range 150°C - 450°C
Unit Dimensions (LxHxD) 120x80x70mm
Weight 600g

£10.99

order code SD0186702

667946

Temperature Controlled Soldering Stations

- Rotary temperature control
- Safe, low voltage 24V AC iron operation
- Integral stand (can be placed on left or right)
- ESD version available
- Mains on/off switch and fuse
- Range of tips available

Digital Readout Versions:

- Digital temperature read-out (Switchable between °C and °F)
- Set/read display

Contents of Station: Power unit, soldering iron (with 0.5mm pointed tip), stand, sponge, user instructions

£33.99

order code SD0111702

628801

48W Temperature Controlled Soldering Station



ESD Version

- Temperature range: 150°C-450°C
 - Safe, low voltage 24V iron operation
 - Integral enclosed stand
 - Pull-out tray that houses the sponge
- Contents:** Power unit, soldering iron (with 0.5mm pointed tip), sponge, user instructions

£35.99

order code SD0112002

628803

60W Soldering Station

Model: ZD-916

- Heats up from room temperature to 350°C in 30 seconds
- Suitable for lead free soldering and special low temperature conditions



£49

order code SD0138502

628804

Desoldering Station

Model: ZD-915

- The temperature sensor on the top of the tip checks the tip temperature quickly and decreases the possibility of the tip temperature falling off during operation
- The quick heat and 80W power make for convenient and clear soldering/desoldering of all types of DIP components
- Suitable for lead-free applications

£59

order code SD0138402

632048

Desoldering Iron / Sucker



- Heated desoldering pump
- Single handed operation
- Lockable spring loaded plunger

Technical Data

Supply Voltage 230V (220-240V) / 50Hz
Electric Iron Power 40W
Temperature range 150°C - 450°C
Dimensions 190x105x22mm
Weight 120g

£3.99

order code SD0170202

656091

Soldering and Rework Station



Model: ZD-917:

- This digital repair system includes a soldering iron and desoldering gun
- Offers a controlled supply of heat, suitable for desoldering all type of components and allows easy removal of the residual solder
- The soldering iron and desoldering iron can be used independently or at the same time
- Suitable for lead free soldering applications

£119

order code SD0138602

628807

Hot Air SMD Rework Station



- A wide range of adjustment of the air flow rate and temperature permits soldering and desoldering of SMD's
- Closed loop control of temperature
- Automatic cooling mode - protects the heating element and handle when the power switch is turned off
- Full range of nozzles available

£55

order code SD0113902

628808

Plastic Desoldering Pumps



A range of plastic desoldering pumps with PTFE nozzle. 643516

SD0115102 Blue	£0.69
SD0115202 Blue/Yellow	£0.75
SD0115302 Black - ESD (Antistatic)	£1.19

60/40 Solder



- High activity rosin flux
- Low melting point for rework and repair

Technical Data

Alloy Tin 60% / Lead 40%
Flux Type Rosin Core, JIS-Z-3283
Melting Temperature 190°C

628823

Wire Diameter: 0.7mm (22 SWG)

SD0153502	100g	£3.49
SD0153602	500g	£15.99

Wire Diameter: 1.2mm (18 SWG)

SD0153702	500g	£15.99
SD0153802	2kg	£49.99

ER30 Soldering Tool Kit



An entry level toolkit with a variety of tools for the Hobbyist or Engineer. Supplied with an Antex ER30 soldering iron with PVC cable and a nickel plated soldering tip.

- Nominal Power: 30W • Dimensions: 285x180x50mm

Contents: ER30 iron with PVC cable, pair of mini cutters, pair of mini pliers, flat blade screwdriver, cross screwdriver, 2m tape measure, auto-lock blade, 1.5mm-6mm hex allen key set, desoldering pump, 2m tube of lead-free solder, flat pack metal soldering iron stand, spare 0.5mm straight and 0.5mm angled soldering bits.

Usual price £27.40

£19.99
code SD0202902

CS18 Soldering Tool Kit



An engineers toolkit featuring an Antex CS18 burn-proof silicone cabled iron, a variety of tools, and a digital multimeter. The tip fitted to the iron is a long life, iron plated Antex 2.3mm (Antex 1100) bit.

- Nominal Power: 18W • Dimensions: 285x180x50mm

Contents: CS18 iron with silicone cable, digital multimeter with battery, pair of mini cutters, pair of mini pliers, flat blade screwdriver, cross screwdriver, 2m tape measure, auto-lock blade, 1.5mm-6mm hex allen key set, desoldering pump, 2m tube of lead-free solder, flat pack metal soldering iron stand, spare 2.3mm (Antex 1100) and 0.5mm (Antex 1105) soldering bits.

Usual price £53.32

£39
code SD0203002

XS25 Soldering Tool Kit



An engineers toolkit featuring an Antex XS18 burn-proof silicone cabled iron, a variety of tools, and a digital multimeter. The tip fitted to the iron is a long life, iron plated Antex 2.3mm (Antex 50) bit.

- Nominal Power: 25W • Dimensions: 285x180x50mm

Contents: XS25 iron with silicone cable, digital multimeter with battery, pair of mini cutters, pair of mini pliers, flat blade screwdriver, cross screwdriver, 2m tape measure, auto-lock blade, 1.5mm-6mm hex allen key set, desoldering pump, 2m tube of lead-free solder, flat pack metal soldering iron stand, spare 2.3mm (Antex 50) and 0.5mm (Antex 55) soldering bits.

Usual price £55.12

£39
code SD0203102

Gascat 60 Soldering Tool Kit



An engineers toolkit featuring an Antex Gascat 60 butane gas powered soldering iron, a variety of tools, and a digital multimeter.

- Approximately 1 hour before requiring refilling
- Adjustable temperature
- Can be used for heatshrinking and also as a hot flame

Contents: Gascat 60 iron with flintwheel ignition, digital multimeter with battery, pair of mini cutters, pair of mini pliers, flat blade screwdriver, cross screwdriver, 2m tape measure, auto-lock blade, 1.5mm-6mm hex allen key set, desoldering pump, 2m tube of lead-free solder, soldering tip, flame tip and hot air tip.

Usual price £69.04

£49
code SD0203202

Gascat 120 Soldering Tool Kit

An engineers toolkit featuring an Antex Gascat 120 butane gas powered soldering iron, a variety of tools, and a digital multimeter.

- Approximately 2 hours before requiring refilling
- Adjustable temperature
- Can be used for heatshrinking and also as a hot knife

Contents: Gascat 120 iron with auto ignition, digital multimeter with battery, pair of mini cutters, pair of mini pliers, flat blade screwdriver, cross screwdriver, 2m tape measure, auto-lock blade, 1.5mm-6mm hex allen key set, desoldering pump, 2m tube of lead-free solder, soldering tip, flame tip and knife tip.



Usual price £89.80

£59
code SD0203302

Platform Steps YOUNGMAN

- A range of aluminium platform step ladders providing great flexibility with sturdy construction
- Ideal for light trade use or the home user
- Lightweight and easily carried
- Safety straps on the 6 tread version



Technical Data			
No. of Treads	Closed Height	Open Height (Platform)	Weight
3	1.26m	0.57m	2.8kg
4	1.48m	0.78m	3.4kg
6	1.94m	1.22m	5.1kg

SI1519702	3 Tread Steps	£21.79
SI1519802	4 Tread Steps	£26.42
SI1519902	6 Tread Steps	£38.57

Heavy Trade Fibreglass Steps YOUNGMAN

- A robust, non-conductive glass fibre range of step ladders for use where there may be risk of electrical hazards
- Solid and reliable for regular use
- Wider tread spacing for faster, easier access
- Integral tool rack
- Slip-resistant treads and feet
- Non-conductive to 30,000V



Technical Data			
No. of Treads	Closed Height	Open Height (Platform)	Weight
4	1.24m	1.00m	5.41kg
6	1.84m	1.65m	7.77kg
8	2.43m	2.20m	10.45kg

No. Of Treads		
SI1520102	4	£44.95
SI1520202	6	£59.98
SI1520302	8	£79.46

Multi-Purpose Ladder YOUNGMAN



This ladder can be used in up to nine configurations including straight ladder, double-sided stepladder, stairway ladder and platform.

Technical Data	
Closed Height	0.95m
Extended Height	3.46m
Step Height	170 mm
Weight	12.0kg

£59.94

order code SI1502002 633925

Trade prices on over 100,000 stocked products

3.8m Telescopic Ladder FORGEFIX

- Will fit into most car boots
- Treads designed with anti-slip grooves
- Precision profiled rubber feet to assist grip on most types of terrain
- BSEN131 approved
- Load capacity of 150kg
- Made from aluminium
- Closed height: 960mm
- Open height: 3.8m • Weight: 10.6kg
- Supplied with carry case



£79.98

order code SI1576802 633998

Foam Ear Plugs EAR 3M



- Model: E-A-Rsoft**
- 3M E-A-R Foam earplugs are made from a soft energy absorbing polymer foam which provides excellent hearing protection and all day comfort. Ideal for use where noise is a problem either in work or leisure activities.
- Pre-shaped PU foam
 - Non-irritating foam
 - Adjust to shape and size of ear canal to ensure a secure, safe fit
 - Disposable and easy to use
 - Protection level: 95dB(A) - 110dB(A)
 - Attenuation rating: 37dB

Individually		
HE3208102	Un-Corded 1 Pair	£0.17
HE3208302	Corded (1 Set)	£0.23
Box Quantity		
HE3208002	Un-Corded 200 Pack	£17.82
HE3208202	Corded 100 Pairs	£18.32

Thunderplugs Ear Plugs THUNDERPLUGS



- Model: TPB1**
- Discreetly fit into your ears
 - Made from silicone and polystyrene
 - Extra flap on the plug for easy removal
 - Perfect for concerts, parties, construction sites, shooting and anywhere where there is a lot of noise
 - Tested against and certified by both ANSI S3.19-1974 American standards and European EN-352-2 standards
 - Noise reduction rating : 18dB
 - Supplied with an aluminium keychain case for storage

£5.98

order code HE3357102 706130

Wraparound Spectacles

A wrap around sports style eyeshield for wide vision and complete protection. One piece lens with integral moulded nose piece for added comfort. Sideshields and adjustable arms. Conforms to EN166.1.F.



98p

order code HE3051502 634024

Safety Glasses JSP



- Martcare® M9400 Wraplite™**
- Single lens wraparound, comfortable and lightweight
 - Design provides excellent field of vision
 - Blocks 99.9% of ultraviolet radiation
 - Conforms to EN166.1.F

£1.49

order code HE3304802 685244

Welders Helmets SP



- Automatic welders headshields
- Adjustable sensitivity control
- Solar powered
- Super fast 1/25,000 second light to dark and 0.6 sec from dark to light response time
- Large viewing area 98x40mm

HE3204902	Black	£39.30
HE3205002	Flame	£42.67

Disposable Valved Respirators JSP



HE3303602 FFP1 HE3303702 FFP2



HE3303802 FFP3 HE3303902 Flexinet FFP3

- Martcare®**
- These disposable Respirators are tested to European Standard EN149:2001 and are classified by three filtration levels to indicate how much of the airborne hazard is filtered by the mask.
- Shaped for better fitting and clear vision
 - Valved for low breathing resistance, low CO2 and heat/moisture build-up and added user comfort

- FFP1:**
- Ideal low risk hazards such as against non-toxic solid and liquid aerosols

- FFP2:**
- Ideal for protection against anti virus's, fine dusts, fibres, aqueous mists, oil based mist

- FFP3:**
- Protection against masonry, wood, metal fumes, sandstone, fine dusts and mists.

685250		
HE3303602	FFP1 (PK10)	£5.24
HE3303702	FFP2 (PK10)	£6.77
HE3303802	FFP3 (PK5)	£9.76
HE3303902	Flexinet FFP3 (PK5)	£17.94

Latex Gloves

- 100 Disposable, non-sterile, ambidextrous gloves
- Available in powdered or powder free versions
- CE marked EN420, EN455 (medical grade)



Airshield Pro Respirator trend

- Model: AIR/PRO**
- Fully protected powered respirator for use with all woodworking applications. Suitable for use when machining MDF.
- Motor positioned away from the sensitive area of the forehead to reduce noise and irritation
 - Built-in fan keeps constant flow of air across the face
 - Provides protection from inhalation of harmful dust
 - Protects eyes and face from flying debris
 - Twin filters
 - Audible low battery warning
 - Removable 8 hour battery
 - Eye protection to BS EN 166
 - Respiratory protection BS EN 12941 (NPF50)



Contents: Pair THP2 fine filters, 8 hour Ni-MH battery, Battery charger, Carry bag, Clear visor overlay, Airflow indicator

£192.81

order code HE3202602 652098

Accessories		
HE3238002	P2 Filter (1 off)	£3.49
HE3238102	P2 Filter (PK 5)	£16.07
HE3238202	Visor	£17.26
HE3238302	THP2 Filter (Pair)	£26.53
HE3238402	8 Hour Battery pack	£39.66
HE3238502	Ear Defenders (Pair)	£31.03

Vinyl Gloves

- Made of high quality PVC
- Resistant to oils, light bases, light acids and grease
- Size: Large
- Supplied as 100 gloves per box



HE3153602 Powdered **£3.98**
HE3153702 Powder Free

Close Fitting Nylon Gloves

- PU coated nylon gloves offer fantastic fit making them perfect when you need great sensitivity and dexterity. With a PU coating for extra grip, these gloves are ideal for general and precision tasks.
- Conforms to EN 388 levels 3-1-2-1
 - Tested against EN 1149
 - Polyurethane palm coating
 - Textured coating
 - Knitted wrist band
 - Washable



674738

Black		
HE3255002	Small	
HE3255102	Medium	
HE3255202	Large	78p
HE3255302	XL	
HE3255402	XXL	
Grey / White		
HE3255502	Small	
HE3255602	Medium	
HE3255702	Large	78p
HE3255802	XL	
HE3255902	XXL	

Powdered		
HE3185102	Medium	
HE3185202	Large	£4.92
HE3185302	Extra Large	
Powder Free		
HE3185402	Medium	
HE3185502	Large	£5.24
HE3185602	Extra Large	

Vynatrilite Gloves



A mixture of vynatrilite and nitrile these gloves are both strong and flexible – ideal if you need a disposable glove that offers fantastic dexterity and sensitivity. Ideal for clinical tasks, laboratories, food processing, food handling, automotive, assembly work, janitorial, DIY.

- Medical grade conforms to EN 455 parts 1-4
- Manufactured from a vinyl/nitrile mix
- Powder free
- Latex free
- Increased flexibility and tensile strength
- Pack of 100

685154

Blue/Clear

HE3257502	Small	£4.19
HE3257602	Medium	£4.19
HE3257702	Large	£4.19
HE3257802	Extra Large	£4.19

Black

HE3300002	Small	£5.22
HE3300102	Medium	£5.22
HE3300202	Large	£5.22
HE3300302	Extra Large	£5.22

Criss Cross Gloves



A general purpose work glove with PVC criss cross grip, for increased grip

98p

order code HE3184002

634043

Rigger Gloves



- Large size

89p

order code HE3181802

634044

Dipped Gloves



- Latex coated palm for a sure grip
- Knitted back and wrist
- For general handling
- Close fitting and flexible
- Conforms to EN 388

634046

HE3107302	Medium	
HE3107402	Large	
HE3184202	X Large	

97p

Fleece - Latex Dipped Gloves



- Fleece lined
- Textured grip with latex palm coating
- Ribbed knit wrist
- Conforms to EN388 & EN511

643492

HE3207002	Large	
HE3207102	X Large	

£1.98

Trainer Boots



to 300°C

- Suede leather upper
- Lightweight dual density outsole
- 200 Joule steel toe cap
- Penetration resistant steel midsole
- Black full grain leather uppers
- Ultra modern design
- Rated to European standard CE EN345-1

634056

	Size	
HE3083702	7	
HE3083802	8	
HE3083902	9	
HE3084002	10	
HE3084102	11	

£20.97

Chukka Boots



- Leather upper
- Lightweight dual density outsole
- 200 Joule steel toe cap
- Penetration resistant midsole
- Anti-static and energy absorption
- Rated to European standard CE EN345-1
- Available in different sizes

634052

	Size	
HE3081702	7	
HE3081802	8	
HE3081902	9	
HE3082002	10	
HE3082102	11	

£13.63

Active Fit Work Trousers



Model: Worker Trouser

- 6 Multi-function fixed pockets
- Carpenter pocket
- Mobile phone pocket
- 10 Versatile compartments
- Reinforced knee support
- Integral knee pad pocket
- Key loop
- Made from 65% polyamide/35% cotton

NB: Knee pads sold separately

706219

Regular Leg 31"Size

HE3364202	30"	
HE3364302	32"	
HE3364402	34"	
HE3364502	36"	
HE3364602	38"	
HE3364702	40"	

£18.76

Long Leg 33"

HE3364802	30"	
HE3364902	32"	
HE3365002	34"	
HE3365102	36"	
HE3365202	38"	
HE3365302	40"	

£18.76

Knee Pads

HE3248102	One Size Fits All	£5.98
-----------	-------------------	-------

Classic Polo Shirt

- Hard wearing
- Ribbed collar and cuffs
- Made from 50% polyester, 50% cotton



699189

Black

HE3348302	Medium	42" - 44"	£3.85
HE3348402	Large	45" - 47"	£3.85
HE3348502	X Large	48" - 50"	£3.85
HE3348602	XX Large	50" - 52"	£3.85

Navy

HE3348702	Medium	45" - 47"	£3.85
HE3348802	Large	48" - 50"	£3.85
HE3348902	X Large	50" - 52"	£3.85
HE3349002	XX Large	50" - 52"	£3.85

First Aid Kit - HSE

- Injection moulded plastic case
- HSE Compliant
- Not supplied with shelves (available separately)
- Refill pack, internal shelf and hanging bracket available separately

706425

10 Person

SA0171902	Kit	£11.78
SA0001802	Refill Kit	£8.73
HE3192602	Hanging Bracket	£3.07
HE3196302	Internal Shelf	£1.03

20 Person

SA0172202	Kit	£24.04
SA0001902	Refill Kit	£11.98
HE3192602	Hanging Bracket	£3.07
HE3196302	Internal Shelf	£1.03

50 Person

HE2731702	Kit	£31.29
HE2779002	Refill Kit	£22.36
HE2731802	Empty Case	£11.63
HE3192802	Hanging Bracket	£3.14
HE3196402	Internal Shelf	£1.12

Pro Work Trousers



- Durable Cordura reinforcement
- Water and wind resistant
- Generous active fit
- Multi-function fixed pockets
- Adjustable belt loops
- Made from 35% cotton and 65% polyamide
- Colour: Black



683520

Short Leg 29"

HE3289902	30"	
HE3290002	32"	
HE3290102	34"	
HE3290202	36"	
HE3290302	38"	
HE3290402	40"	
HE3290502	42"	

£22.98

Regular Leg 31"

HE3290602	30"	
HE3290702	32"	
HE3290802	34"	
HE3290902	36"	
HE3291002	38"	
HE3291102	40"	
HE3291202	42"	

£22.98

Long Leg 33"

HE3291302	30"	
HE3291402	32"	
HE3291502	34"	
HE3291602	36"	
HE3291702	38"	
HE3291802	40"	
HE3291902	42"	

£22.98

HE3090802 Knee Pads

£5.98

Hi-Vis PARKA Jacket

This Hi Vis Parka will keep you warm and dry in poor weather conditions whilst providing you with maximum Class 3 hi-vis protection.

- Large internal & external pockets
- 2 Band & brace
- Polyester quilted lining
- Heavy duty zip fastening
- Inner knitted cuff
- Material: 100% polyester
- Conforms to EN 471 Class 3:2, EN 343 Class 3:1
- Orange jacket as above + G0/RT 3279 Railway



686169

Yellow		Chest Size	
HE3333402	Small	40" - 42"	£15.73
HE3333502	Medium	42" - 44"	£15.73
HE3333602	Large	44" - 46"	£15.73
HE3333702	X Large	46" - 48"	£15.73
HE3333802	XX Large	48" - 50"	£15.73
HE3333902	XXX Large	50" - 52"	£15.73

Orange

HE3334002	Small	40" - 42"	£15.73
HE3334102	Medium	42" - 44"	£15.73
HE3334202	Large	44" - 46"	£15.73
HE3334302	X Large	46" - 48"	£15.73
HE3334402	XX Large	48" - 50"	£15.73
HE3334502	XXX Large	50" - 52"	£15.73

Black

HE3334602	Small	40" - 42"	£15.73
HE3334702	Medium	42" - 44"	£15.73
HE3334802	Large	44" - 46"	£15.73
HE3334902	X Large	46" - 48"	£15.73
HE3335002	XX Large	48" - 50"	£15.73
HE3335102	XXX Large	50" - 52"	£15.73

Multipurpose Screws

Multipurpose screw for use in hardwood, softwood, masonry, chipboard and MDF, sheet steel and plastic.

- PZ2 Drive, industry standard head
- Single thread
- Countersunk head
- Part thread - eliminates jacking
- Yellow zinc passivated finish



M3 Thread (3mm)	Length	Pack Qty	
FN0326202	10mm	200	£0.41
FN0326302	13mm	200	£0.41
FN0326402	15mm	200	£0.46
FN0326502	16mm	200	£0.48
FN0326602	17mm	200	£0.48
FN0326702	20mm	200	£0.58
FN0326802	25mm	200	£0.67
FN0326902	30mm	200	£0.82

M3.5 Thread (3.5mm)	Length	Pack Qty	
FN0327002	13mm	200	£0.67
FN0327102	15mm	200	£0.73
FN0327202	17mm	200	£0.73
FN0327302	20mm	200	£0.78
FN0327402	25mm	200	£0.91
FN0327502	30mm	200	£1.04
FN0327602	35mm	200	£1.27
FN0327702	40mm	200	£1.38
FN0327802	50mm	200	£1.96

M4 Thread (4mm)	Length	Pack Qty	
FN0327902	15mm	200	£0.89
FN0328002	17mm	200	£0.89
FN0328102	20mm	200	£0.89
FN0328202	25mm	200	£1.07
FN0328302	30mm	200	£1.24
FN0328402	35mm	200	£1.44
FN0328502	40mm	200	£1.60
FN0328602	45mm	200	£1.78
FN0328702	50mm	200	£2.00
FN0329702	60mm	200	£2.51
FN0329802	70mm	200	£2.93
FN0329902	75mm	100	£1.84

500 Pack of Wallplugs with Screws

A quality 500 pack of screws and wall plugs with a 6x 100mm masonry drill bit and a PZ2 bit supplied in a durable, re-sealable tub with a carry handle.



Screw Size:
• No 8x 1" screws

£7.98

order code PL1349902

694276

Plastic Wall Plugs



Premium quality plastic wall plugs.

- All purpose lightweight fittings
- Dual expansion giving high load values
- Ideal for use with standard and parallel threaded woodscrews
- Individual plugs supplied in packs of 100

Technical Data	Screw	Drill Size	
Red	3.5 - 5mm	5.5mm	FN0335702
Brown	5 - 6mm	7mm	FN0335802
FN0335702	Red		£0.46
FN0335802	Brown		£0.48



M4.5 Thread (4.5mm)

FN0328802	22mm	200	£1.12
FN0328902	25mm	200	£1.42
FN0329002	30mm	200	£1.64
FN0329102	35mm	200	£1.87
FN0329202	40mm	200	£2.11
FN0329302	45mm	200	£2.23
FN0329402	50mm	200	£2.67
FN0329502	60mm	100	£1.49
FN0329602	70mm	100	£1.62

M5 Thread (5mm)

FN0330202	20mm	200	£1.49
FN0330302	25mm	200	£1.78
FN0330402	30mm	200	£2.09
FN0330502	35mm	200	£2.38
FN0330602	40mm	200	£2.49
FN0330702	45mm	200	£2.76
FN0330802	50mm	200	£3.02
FN0330902	55mm	200	£3.26
FN0331002	60mm	100	£1.69
FN0331102	70mm	100	£2.16
FN0331202	75mm	100	£2.36
FN0331302	80mm	100	£2.49
FN0331402	90mm	100	£2.89
FN0330002	100mm	100	£3.07
FN0330102	120mm	100	£3.80

M6 Thread (6mm)

FN0331802	25mm	200	£3.20
FN0331902	30mm	200	£3.82
FN0332002	40mm	200	£3.76
FN0332102	50mm	100	£2.33
FN0332202	60mm	100	£2.49
FN0332302	70mm	100	£2.98
FN0332402	75mm	100	£3.51
FN0332502	80mm	100	£3.45
FN0332602	90mm	100	£4.28
FN0331502	100mm	100	£3.62
FN0331602	120mm	100	£5.52
FN0331702	150mm	100	£6.82

Heavy Duty Dryline Plasterboard Fixings




- Five times as strong as traditional fixings
- Transferring the load to the wall without affecting the plasterboards integrity
- Extra long plug can be inserted into the plasterboard
- Simply mark out and drill a hole using the drill bits (included), make sure it is deep enough to take the dryline wall plug (75mm), screw the wall plug into the hole flush and attach your fixture to the wall with the screw and optional cup provided
- Each kit is supplied with drill bit (Masonry/HSS) wall plugs, screws and brass screw feral



FN0249602	Pack of 8	£7.74
FN0249702	Box of 50	£24.79

Plasterboard Speed Plugs

- Specially designed cutting tip for quick installation into plasterboard
- Supplied with No. 6x 35mm (1 1/8") pozi driv roundhead screws
- Alternative screws (6-10 gauge) can be used if required for different fixtures
- Available in Nylon or Metal (zinc plated)
- The overall length of the plug is 38mm with a maximum screw penetration of 25mm (1")



	Material	Pack	
FN0141902	Nylon	100	£8.64
FN0141802	Metal	100	£10.47

Sales Counter
Open 7 days a week

Mudguard Washers



A selection of zinc-plated, mild steel, metric sized wide flange mudguard washers. The washers are all supplied in packs of 50.

- Example: M5 Bolt/Thread = M5 Washer

M5 (5mm)	Outer Dia	
FN0076102	20mm	£1.52
FN0076202	25mm	£2.61
FN0076302	30mm	£3.19
M6 (6mm)		
FN0076402	20mm	£1.58
FN0076502	25mm	£2.57
FN0076602	30mm	£2.72
M8 (8mm)		
FN0076702	25mm	£2.39
FN0076802	30mm	£2.79
FN0076902	38.5mm	£4.58
FN0077002	50mm	£6.26
M10 (10mm)		
FN0077102	25mm	£1.88
FN0077202	30mm	£2.97
FN0077302	40mm	£4.70

Rubber Feet



F1687		
• 38mm Diameter with steel inserts		
• 10mm Deep		
• Supplied with steel washer		
DP2881602	5.5mm	£0.22
DP2881702	6mm	£0.22

Countersunk Zinc Plated Twinthread Woodscrews

- Zinc plated and hardened twinthread woodscrews
- Countersunk pozi head

Screw Size v Driver Size	
mm/Gauge	Driver Size
3mm (No. 4)	PZ1
3.5, 4, 4.5, 5mm (No. 6, 7, 8, 10)	PZ2
6mm No. 12	PZ2

4 Gauge (3mm)	Length (mm)	Length (")	Pack	
FN0149202	13	1/2"	200	£0.68
FN0149302	16	5/8"	200	£0.70
FN0149402	20	3/4"	200	£0.76
FN0149502	25	1"	200	£0.96

6 Gauge (3.5mm)	Length (mm)	Length (")	Pack	
FN0149602	13	1/2"	200	£0.81
FN0149702	15.5	5/8"	200	£0.91
FN0149802	18.5	3/4"	200	£1.35
FN0149902	24.6	1"	200	£1.36
FN0150002	31.1	1 1/4"	200	£1.61
FN0150102	37.4	1 1/2"	200	£2.10
FN0150202	50.2	2"	200	£2.89

7 Gauge (4mm)	Length (mm)	Length (")	Pack	
FN0150302	18.5	3/4"	200	£1.26
FN0150402	25.1	1"	200	£1.69
FN0150502	31.5	1 1/4"	200	£2.27
FN0150602	37.5	1 1/2"	200	£2.24

8 Gauge (4.5mm)	Length (mm)	Length (")	Pack	
FN0150702	12.5	1/2"	200	£1.52
FN0150802	15.7	5/8"	200	£2.05
FN0150902	18.3	3/4"	200	£1.89
FN0151002	25	1"	200	£1.94
FN0151102	31.8	1 1/4"	200	£2.35
FN0151202	37.3	1 1/2"	200	£2.67
FN0151302	42.7	1 3/4"	200	£3.21
FN0151402	49.5	2"	200	£3.45
FN0151502	56.1	2 1/4"	200	£4.27
FN0151602	62	2 1/2"	200	£4.56
FN0151702	75.9	3"	100	£2.64

10 Gauge (5mm)	Length (mm)	Length (")	Pack	
FN0151802	25	1"	200	£2.83
FN0151902	30.9	1 1/4"	200	£3.20
FN0152002	37.1	1 1/2"	200	£3.45
FN0152102	42.9	1 3/4"	200	£4.14
FN0152202	49.3	2"	200	£4.89
FN0152302	63	2 1/2"	100	£2.65
FN0152402	75.9	3"	100	£3.43
FN0152502	87.9	3 1/2"	100	£3.82
FN0152602	99.6	4"	100	£4.41

12 Gauge (6mm)	Length (mm)	Length (")	Pack	
FN0153002	48.7	2"	100	£2.83
FN0153102	63	2 1/2"	100	£3.83
FN0153202	75.2	3"	100	£4.73
FN0153302	88.7	3 1/2"	100	£6.06
FN0153402	99.9	4"	100	£5.84

Satellite Dish Fixing Kit



- Specially designed for satellite dish installation
- Nylon plug M10 x 50mm
- M8 x 50mm zinc plated screw offers increased corrosion resistance
- Supplied in packs of 4

68p	
order code FN0141602	634100

Water Resistant Wheeled Case with Foam



Lightweight yet hard-wearing water resistant case with pre-cut foam and wheels, made from polypropylene material. Ideal for transporting instruments, audio visual, photographic, and any other delicate equipment.

- Telescopic handle and two free running wheels
- Metal hinges
- Rubber seal around the lid
- Egg crate foam on lid
- Full pre-cut cubed shaped foam in the bottom
- Built in pressure valve
- Two lockable cliplocks
- Soft grip handle on two sides

Dimensions:

- External: (HxWxD) 355x560x230mm
- Internal: (H xWxD) 285x505x190mm

£44.98

order code SG3349702

706829

Large Tote Tool Bag

DURATOOL



- Large capacity heavy-duty hold all with hard wearing rubber feet and solid bottom
- Perfect organiser for contractors
- Strong aluminium tubular handle that can be folded down to give better access to tools
- 5 Outer pockets and 6 inner pockets
- Tape holder
- Shoulder strap with metal buckles
- Dimensions: (HxWxD) 330x400x180mm

£11.97

order code SG3328002

698235

Technicians Tool Case

MAGMA



- Durable polyester construction
- Padded central compartment for laptop
- 50 Pockets and holders
- Internal document pocket

Dimensions:

- External (WxHxD) 460x330x210mm
- Internal (WxHxD) 410x280x140mm

NB: Tools not supplied

£29.98

order code SG3314602

639565

Wall Cabinet

DURATOOL

- 41 Clear pull out trays
- Suitable for wall or desk mounting
- Dimensions (LxWxH): 310x138x490mm



£9.98

order code SG3289802

634280

Steel Organiser Cabinet

raaco

- 44 Drawers
- Heavy duty, steel construction
- Lacquered finish to stop rust and prolong life
- Impact resistant, clear plastic drawers
- Stand-alone or wall-mountable
- Retaining lip, prevents drawers from falling out
- 3 Drawer widths
- Dimensions (HxWxD): 330x306x147mm



£16.76

order code SG3282402

634283

Assortment Cases

DURATOOL



A range of assortment cases with removable inserts.

- Sliding locks secure the lid
- Lid attached by 2 hinges
- Clear lid making contents visible
- 13 Tray case has handles

659550

	Trays	(WxDxH)mm	
SG3319702	2	175x140x30	£0.97
SG3319802	8	240x195x55	£1.72
SG3319902	13	340x250x60	£3.77

8 Piece Compartment Box



- Hinged lid
- Removable compartment trays
- Dimensions (HxWxD): 420x334x115mm

£7.94

order code SG3289602

634295

Plastic Compartment Box

DURATOOL



- Manufactured from polypropylene
- Transparent hinged lid
- 10 Compartment
- Dimensions (HxWxD): 35x240x180mm

99p

order code SG3316102

651249

Compartment Boxes




- Removable compartments
- Transparent
- Hinged lids

634287

	(WxDxH)	
SG3289102	18 230x125x35mm	£1.01
SG3289202	18 292x186x42mm	£2.01
SG3289302	24 382x235x48mm	£3.08

19 Piece Compartment Box

DURATOOL



- 19 Compartments
- Hinged lids
- Double locking lid
- Removable compartment tray
- Dimensions (WxHxD): 420x335x62mm

£7.89

order code SG3289502

634294

Set of 4 Assortment Cases with Removable Inserts

DURATOOL

A compact storage system, containing four service cases each with removable inserts.

- Ideal for storing small components and fasteners
- Lockable catches and carry handle
- Suitable for wall or bench mounting
- Durable impact resistant plastic construction
- Dimensions (HxWxD): 310x375x265mm

£19.96

order code SG3320102

651250

Water Resistant Cases with Foam



Lightweight yet hard-wearing cases with pre-cut foam. Made from polypropylene material. Ideal for transporting instruments, audio visual, photographic and any other delicate equipment.

- Water resistant rubber seal around the lid
- Egg crate foam on lid
- Full pre-cut cubed shaped foam in the bottom
- Built in pressure valve
- Lockable cliplocks
- Soft grip handle • Metal Hinges

Dimensions External:

SG3349202: (DxWxH) 124x270x246mm

SG3349302: (DxWxH) 176x470x357mm

SG3349502: (DxWxH) 310x610x430mm

Dimensions Internal:

SG3349202: (DxWxH) 100x230x180mm

SG3349302: (DxWxH) 165x430x285mm

SG3349502: (DxWxH) 290x550x350mm

706720

SG3349202	£18.94
SG3349302	£20.99
SG3349502	£36.97

Plastic Boxes

Really useful small plastic boxes all come with lids and basic hinges, ideal for storing business cards, batteries, screws, nails, drawing pins, beads, tacks etc. Great low cost box to package and make kits. These boxes have endless uses.

- Latches on the lid for secure fastening
- Minimal wall taper to maximise storage capacity
- Colour: Transparent

696028

	Dimensions (HxWxD)mm	
SG3337902	15x48x38	£0.16
SG3338002	10x48x38	£0.16
SG3338102	30x65x47	£0.20
SG3338202	15x65x47	£0.19
SG3338302	40x75x60	£0.36
SG3338402	31x137x52	£0.39
SG3338502	17x137x52	£0.29
SG3338602	18x125x65	£0.44
SG3338702	18x125x65	£0.51
SG3338802	30x125x65	£0.49
SG3338902	37x125x65	£0.54
SG3339002	35x195x70	£0.74
SG3339102	35x245x70	£0.89
SG3339202	35x295x70	£1.02
SG3339302	22x315x55	£0.84



Tools, Site Maintenance & Chemicals

3-in-1 Tool Box Set

DURATOOL



- Robust plastic construction
- Separate locking systems for each box
- Dimensions (HxWxD):
Small: 320x180x130mm,
Medium: 395x223x165mm,
Large: 500x250x255mm

£10.49

order code SG3289002

634309

Tool Chest Set

Clarke

A big capacity combination tool chest & cabinet providing a flexible storage solution for all hand tools, fasteners and workshop accessories.



- Ball bearing drawer runners for smooth sliding action
- Tough steel construction
- Lockable for maximum security
- 4 Castor wheels for easy manoeuvrability
- Dimensions (HxWxD) 957x515x280mm

£89.98

order code SG3327202

674724

25 Piece Storage Bin Set

DURATOOL



Wall mountable storage units for the workshop. The pack is supplied with 3 sizes of bins and a steel back panel.

- Steel back panel: (HxWxD) 380x630x10mm
- High grade polypropylene bins

Sizes: (HxWxD)

- 12x Small bins (75x100x110mm)
- 6x Medium bins (75x100x160mm)
- 6x Large bins (75x100x210mm)

£13.59

order code SG3331202

651253

Storage Boxes with Lids



Shelving Systems

Clarke



With no nuts and bolts, the slot and pin locking mechanism enables this 5 shelf unit to be assembled in minutes with just the use of a hammer. Available with either a 150kg or 350kg load capacity per shelf (evenly distributed). Ideal for use in workshops, stores and garages. The uprights feature a new rolled edge design providing a smoother finish with no sharp edges, increased strength and a sleeker look.

- Supplied with five strong 9mm fibreboard shelves
- Adjustable shelf height
- Can be assembled as three different units – shelving, bench or corner unit
- Tough powder coated finish

Dimensions 150kg shelf unit:

- Shelving Unit: (WxDxH): 800x300x1500mm
- Bench: (WxDxH) 1600x300x750mm

Dimensions 350kg shelf unit:

- Shelving Unit: (WxDxH): 900x400x1800mm
- Bench: (WxDxH) 1800x400x900mm

150kg Shelving 683195

SG3296802	Dark Grey	£31.48
SG3296902	Blue	£31.48
SG3297002	Silver	£31.48
SG3297102	Red	£31.48

350kg Shelving

SG3297202	Dark Grey	£47.98
SG3297302	Blue	£47.98
SG3297402	Silver	£47.98
SG3297502	Red	£47.98

Plastic Shelving

DURATOOL



- Manufactured from easy to wipe clean black plastic
- Ideal for use in a utility room, around the home or in the office
- Maximum weight per shelf: 20kg - evenly spread
- Maximum Load: 80kg - evenly spread
- Overall unit size: (HxWxD) 1713x710x380mm

656090

SG3321702	4 Tier	£10.94
SG3320202	5 Tier	£16.98

Versatile clear storage boxes with lids, suitable for use all around the office or house.

- UK manufactured
- Snap down lid

NB: SG33173 Can be used as under bed storage

652087

Size (HxWxD)

SG3317002	16 Ltr	170x430x330mm	£4.14
SG3317102	24 Ltr	260x430x330mm	£4.64
SG3317202	30 Ltr	255x465x360mm	£5.42
SG3317302	32 Ltr	180x600x400mm	£6.55
SG3317402	45 Ltr	250x600x400mm	£7.59

Gorilla Glue

Gorilla Glue



- The brand of choice for tough building and repair jobs, both professional and DIY
- Bonds wood, stone, metal, ceramics, foam, glass, brick, concrete and more
- Industrial strength sticking power
- 100% Waterproof - will not breakdown when exposed to moisture
- Unaffected by extreme heat or cold
- Paintable, stainable, sandable - invisible glue line makes finishing easy
- Foams to 3x its size, making a little go a long way

634171

SA0196102	60ml	£3.94
SA0196202	115ml	£6.81
SA0241502	250ml	£10.48
SA0196402	500ml	£16.78
SA0196502	1 Litre	£23.87

Gorilla Tape

Gorilla Glue



- Incredibly strong, all-purpose adhesive tape
- A 'must have' for professionals and DIYers
- Sticks to rough and uneven surfaces, such as rough wood, stucco, plaster, brick etc.
- Double thick adhesive fills in gaps for a super-strong grip
- Ideal for quick repairs
- Reinforced backing is tight woven for extra strength, but still easy to tear by hand
- Tough, all-weather shell helps create a tight barrier that can withstand moisture, UV rays and extreme temperatures

674078

Mini			
SA0261702	25mm x 9m	£1.49	
Standard			
SA0196702	48mm x 11m	£3.61	
SA0196802	48mm x 32m	£6.10	
Tough & Wide			
SA0261602	73mm x 27m	£9.94	

Araldite - Epoxy



A strong, long lasting epoxy adhesive which is water resistant and can be painted or sanded.

- Bonds metal, wood, masonry, ceramics, glass, dry concrete, chipboard, leather, cardboard, fabric, rubber and most plastics
- Strong 2-component epoxy
- High temperature resistance (-30°C to 65°C)
- Oil, chemical and impact resistant

Standard: Workable for up to 2 hours and sets within 6 hours.

Rapid: Workable for 3 - 5 minutes and sets in 10 minutes.

656740

Standard			
SA0259802	2x 15ml Tubes	£4.59	
SA0259902	24ml Syringe	£5.89	
Rapid			
SA0259602	2x 15ml Tubes	£4.98	
SA0259702	24ml Syringe	£6.19	

Industrial Superglue GP

SEVER BUILD



- Medium viscosity superglue for use on surfaces where a fast set is required
- Bonds non-porous surfaces, such as metals, plastics, rubber, PVCu and EPDM
- Set time of 5 to 15 seconds
- 100% Solvent free
- Viscosity at 25°C-100cps

634178

SA0205202	20g Bottle	£2.45
SA0205302	50g Bottle	£3.33

Double-Sided Powerful Grip Tape

SEVER BUILD



- A new type of double-sided tape with an incredible immediate bond strength that has to be seen to be believed
- It will bond to virtually any material, indoors or outdoors including ceramics, brickwork, wood, metal, plastics and PVC
- Moisture resistant and will not degrade with UV light
- Ideal for use in the home, industry, construction and office
- Colour: Clear
- Available in 3 widths
- Length: 2.5m

634181

SA0215402	12mm	£1.69
SA0215502	25mm	£3.30
SA0215602	50mm	£5.75

Contractors Silicone

SEVER BUILD



- Contract grade acetox cure silicone sealant
- For general glazing, weatherproofing, sanitary and gap sealing applications
- For use on glass, timber, metals, ceramics and laminates
- Fast curing, mould resistant
- 30% Flexibility factor
- Lasts up to 20 years
- Conforms to BS5889 (except clause 9)
- Colour: White, clear, brown or black
- Size: 295ml Cartridge

634191

SA0198802	White
SA0198902	Clear
SA0199002	Brown
SA0199102	Black

£1.49

Expanding Foam

SEVER BUILD



- A quick setting, polyurethane based foam in a ready-to-use handheld canister
- Fills irregular gaps, fixes framework, insulates and deadens sound
- Expands on application to up to 50 times the can contents
- For use on PVCu, plastic, brick, stone, concrete, metals and timber
- Can be cut, sawn, plastered and sealed over after approximately 1 hour

683211

SA0202202	500ml	£3.41
SA0263702	750ml	£3.89


Multi-Use Wonder Wipes



- Cleans up paint, sealant, adhesive, bitumen, expanding foam, oil, grease and even silicone
- Resistant to MRSA, Salmonella, Listeria & E.Coli

SA0211502	100 Wipe Tub	£6.27
SA0211602	300 Wipe Tub	£13.94

All Purpose Cleaning Cloths



- Multi-purpose wipe
- Absorbent
- Disposable
- Apertured to ensure great food and dirt pick-up
- Excellent value
- Packs of 50

SA0258202	Blue	£2.97
SA0258302	Green	
SA0258402	Red	
SA0258502	Yellow	

WD-40



- Stops squeaks
- Starts wet engines
- Cleans and protects
- Drives out moisture
- Loosens rusted parts
- Frees sticky mechanisms
- Contains NO CFCs or silicone

			634265
SA0267502	100ml Aerosol		£1.43
SA0194602	200ml Aerosol		£2.14
SA0194702	400ml Aerosol		£3.12
Bulk 5L and Spray			£19.80
SAWD405L02 Applicator			

Freezer Spray 400ml

- Aids rapid fault detection in electronic components
- Provides heat sink protection during soldering and calibration
- Tests trace continuity in PCBs
- Cools components to -50°C



£8.23

order code SA0188302

Switch and Contact Cleaner

- Removes dirt, grease, oil and other contaminants
- Leaves a residual oil film, which increases with the contact area and reduces resistance
- Compatible with most plastics and rubber compounds
- Supplied with a plastic applicator to reach inaccessible components
- 200ml



£2.26

order code SA0189102

Silicone Lubricant

- Lubricates, protects and waterproofs all types of mechanical devices
- Effective on plastic gears, rubber parts, printer head guides, white goods and automotive products
- Clean, non-staining film
- Restores shine to vinyl, rubber, leather and wood
- 400ml



£2.18

order code SA0189302

Air Duster

- Emits a powerful blast of dry air, for instant cleaning
- Removes dust, dirt and loose contaminants from most surfaces
- Safe, non-flammable formula
- Suitable for use on computer, photographic, test and audio/visual equipment



SA0241702	200ml	£3.98
SA0188202	400ml	£7.94

Foam Cleaner 400ml

- Advanced formula for cleaning and degreasing
- May affect some fabrics, test on a small area before general use



£1.98

order code SA0188102

IPA Cleaning Solvent

- Powerful electronic cleaning solvent
- Removes moisture from components by forming an azeotrope
- Leaves no visible residue
- Ideal for cleaning PCBs, optical equipment, precision instruments, photocopier drums and most delicate components
- Available in a 400ml aerosol or 1 litre tin



SA0188402	IPA, 400ml Aerosol	£2.79
SA0188502	IPA, 1 Litre	£7.29

Degreasing Cleaner

- Powerful solvent blend for degreasing applications
- Ideal for cold cleaning of electronic equipment and precision instruments
- Effectively cleans electric motors, switches and relays
- 400ml



£2.99

order code SA0188802

Label Remover

- Specially developed formula for the removal of self-adhesive stickers and labels
- Suitable for use on any hard surface
- Neutralises the label's adhesive backing, to allow rapid removal
- Pleasant citrus odour
- Safe on most plastics
- 200ml



£3.07

order code SA0188902

Glass and Screen Cleaner

- Powerful solvent blend to remove dust, dirt, oils and finger marks from all glass surfaces
- Leaves a bright, residue-free finish
- 400ml



£2.26

order code SA0188702

Spray Adhesive

- Developed for fixing and bonding a wide range of materials
- Quick and easy to use
- Suitable for wood, metal, most plastics, rubber, glass, paper and card etc
- 400ml



£2.59

order code SA0188602

Screen and Device Cleaning Kit



- Contains no harmful chemicals
- Biodegradable
- Kills 99.99% of germs and bacteria
- Supplied with 135ml cleaning fluid and a microfibre cloth which has been specifically designed to clean delicate finishes

£2.98

order code SA0256402

Nutlock



Model: 103

- A single component, medium viscosity, medium strength adhesive
- Provides medium strength bonds for threadlocking applications where ease of adjustment and disassembly is required
- Gives a fast and reliable cure on most metallic surfaces
- Eliminates the vibration loosening of fasteners
- Seals and prevents leakage and corrosion of threaded connections
- Easy disassembly of bonded components when necessary

SA0310602	10 ml	£6.04
SA0310702	50 ml	£15.72

Get FREE UK delivery online

Conditions apply. See website for details

Universal Floor Tool - 32mm

U



- 32mm Fittings
- Suitable for soft and hard flooring
- Bristles on all four edges

£3.88

order code WG2235802

712324

Universal Floor Tool & Extension Tubes - 35mm

U



A universal floor tool that will accommodate pipes to **35mm**. Extension tubes are **1450mm** in length.

- 35mm Fittings
- Suitable for soft and hard flooring
- Bristles on all four edges
- Fits brands such as Karcher, Miele, Siemens & many more

£5.41

order code WG2235702

712323

Dyson Washable Vacuum Filter Kit for DC14 Models

A

Includes:
1x Washable pre-filter
1x Post HEPA filter



£7.44

order code WG2235202

712325

Universal Cooker Hood Filter

U

- Universal cooker hood filter 570x470mm
- Foam type combined grease and odour filter
- Can be cut to size to fit any cooker hood




£2.71

order code WG2178502

663188

Grill Pan Assembly

An enamelled grill pan complete with griddle and detachable handle, the dimensions of the pan are 405x235x40mm (WxDxH), the handle length (when attached) protrudes by 127mm giving a total depth of 362mm.



£12.55


order code WG1880102

482951

Adjustable Oven Shelf (380-600mm)

A

A universal oven shelf with telescopic end pieces that are adjustable to provide a minimum width of 380mm (15"), maximum width of 600mm (23 1/4") and a constant depth of 305mm (12").



£6.22

order code WG1890002

651447

Universal Cooker Grease Filter

Replacement universal absorption filter which absorbs grease and moisture whilst cooking, prevents unpleasant odours in the kitchen.

- For cooker hoods and extractors
- Easy to install - just cut to size
- Flame retardant
- Fits most cooker models
- Dimensions (WxHxD): 500x10x1200mm



£1.15

order code WG2217702

693870

Internal Water Filter

Type: DA29-00003F (HAFIN1/EXP)

A genuine replacement water filter type DA29-00003F as fitted to Samsung fridges and freezers which have a water dispenser built into the outside of one of the doors and have the water filter mounted internally. It is designed to improve the taste and quality of the drinking water and ice cubes reducing bad tastes and impurities.

- Tested and certified by NSF International against NSF/ANSI Standard 42 and 53
- Reduces: Chlorine taste and odour, particulate, mercury, lead cyst, carbofuran, p-Dichlorobenzene, asbestos, benzene and turbidity
- Supplied with fitting instructions

Filter Cartridge should be replaced at least every 6 months



Technical Data

NSF Code No.	K3MFC2010F
Dimensions	
Length	150mm
Diameter	76mm
Connections	1/4" Push-Fit
Permissible Water Pressure	20 - 125 Psi

£20.51

order code SS0362802

676499

**Call us on
08447 88 00 88**

Compatible Water Filter EF-9603

A compatible replacement ice maker water filter type EF-9603 as fitted to the majority of Samsung fridges and fridge/freezers that have a water dispenser built into the outside of one of the doors. The connectors at each end will accept flexible tubing with an outside diameter of 6mm.

- Compatible with filter type WSF-100
- Supplied with 2 of 280x5mm tie-wraps and bases (50x25mm), the bases have integral sticky pads



Note: The timer on the refrigerator will need resetting after filter replacement, refer to the particular refrigerator user instructions for details.

Technical Data

Dimensions	
Total Length	252mm
Diameter	48mm
Permissible Water Pressure	20psi to 125psi
Permissible Temperature	0.6 - 38°C
Life	500 Gallons

£9.96

order code WG1991102

448210

External Water Filter

Type: DD-7098

A genuine external filter type DD-7098. It is designed to improve the taste and quality of the drinking water and ice cubes reducing bad tastes and impurities. Designed for use with flexible tubing with an outside diameter of 1/4". Supplied with mounting brackets and 2 x 1/4" push-fit couplers.

- Tested and certified by NSF International against NSF/ANSI Standard 42 for the reduction of chlorine, taste and odour

Filter Cartridge should be replaced at least every 6 months.

Technical Data

Dimensions	
Length (Excluding connector lugs)	252mm
Diameter	50mm
Connections	1/4" Push-Fit (via adaptors)
Permissible Water Pressure	125 Psi

£9.78

order code WG2016502

641148

Compatible Internal Water Filter

Type: DA29-00003G

A replacement water filter that will fit ALL Samsung fridges using either the DA29-00003B or the newer DA29-00003G. It is designed to improve the taste and quality of the drinking water and ice cubes reducing bad tastes and impurities. A compatible replacement internal water filter designed to improve the taste and quality of the drinking water and ice cubes reducing bad tastes and impurities.

- Tested and certified by NSF
- Reduces: Chlorine taste and odour, particulate, mercury, lead, carbofuran, p-Dichlorobenzene, benzene and toxaphene

Filter Cartridge should be replaced at least every 6 months.

Technical Data

NSF Code No.	K3MFC2010F
Dimensions	
Length	150mm
Diameter	76mm
Connections	1/4" Push-Fit
Permissible Water Pressure	20 - 125 Psi

£16

order code WG2169502

697214

Compatible Panasonic Water Filter Cartridge

A

A EcoAqua compatible will replace all original Panasonic filters CNRBH-125950 and CNRAH-257760 filters used in all side-by-side fridges. Uses high quality sintered block carbon, offering excellent filtration performances that is every bit as good as the manufacturer's original.

- Tested and certified by NSF
- Reduces: Chlorine taste and odour, particulate, mercury, lead, carbofuran, p-Dichlorobenzene, benzene and toxaphene



Filter Cartridge should be replaced at least every 6 months

Technical Data

Dimensions	
Overall Length (incl. Connector)	180mm
Diameter	44mm
Connections	Internal Plug-In
Permissible Water Pressure	20 - 125 Psi

£17.06

order code WG2205002

680288

External Water Filter

Type: DA29-10105J (HAFEX/EXP)

A genuine replacement ice maker water filter type DA29-10105J (replaces original types **WSF-100** and **EF-9603**) as fitted to Samsung fridges and fridge/freezers which have a water dispenser built into the outside of one of the doors and have the water filter mounted externally. It is designed to improve the taste and quality of the drinking water and ice cubes reducing bad tastes and impurities. The connectors at each end will accept flexible tubing with an outside diameter of 1/4". Supplied with mounting clips and fitting instructions. Adaptable for Whirlpool 4812 817 18629, GE GXRTR / QXITR / GXITQ, LG 9808 / BL9303, LIEBHERR SB57052-4

- New improved version tested and certified by NSF International against NSF/ANSI Standard 42 for the reduction of chlorine, taste and odour

Filter Cartridge should be replaced at least every 6 months

Technical Data

NSF Code No.	K3MFC2010F
Dimensions	
Length	255mm
Diameter	51mm
Connections	1/4" Push-Fit
Permissible Water Pressure	30 - 100 Psi

£15.15

order code SS0230802

641142

External Water Filter

Type: BL9808 / 5231JA1021A

A genuine external filter type BL9808. It is designed to improve the taste and quality of the drinking water and ice cubes reducing bad tastes and impurities. Designed for use with flexible tubing with an outside diameter of 1/4".

Filter Cartridge should be replaced at least every 6 months.

Technical Data

Dimensions	
Overall Length (including connectors)	240mm
Body Length	198mm
Diameter	49mm
Connections	1/4" Compression (Nut)
Permissible Water Pressure	125 Psi

£9.16

order code WG2016602

641146

New Hotpoint Professional Cleaning Range

Deo Dish

Hotpoint

INNOVATIVE DESIGN: convenient spoon shape is easy to place in cutlery basket.
FRESH FRAGRANCE: scented with essences of lemon and orange. Does not leave traces of fragrance on dishes.
LONG-LASTING FRESHNESS: lasts up to 60 washes (about 2 months).



712315

HP0101102	Orange	£3.98
HP0101202	Lemon	£3.98

Keep Fresh Fruit & Veg Mat

Hotpoint

EXTENDS LIFE OF FRUIT AND VEGETABLES: just place the mat between the food and the fridge surface. The air circulates inside the mat to prevent mould or bad odours forming.

FLEXIBLE AND EASY TO USE: can be cut to size and placed in the vegetable drawer or other compartments or on the shelves.

HYGIENE AND SAFETY FOR YOUR FOOD: the Keep Fresh Mat is hygienic and safe. It is soft with elastic padding to avoid bruising fruit or vegetables.

£4.76

order code HP0101002

712314

Silicone Mat & Cover

Hotpoint



Silicone Mat:

- Ideal for cooking cakes and tarts and for evenly cooking mixtures in a conventional or microwave oven
- Arrange items to be cooked on the mat then place it in the oven on a grill or baking tray or on a microwave oven revolving plate
- Made of 100% food-grade silicone
- The mat withstands temperatures from -40°C to +280°C
- Dishwasher-safe and re-usable

Silicone Cover:

- Ideal for microwave or conventional oven cooking and for fridge storage. Can also be used as a splatter guard
- Suitable for all kinds of pans and containers
- Clings to metal, glass, plastic and ceramic surfaces
- Made of 100% food-grade silicone
- Withstands temperatures from -40°C to +250°C
- Dishwasher-safe

712316

Silicone Mat	
HP0101302 300x380mm	£7.96
HP0101402 Silicone Cover 220mm	£7.96

Washing Powder

Hotpoint

- Deep-cleans the toughest stains
- White and coloured fabrics
- Perfect for high temperature, keep the performances also at 30°C



£5.56

order code HP0101802

712318

Dishwasher Salt & Powder

Hotpoint



Dishwasher Salt:

- Used regularly dishwasher salt softens the water and maximises detergent effectiveness
- Avoid spot of limescale on glasses and dishes and limescale build-up on the mechanical parts of the dishwasher
- Tablet form is easier to dose than ordinary dishwasher salt powder
- Composed of 100% pure salt, does not contain impurities that could damage the internal parts of the dishwasher
- Completely dissolves in water and will not leave traces on dishes

Dishwasher Powder:

- Powerful new powder acting on grease, leaving surfaces perfectly clean
- Develops active oxygen on each wash to ensure maximum hygiene on plates and dishes
- The formula is even more efficient thanks to use of a new generation of enzymes
- The formula contains surfactants and specific polymers, leaving glassware and dishes shiny and streak-free
- The balanced formula is rich in sequestrants that softens the water on each wash

712317

Dishwasher Salt

HP0101502	2kg	£3.18
-----------	-----	-------

Dishwasher Powder

HP0101602	Tablets 25 Pack	£3.18
HP0101702	1Kg Tub	£3.74

Cutlery Tray for Dishwasher

Hotpoint



- Additional tray to add more space and flexibility in the dishwasher
- Sliding and removable shelf to obtain more space
- Easy to install on the upper basket
- Suitable for all Indesit, Hotpoint Ariston dishwasher, PLP1 platform

£7.96

order code HP0101902

712319

Terracotta Pizza Kit

Hotpoint



The secret is terracotta, used for cooking for thousands of years, which allows uniform cooking with no oil or fats, bringing natural flavours to the fore. No food cooked in the harsh heat of metal surfaces can taste this way. The terracotta used consists of choice refractory clays, dried and fired at very high temperatures for impressive resistance to thermal shock, scratching and knocks. When heated, it distributes heat evenly and absorbs moisture fast.

£19.91

order code HP0102002

712320

Universal Wine Rack for the Refrigerator

Hotpoint



This Universal wine rack flat shape is suitable for bottles and cans of all kind. It can also take trays for storing foods and serving dishes. High corrosion resistance, galvanised it has a clear polyurethane coated finish for better protection against external agents like rust.

£15.94

order code HP0102102

712321

Wine Cooler

Hotpoint

Perfect for keeping the wine at the ideal temperature on the table, thanks to the eutectic mix, which melts and solidifies in 5 hours at a temperature of -18°C, it keeps the bottle cool for a long time up to 3 hours. The eutectic mix is a mixture of salt and water, which has a melting point lower than that of its individual components. The eutectic point of the equilibrium of the mix's two components is -18°C. Once the ideal temperature has been reached it remains cool for 3 hours.



£10.35

order code HP0102202

712322

Professional Hygiene & Care

Hotpoint

- Quick and simple to use
- Supplied in Spray or Bottle
- ECO friendly formula is over 90% biodegradable
- Steel care acts forcefully removing small defects without scratching
- Oven and Microwave care is designed to remove fat and grease without the need for unnecessary rubbing
- De-icer accelerates the process of defrosting your freezer
- Fridge care removes any grime or stains left behind as well as removing traces of mould



712309

500ml Spray Bottle

HP0100002	Oven Care	£3.18
HP0100102	Microwave Care	£3.18
HP0100202	Ceramic Hob Care	£3.18
HP0100302	Steel Polish Care	£3.18
HP0100402	Fridge Care	£3.18
HP0100502	Fridge Care	£3.98

280ml Bottle

HP0100602	Steel Care	£3.18
HP0100702	Grid & Pan Care	£3.18

Odor Captor

Hotpoint

SAFETY & FRESH: active carbon, well-known for its natural and powerful absorbing properties, absorbs bad odours in the fridge without altering food aroma or flavour.

LASTS 3 MONTHS: safe and compatible with food. Gel shrivels to indicate that the active carbon is no longer effective. Lasts for approximately three months.

PRACTICAL AND ORIGINAL: original design makes it easy to place anywhere inside the fridge without taking up space.

£2.80

order code HP0100902

712313

Limescale & Detergent Remover

Hotpoint



REMOVES LIMESCALE DEPOSITS from the heating element and interior components. A clean heating element means fewer repairs and less power consumption.

REMOVES DETERGENT RESIDUES AND SANITISES: removes detergent and dirt residue, a common cause of bad odours.

MONODOSE EASY TO USE: 50g single-use sachets: is recommended to use one sachet each month in an empty cycle at 60 degrees.

£7.83

order code HP0099902

712311

Professional Calblock

Hotpoint

PROTECTS YOUR APPLIANCE FROM HARD WATER: the Calblock generates a magnetic field that do not change the hardness of the water but influencing the crystallization of carbonates prevents limescale build-up on the heating element, thus reducing damage to the appliance

IMPROVES WASHING RESULTS: the action of the Calblock avoid also the deposit of limescale on clothes and on glasses, so your laundry will be cleaner and softer, and the glasses sparkling and spot-free

ECONOMIC & ECOLOGIC: is installed permanently, so is not necessary use the water softener at each wash. At the same time a limescale-free heating element uses less electricity to heat the water with a great energy saving and less maintenance cost

Specification:

- 1 Block 3/4 M-F fitting
- Intensity magnetic field: 12000 G
- Unlimited life

£15.94

order code HP0099802

712310

Magic Sponge Cleaner

Hotpoint

EFFECTIVELY CLEANS ALL SURFACES:

ideal for cleaning all household appliances and steel surfaces. Also cleans doors, floors, skirting boards, roller shutters and garden furniture.

FLEXIBLE AND EASY TO USE: after dampening, Magic Sponge's fibres penetrate the pores of hard surfaces to dissolve and remove even the most resistant dirt.

PROTECTION AND SAFETY: eco-friendly and economic. Safe to use, does not require any detergent.

£3.18

order code HP0100802

712312



USB Sockets in XLR Shell



These gender changer sockets are available in both USB2 A - B and B - A versions. These sockets are designed to accommodate the integration of USB2 data feeds into professional equipment for broadcast, lighting and audio applications.


Features:

- Zinc/Nickel XLR housing
- 23.6mm diameter
- Panel mounted rear or front

711261

	1+	10+
CN1960102 USB A to USB B	£2.95	£2.65
CN1960202 USB B to USB A	£2.95	£2.65

Dual USB Sockets in XLR Shell



Dual USB2 compliant sockets which are mounted in a space-saving, single, universal XLR receptacle, chosen to allow industry standard panel cutouts and maximum panel mounting density.

The two USB2 sockets provide isolated and independent output connections to two rows of 5 x 2.54mm (0.1") pitch output pins. These are configured to facilitate either direct soldering to PCBs or connection by header cable.

1+ **£3.79** 10+ **£3.39**

order code CN1949802

711253

6.35mm (1/4") Jack Plugs




6.35mm (1/4") Jack plugs featuring crimp type flexible strain reliefs and nickel plated contacts.

- Maximum cable diameter: 6mm
- Wire Size: 24AWG

711270

	1+	10+
CN1965602 2-Pole	£0.44	£0.39
CN1965702 3-Pole	£0.64	£0.59

Dual 4mm Banana Plugs - 20A



- Dual banana plugs
- Teethed cable clamp
- Protection against electric shock, cable ends and plugs are completely covered in mated condition
- Gold plated contacts
- Cable O.D.: 6-10.5mm

711277

	1+	10+
CN1971002 Red	£1.69	£1.49
CN1971102 Black	£1.69	£1.49

Terminal Binding Posts



TP6ML Series

- Gold plated brass
- Red or Black collar

Technical Data

Current (Max):

30A

Flammability Rating:

UL94 HB

	Colour	1+	10+
CN1953202	Red	£3.19	£2.89
CN1953302	Black	£3.19	£2.89

Phono Plug to Screw Terminal Connector



- Phono plug to 2x screw terminal connector
- Makes a quick solderless connection

1+ **69p** 10+ **59p**

order code CN1964902

711268

Hi Fi Terminal Binding Posts



TP6CS Series

- Gold plated brass
- Red or black insert

Technical Data

Current (Max):

30A

Flammability Rating:

UL94 HB

	Colour	1+	10+
CN1953502	Black	£0.99	£0.89
CN1953402	Red	£0.99	£0.89

DC Plug/Socket to Screw Terminal Connectors



- DC plug/socket to 2x screw terminal connector
- Makes a quick solderless connection

711266

	1+	10+
CN1964402 2.1x5.5mm - Plug	£0.69	£0.59
CN1964502 2.5x5.5mm - Plug	£0.69	£0.59
CN1964602 2.1x5.5mm - Socket	£0.69	£0.59

Sales Counter
Open 7 days a week

Phono Socket to Socket Adaptor - Metal



- Phono socket to socket adaptor
- Red inner insulator
- Nickel plated

1+ **£1.29** 10+ **£1.09**

order code CN1968602

711275

BNC Male to PAL Male Connector



- BNC male to coaxial plug
- Brass body, nickel plated

1+ **39p** 10+ **29p**

order code CN1599602

682514

Line Coupler - Screwless



Coaxial line coupler that allows two coax leads to be joined together without the use of coax plugs etc. Screwless connection. White plastic outer case. 75Ω.

1+ **25p** 100+ **15p**

order code AR7066402

629106

SMA Socket - TNC Plug



1+ **£3.39** 10+ **£2.59**

order code CN1983402

711290

BNC to Screw Terminal Connector



- BNC plug/socket to 2x screw terminal connector
- Makes a quick solderless connection

711267

	1+	10+
CN1964702 BNC Plug	£0.69	£0.59
CN1964802 BNC Socket	£0.69	£0.59

ISO to Standard Car Aerial Adaptor



- ISO to Standard car aerial adaptor

1+ **49p** 10+ **39p**

order code CN1951202

711255

Push Lock RJ45 Connector



- R45 8P8C socket
- Simple 'push to lock' connections
- Can be rewired
- Requires solid core cables
- Nickel plated contacts
- Dimensions (WxD): 29x20x36mm

1+ **£3.89** 10+ **£3.29**

order code CN1960402

711262

DIN ISO 4165 Plug - Standard



- Designed for connecting accessories to 6-24V dc car, boat and caravan electrical systems
- Suitable for all standard DIN ISO 4165 socket outlets
- Mates with socket CN04116

1+ **£1.99** 10+ **£1.79**

order code CN1949702

711252

4mm Banana Plugs - 16A



Technical Data

Contact Material
Contact Plating
Housing
Length
Termination Type
Current Rating
Voltage Rating

Brass
Nickel
PVC (Polyvinylchloride)
56.5mm
Screw
16A
30VAC

711265

	1+	10+
CN1964002 Red	£0.29	£0.24
CN1964102 Black	£0.29	£0.24

Ceramic Capacitor Kit - 224 Piece

- 224 Piece, 14 value Ceramic capacitor kit
- 21x 10pF, 100pF, 1nF, 10nF, 100nF
- 14x 22pF, 47pF, 220pF, 470pF, 2.2nF, 4.7nF, 22nF, 47nF
- 7x 220nF

£7.95

order code CA0836302

711411

1/4W Carbon Film Resistor Kit - E3 Series

High quality carbon film resistors with a connecting wire that is easily soldered.

- Quantity: 480 Pieces (30 pcs per value)
- Series: E3
- Number of values: 16 (from 10E to 1M)
- Power rating: 1/4W
- Operating temperature range: -55°C to +155°C
- Tolerance: 5%
- Max. operating voltage: 250V

E6 Values:

E3: 30 each of 10R, 22R, 47R, 100R, 220R, 470R, 1kR, 2.2kR, 4.7kR, 10kR, 22kR, 47kR, 100kR, 220kR, 470kR, 1MR

£4.95

order code RE0759402

712431

Motor Run Capacitors - Aluminium Insulated Case

- Stud mounting motor start/run capacitors
- Self-healing metallised polypropylene
- Internal anti-pressure build-up safety mechanism
- Flame retardant to UL94V-0
- VDE, CEI and SEV approved
- UL recognised



Technical Data

Max. continuous voltage 450V ac
Tolerance ±5%
Dissipation factor @ 20°C 0.002 (50Hz)
Operating temperature -25°C to +85°C

Dims	H	Dia.	Mfrs List No.	
72	40		4.16.26.09.64	CA0840602
72	40		4.16.26.10.64	CA0840702
98	40		4.16.26.11.64	CA0840802
98	40		4.16.26.15.64	CA0840902
98	45		4.16.26.19.64	CA0841002
122	45		4.16.26.20.64	CA0841102
122	55		4.16.26.24.64	CA0841202

712430

CA0840602	8µF	£4.49
CA0840702	10µF	£4.59
CA0840802	12µF	£5.49
CA0840902	15µF	£6.49
CA0841002	20µF	£6.99
CA0841102	25µF	£8.49
CA0841202	40µF	£11.99

Carbon Film Resistors - 0.25W, ±5% - Pk 5000

Technical Data

Power rating @ 70°C 250mW
Temperature coefficient ±350ppm/°C
Voltage rating 250V
Maximum overload voltage 500V
Operating temperature -55°C to +155°C
Body Dimensions (LxØ) 6.8x2.5mm
Lead Dimensions (LxØ) 28x0.54mm

Stocked in the following OHMIC Values:

Supplied in Ammo boxes of 5000 resistors

0R	=	RE0757202
1R5	=	RE0757302
4R7	=	RE0757402
10R	=	RE0757502
47R	=	RE0757602
100R	=	RE0757702
220R	=	RE0757802
330R	=	RE0757902
470R	=	RE0758002
560R	=	RE0758102
680R	=	RE0758202
1K	=	RE0758302
2K2	=	RE0758402
3K3	=	RE0758502
4K7	=	RE0758602
10K	=	RE0758702
22K	=	RE0758802
47K	=	RE0758902
100K	=	RE0759002
330K	=	RE0759102
1M	=	RE0759202

712433

All Values

price/box
(5000)
£13.25

Light Dependent Resistors

Technical Data

Mfrs. List No.	LDR04	LDR09
Peak Spectral Response	540nm	
Photoresistance	2-20kΩ	20-50kΩ
Dark Resistance (after 10 sec.)	>2MΩ	>10MΩ
Gamma Value at 10-100 Lux	0.7	
Max. Power Dissipation	100mW	200mW
Max. Breakdown Voltage	150Vdc	
Peak Spectral Response	540nm	
Rise Response Time	20ms	
Fall Response Time	30ms	
Ambient Temperature	-35°C to +70°C	
	4x3.5x1.5	7x6x2.5
Head Dimensions	mm	mm
Leads	34x0.4mm	34x0.7mm

712434

SC1348502	LDR04	£0.49
SC1348602	LDR09	£0.69

Electrolytic Capacitor Kit - 120 Piece

- 120 Piece, 10 value Electrolytic capacitor kit
- 15x 1µF/50V, 2.2µF/50V, 4.7µF/50V, 10µF/50V, 22µF/50V, 47µF/25V, 100µF/25V
- 5x 220µF/25V, 470µF/25V, 1000µF/25V

£6.95

order code CA0836402

701253

1/4W Carbon Film Resistor Kit - E12 Series

High quality carbon film resistors with a connecting wire that is easily soldered.

- Quantity: 610 Pieces (10 pcs per value)
- Series: E12
- Number of values: 61 (from 10E to 1M)
- Power rating: 1/4W
- Operating temperature range: -55°C to +155°C
- Tolerance: 5%
- Max. operating voltage: 250V

E12 Values:


E12: 10 each of 10R, 12R, 15R, 18R, 22R, 27R, 33R, 39R, 47R, 56R, 68R, 82R, 100R, 120R, 150R, 180R, 220R, 270R, 330R, 390R, 470R, 560R, 680R, 820R, 1kR, 1.2kR, 1.5kR, 1.8kR, 2.2kR, 2.7kR, 3.3kR, 3.9kR, 4.7kR, 5.6kR, 6.8kR, 8.2kR, 10kR, 12kR, 15kR, 18kR, 22kR, 27kR, 33kR, 39kR, 47kR, 56kR, 68kR, 82kR, 100kR, 120kR, 150kR, 180kR, 220kR, 270kR, 330kR, 390kR, 470kR, 560kR, 680kR, 820kR, 1MR

£7.95

order code RE0759302

701970

Conductive Polymer Track, 16mm



PC16 ECO Series

A range of conductive plastic resistive potentiometers available in single, dual (stereo) and switched types. All types are available in both linear and log (audio) responses.

Resistance		
Single Gang - Linear Response		
RE0438702	1kΩ	£0.89
RE0438802	2.2kΩ	£0.89
RE0438902	4.7kΩ	£0.89
RE0439002	10kΩ	£0.89
RE0439102	22kΩ	£0.89
RE0439202	47kΩ	£0.89
RE0439302	100kΩ	£0.89
RE0439402	220kΩ	£0.89
RE0439502	470kΩ	£0.89
RE0439602	1MΩ	£0.89
Single Gang - Logarithmic Response		
RE0439702	1kΩ	£0.99
RE0439802	2.2kΩ	£0.99
RE0439902	4.7kΩ	£0.99
RE0440002	10kΩ	£0.99
RE0440102	22kΩ	£0.99
RE0440202	47kΩ	£0.99
RE0440302	100kΩ	£0.99
RE0440402	220kΩ	£0.99
RE0440502	470kΩ	£0.99
RE0440602	1MΩ	£0.99
Dual Gang - Linear Response		
RE0442702	1kΩ	£1.70
RE0442802	2.2kΩ	£1.70
RE0442902	4.7kΩ	£1.70
RE0443002	10kΩ	£1.70
RE0443102	22kΩ	£1.70
RE0443202	47kΩ	£1.70
RE0443302	100kΩ	£1.70
RE0443402	220kΩ	£1.70
RE0443502	470kΩ	£1.70
RE0443602	1MΩ	£1.70

Carbon Film Resistors - 0.25W, ±5% - Kit of 500

- A kit of 500 resistors
- 25 Resistors of 20 different values
- All nicely organized

Supplied in a kit of 500 resistors



Technical Data

Power rating @ 70°C 250mW
Temperature coefficient ±350ppm/°C
Voltage rating 250V
Maximum overload voltage 500V
Operating temperature -55°C to +155°C
Body Dimensions (LxØ) 6.8x2.5mm
Lead Dimensions (LxØ) 28x0.54mm

£8.85

order code SC1346402

703443



Technical Data

Power Rating 0.25W Linear, 0.12W Log
Limiting Element
Voltage 350V DC
Electrical Rotation: 267° (232° Switched)
Tolerance ±20%
Surge Rating (0.01s) 80A
Temperature Range -10°C to +75°C
Insulation Resistance ≥4GΩ
Spindle (LxØ) 40mmx6mm (Cylindrical)
Bush (LxØ) 8mmx10.2mm (Flatted) 532629

Dual Gang - Logarithmic Response		
RE0443702	1kΩ	£1.75
RE0443802	2.2kΩ	£1.75
RE0443902	4.7kΩ	£1.75
RE0444002	10kΩ	£1.75
RE0444102	22kΩ	£1.75
RE0444202	47kΩ	£1.75
RE0444302	100kΩ	£1.75
RE0444402	220kΩ	£1.75
RE0444502	470kΩ	£1.75
RE0444602	1MΩ	£1.75
RE0440702	1kΩ	£1.70
RE0440802	2.2kΩ	£1.70
RE0440902	4.7kΩ	£1.70
RE0441002	10kΩ	£1.70
RE0441102	22kΩ	£1.70
RE0441202	47kΩ	£1.70
RE0441302	100kΩ	£1.70
RE0441402	220kΩ	£1.70
RE0441502	470kΩ	£1.70
RE0441602	1MΩ	£1.70
Single Gang - Log. with DPST Switch		
RE0441702	1kΩ	£1.75
RE0441802	2.2kΩ	£1.75
RE0441902	4.7kΩ	£1.69
RE0442002	10kΩ	£1.75
RE0442102	22kΩ	£1.75
RE0442202	47kΩ	£1.75
RE0442302	100kΩ	£1.75
RE0442402	220kΩ	£1.75
RE0442502	470kΩ	£1.75

Semiconductor Database DVD - 2015



The complete database for all kind of semiconductors on DVD-ROM with a easy to use Windows Software.

The new updated database version 2015 contains the data of integrated circuits, transistors, diodes, FETs, thyristors, IJTs, operational amplifier, power management comp, dc-dc converter, switches and voltage regulator with all important details, as well as the access to the original of data sheets in PDF format if available.

Contents:

- Over 102,000 diodes
- Over 83,000 FETs
- Over 139,000 transistors
- Over 18,000 thyristors
- Over 145,000 integrated circuits
- Divided into different data sheets

System requirements: Min. Pentium III system, Windows XP/VISTA/Windows7/8 and a DVD drive assembly

Multilingual: German, English, French, Spanish, Portuguese, Italian, Turkish, Danish, Russian

ISBN-13: 978-3-937469-44-7

£39

order code SC1368702

712487

Transistor Kit - 100 Piece



- 100 Piece transistor kit • 28x BC547B
- 28x BC557B • 12x BC337
- 12x BC327 • 6x BC517
- 6x BC516 • 4x BD139
- 4x BD140

£7.45

order code SC1348002

712489

Diode Kit - 120 Piece




- 120 Piece diode kit
- 2x 110B2 • 50x 1N4007
- 50x 1N4148 • 14x 1N5408 • 4x 6A6

£5.95

order code SC1347902

712491

PICAXE M2 Microcontrollers



A compact but powerful, PICAXE microcontroller. Popular in education due to its low cost and small size, but also very popular in a wide range of hobbyist projects. Small but perfectly formed. This chip supports up to 12 inputs/outputs with 7 analogue/touch sensor channels. All M2 series parts support enhanced features such as configurable i/o pins, parallel tasks, ring tone music and touch sensor inputs.

Technical Data

	08M2	14M2	18M2	20M2
Memory Capacity (bytes)	2048	2048	256	512
RAM (bytes)	128	512	28	28
Byte Variables	28	28	28	28
Inputs/Outputs	6	12	16	18
ADC/Touch Pins	3	7	10	11
Freq (MHz)	32	32	32	32
Parallel Tasks	4	8	4	8
Program Slots	1	2	2	2
				712493
SC1353502	PICAXE-08M2			£2.25
SC1353602	PICAXE-14M2			£2.95
SC1353702	PICAXE-18M2			£3.45
SC1353802	PICAXE-20M2			£3.25

StartUSB Prototype Board for PIC



The StartUSB for PIC is a miniature development system that enables you to experiment with the PIC18F2550 microcontroller

Features:

- It can be used as a final product or as a standalone device
- Uses PIC18F2550 with USB 2.0 support
- RA1 and RB1 LEDs can be used as indicators
- On-board miniUSB connector, oscillator and reset circuit.
- All MCU pins are available through connection pads
- USB bootloader eliminates the need for external programmers

£12.99

order code SC1363802

712497

Ready for PIC Development Board



Ready for PIC Board is a solution for fast and simple development of microcontroller applications using 28- and 40-pin PIC MCUs. It comes with PIC18F45K22 connected to 8MHz crystal oscillator. It contains four IDC10 headers for all available microcontroller ports, USB-UART module, prototyping area and a power supply circuit.

£17.99

order code SC1365802

712500

mikroProg™ - USB PIC Programmer and Debugger



The mikroProg™ is a fast USB 2.0 programmer with mikroCD™ hardware in-circuit debugger. Smart engineering allows mikroProg™ to support PIC devices in a single programmer. It supports over 780 microcontrollers from Microchip. Outstanding performance, easy operation and elegant design are its top features.

Features Include:

- Enhanced programming and debugging algorithms, and boosted programmer electronics resulting in faster performance
 - One single firmware supports all architectures using the mikroProg Suite™
 - mikroProg™ can provide power to your target board between 1.8-5V
 - Fully compatible with PICFlash
 - Single click debugging using mikroCD™ step-by-step in-circuit debugging
 - Currently supports over 780 microchip controllers
 - mikroProg Suite™ compatible with all windows platforms up to Win8
- mikroProg™ is packed in a protective box along with the relevant documentation and product DVD. This kit includes mikroProg™ programmer with mikroCD™ support, USB cable, user manual, DVD with documentation and code examples.

£61.99

order code SC1363502

712502

PICKit 3 Starter Kit



The PICKit 3 Starter Kit is an update to the PICKit 2 Starter Kit. Modifications to the previous Starter Kit (DM164120) were made so that the full functionality of the code can be debugged without the need of a debug header. The software has also been rewritten to accommodate new technologies.

The Starter Kit contains one assembled board with area for prototyping circuits. The assembled board is populated with the PIC16F1829-4/P. It also ships with a sample of PIC18F14K22-4/P (20-pin) MCU.

Features:

- Software is in both the 'C' and assembler language
- Extension of the number of lessons and modules covered
- MPLAB X support as well as the older MPLAB 8
- New PIC16 enhanced mid-range and PIC18 routines
- Uses the universal XC8 compiler

£39

order code SC1368902

712505

LED Kit - 80 Piece



K/LED1

- 80 Piece LED kit
- 15x 3mm Green, 4.0mcd
- 20x 3mm Red, 1.0mcd
- 15x 5mm Green, 6.0mcd
- 20x 5mm Red, 2.0mcd
- 10x 5mm Yellow, 3.9mcd

£7.45

order code SC1348302

712510

STM32 Nucleo Development Board



The STM32 Nucleo board provides an affordable and flexible way for users to try out new ideas and build prototypes with any STM32 microcontroller line, choosing from the various combinations of performance, power consumption and features. The Arduino connectivity support and ST Morpho headers make it easy to expand the functionality of the STM32 Nucleo open development platform with a wide choice of specialized shields. The STM32 Nucleo board does not require any separate probe as it integrates the ST-LINK/V2-1 debugger/programmer.

- STM32 microcontroller with LQFP64 package
- Arduino Uno Revision 3 connectivity
- STMicroelectronics Morpho extension pin headers for full access to all STM32 I/Os
- On-board ST-LINK/V2-1 debugger/programmer with SWD connector
- Flexible board power supply
- Three LEDs
- Two push buttons: USER and RESET
- USB re-enumeration capability: three different interfaces supported on USB

MCU		712506
SC1370902	STM32F103RBT6	£6.95
SC1371002	STM32L152RET6	£6.95
SC1371102	STM32F302R8T6	£6.95
SC1371202	STM32F334R8	£6.95
SC1371302	STM32L053R8	£6.95
SC1371402	STM32F072RBT6	£6.95
SC1371502	STM32F411RE	£6.95
SC1371602	STM32F091RC	£6.95
SC1339502	STM32F401RET6	£6.95
SC1339602	STM32F030R8T6	£6.95

NeoPixel NeoMatrix 8x8 - 64 RGB LED



64 Bright RGB LEDs arranged in an 8x8 matrix with each LED pixel individually addressable. Each LED provides 24-bit of colour through only 1 pin on the matrix board. Each LED can draw as much as 60mA (max) when on full white brightness it is recommended to use a 5V@2A power supply. If you require more LEDs then you can easily chain these matrix LEDs together to extend your light show.

£19.99

order code MK0027802

712515

NeoPixel Stick with 8 RGB LEDs



Make your own little LED strip arrangement with this stick of NeoPixel LEDs. There are 8 of the tiny 5050 (5mm x 5mm) smart RGB LEDs on a PCB with mounting holes and a chainable design. Use only one microcontroller pin to control as many as you can chain together. Each LED is addressable as the driver chip is inside the LED. Each one has 18mA constant current drive so the colour will be very consistent even if the voltage varies, and no external choke resistors are required making the design slim. Power the whole thing with 5VDC (4-7V works) and you're ready to go.

£4.25

order code MK0026802

712514

Switches

Magnetic Contact Switches - Surface Mount

- Metal magnetic contacts
- Ideal for industrial or commercial use
- Screws included
- Standard 22AWG leads
- Designed for surface mount



Technical Data


Order Code	SN3682002	SN3682102
Loop Type	Closed	Open
Reed Form	N/O	N/C
Closed Gap (mm)	38	32
Departure Gap	42	-
Initial Contact Resistance (Ω)	150	150
Initial Contact Rating (W)	7.5	3
Switching Voltage (VDC/VAC)	100	30
Switching Current (A)	0.4	0.2

712157

SN3682002	MCS-136-1AR	£4.49
SN3682102	MCS-136-2AR	£5.99

Buzzer with Lead - 12VDC

SV3
Flange mounting buzzer with built-in oscillator.



Technical Data

Operating Voltage	1.5VDC to 15VDC
Rated Voltage	12VDC
Frequency	4.5Hz
Sound Level	85dB
Current Rating	10mA
Tone Type	Single
Housing	Black ABS
Fixing Centres	29.8mm
Lead Length	100mm
Dimensions (WxHxD)	35.5x23x12.5mm
Weight	6g

£1.99

order code SN3681802

712519

Piezo Keypads



Aluminium piezo keypads offer high reliability and durability, ideal for use in tough environments.

- IP68 Dust and water resistant, sea-water and detergent resistant
- No moving parts, maintenance free
- Made from one piece of solid aluminium, totally rugged
- Potted switching unit at rear seals against all contamination and prevents freezing

Technical Data

Operating Voltage	1-24V AC/DC
Switching Current	0.2A Max
Actuation force	3-5N
Operating temperature	-40°C to +125°C
Ingress Protection	IP68
Lifetime	15 million operations

702045

Mfrs.

SW0527102	3x4	CPKBA11-3X4	£54.00
SW0527202	4x4	CPKBF11-4X4	£54.00

Piezo Exit Switch

Stainless steel vandal proof exit switch for users operating in harsh environments or high traffic areas.

- Sealed in a rugged, weatherised stainless steel enclosure
- Vandal resistant, tamper resistant, weather and dust resistant to IP68
- Programmable 'door open' time, 'fail safe' option selectable
- Green LED 'relay on' and red LED 'relay off' reversible
- 5 Year guarantee



Technical Data

Inout Voltage	12-24 VDC
Switching Current	0.2A Max
Actuation force	3-5N
Operating temperature	-40°C to +125°C
Ingress Protection	IP68
Lifetime	15 million operations

£49

order code SW0527302

702046

Vandal Resistant Switch - IP68

- Brushed steel finish
- Flat actuator
- Panel mount
- IP68 rating
- 19mm
- Screw terminals



£4.49

order code SW0488502

712521

Vandal Resistant Push Switch - 19mm

- 19mm Vandal resistant push switch
- Domed with yellow ring
- Momentary switching
- IP65 Rated



Technical Data

Rating	2A@36VDC
Insulation resistance	1000MΩ
Contact resistance	50MΩ
Dielectric strength	2000VAC
Operating Force	4N
Operating Temperature	-20°C - +55°C
Electrical life	200,000 Cycles
Panel Cutout	16mm
Panel Thickness	1 - 6mm
Contact Material	Silver Alloy
Button/Body Base	Stainless Steel
Termination	PBT Screw


£5.49

order code SW0530502

712523

Miniature Solenoid KEYSWITCH

A solenoid suitable for light high speed duty and capable of operating in excess of 300 cycles/minute. Pull or thrust action. Maximum stroke 16mm. H=18.3, W=15.9, Leads=150



Technical Data

Pull force, continuous	25gf @ 8.0mm, 70gf @ 3.0mm
Pull force, 25% duty:	70gf @ 8.0mm, 300gf @ 3.0mm
	3W continuous,
Coil consumption:	24W@ 25% duty

£10.99

order code SW0498902

693507

20mm Round Push Button Switches - IP65



- A range of 20mm diameter double pole push button switches
- Off-On Latching
- IP65 rated
- Green & Red Illuminated versions

Technical Data

Rating	16 (6) A @ 250Vac
Panel Cut-out	20mm
Depth Behind Panel	15mm
Tab Dimensions (WxHxD)	4.8x9.5x0.8mm
Approvals	ENEC, UR, CE

712528

Non-Illuminated

SW0529002	Black	£2.19
Illuminated		
SW0529102	Green	£2.49
SW0529202	Red	£2.49

Arcade Style Push Button Switches



This is a 33mm round momentary push button similar to the ones you find on arcade games. Simple panel mount in design.

Features:

- Convex button
- M28 thread
- Rated for 12V/24V

Dimensions:

- Height: 46mm
- Diameter: 35.75mm
- Mounting hole diameter: 27.3mm

711410

SW0532302	Pink	4676	£0.79
SW0532402	Blue	4677	£0.79
SW0532502	Green	4678	£0.79
SW0532602	Yellow	4679	£0.79

Aluminium Knurled Control Knobs



- Knobs for professional equipment
- Machined aluminium shell on moulded plastic inner
- Silver or Black Anodised finish with white indicator line
- Push on fixing, 6mm spline
- Max. shaft depth: 11mm

712525

Dimensions (Dia.xH):

10x15mm		
SW0530902	Silver	£0.69
SW0531002	Black	£0.69

Dimensions (Dia.xH):

25x15mm		
SW0532102	Silver	£1.39
SW0532202	Black	£2.39

Preston Contact Centre
8am - 7pm Mon to Fri
9am - 5pm Saturday
Now open Bank Holidays

20A Rocker Switches



- Standard rocker switches designed for panel mounting
- Single throw latching (Off-On) operation
- Green and Red Illuminated versions
- IP65 Splash proof covers available separately

Technical Data

Rating	20 (2) A @ 250Vac
Panel Cut-out - SP	30x11mm
Panel Cut-out - DP	30x22mm
Depth Behind Panel - SP	28.5mm
Depth Behind Panel - DP	29mm
Tab Dimensions (WxHxD)	6.3x9.5x0.8mm
Approvals	ENEC, UR, CE

712529

Non-Illuminated

SW0529702	Black	SP	£0.69
SW0530102	Black	DP	£0.99

Illuminated

SW0529802	Red	SP	£0.99
SW0530302	Red	DP	£1.29
SW0529902	Green	SP	£0.99
SW0530202	Green	DP	£1.29

Accessory

SW0530002	IP65 Cover	SP	£0.39
SW0530402	IP65 Cover	DP	£0.39

Control Knobs - Rubber Feel



- Soft rubber feel with a plastic insert
- Suitable for 6mm splined shafts
- Push on fixing
- Available in 6 different indicator line colours
- Dimensions (Dia.xH): 16.8x13.9mm

Indicator Colour

SW0531502	Blue
SW0531602	Green
SW0531702	Grey
SW0531802	Red
SW0531902	White
SW0532002	Yellow

712527

35p

Car Inverter Relay

- 12VDC Car inverter relay
- Optional mounting socket with 600mm cables in 5 colours available



Technical Data

Operating Voltage	12VDC
Current Rating	20A to 30A
Operating Current	140mA
Housing	ABS
Connections	6.35mm Faston

712532

SW0527402	Inverter Relay	£1.99
SW0527502	Mounting Socket	£1.99

Auto Fuse Set



- 120 Piece auto fuse set
- Contains 20pcs each of 5, 10, 15, 20, 25 and 30 Amp fuses

£3.80

order code CP0417102

629307

Car Hi-Fi Fuse Holder



- In-line fuse holder for car Hi-Fi
- 2x Panel mount holes
- Rubber sealing at cable entry
- Gold plated contacts
- Current: 80A max.
- Compatible cable size: 10mm² - 25mm²
- Dimensions: 83.6 x 40.8 x 31.7mm

£2.99

order code FF0303902

711470

Mains Electrical Fuse Kit



This fuse kit contains 10 of each of the more commonly used mains electrical fuses. The kit comes housed in a clear plastic box.

- 5x20mm, Fast acting, glass body. SEMKO, VDE, UL and BSI approved. 10 Each of the following values: 1A, 1.6A, 2A, 2.5A, 4A, 5A, 6.3A
- 5x20mm, Time delay, glass body. SEMKO, VDE, UL and BSI approved. 10 Each of the following values: 800mA, 1A, 1.25A, 1.6A, 2A, 2.5A, 3.15A, 4A, 5A
- 5x20mm, Time delay, 8A microwave fuse. IEC27 and BS4265 Approved. 10 Each.
- 1/4"x1/4", Fast acting, 10A glass body fuse. IEC27 approved. 10 Each.

£14.82

order code FF0186802

629316

Domestic Fuse 10 Pack



- 3x 3A Red fuses: Suitable for table lamps, radios and clocks.
- 2x 5A Black fuses: Suitable for televisions, hairdryers and vacuum cleaners
- 5x 13A Brown: Suitable for fridges, washing machines, freezers, kettles, irons and toasters

£1.33

order code FF0101702

462530

20x5mm Quick Blow Fuse Set - 100 Piece



- 100 Piece fast acting fuse set
- 5x20mm Glass bodies
- Low breaking capacity
- Plastic box with 10 compartments
- 10 of each: 0.1A, 0.2A, 0.5A, 1A, 1.6A, 2A, 2.5A, 3A, 4A, 5A
- Specifications: IEC127, BS4265 & CEE4
- Voltage rating: 250Vac
- Breaking capacity: 35A

£5.95

order code FF0304002

712560

Fusewire



5A Wire

- For use on lighting circuits
- 1kW or less
- 70" Length

15A Wire

- For use in circuits 3kW or less
- 28" Length

30A Wire

- For cookers, heating and ring circuits
- 20" Length

77p

order code PL0997902

629320

Industrial BS88 HRC Fuses - BAO SB4



- Rated at 550V AC 80kA
- ASTA 20 Certified
- Fixing Centres: 73mm
- Diameter: 18.5mm
- Standard: IEC 60269-2-1, BS88

FF0304502 40A 50-002-01/40A **£2.79**

FF0304602 50A 50-002-01/50A **£2.79**

FF0304702 63A 50-002-01/63A **£2.79**

Snap Fit Panel Mounting Fuseholder - 5x20mm



- Snap fit panel mounting
- Finger release bayonet carrier
- Industry standard, complies with IEC 127-6

Technical Data

Rating 10A @ 250V
Contact resistance <5mΩ
Dielectric Strength 1.5kV
Insulation resistance >100MΩ
Power Dissipation 2.5W

Contact material Tinned, Nickel plated Brass

Contact Termination Solder/2.8mm Quick connect terminals

Cut Out 11.5mm

Moulding UL94-V0 flame retardant PC

Approvals VDE, SEMKO, CE, UL, CSA

£1.09

order code FF0304302

711471

BS1361 Domestic Consumer Unit Fuses



Lawson Type "L" HRC fuse-links are for use in household consumer units or other single-phase installations with fault levels up to 16kA.

- Certified to BS1361 or BS88
- ASTA certified



Technical Data

Voltage rating 240V ac

Breaking capacity 16.5kA

Dimensions

LA 23mm x 6.35mm

LC 26mm x 10.32mm

LD 29mm x 12.7mm

FF0277002	5A	LA5	£0.71
FF0277102	5A	LC5	£1.33
FF0277202	10A	LC10	£1.33
FF0277302	15A	LC15	£1.33
FF0277402	20A	LC20	£1.33
FF0277502	6A	LD6	£1.43
FF0277602	30A	LD30	£1.43
FF0277702	45A	LD45	£2.77

Domestic Fuses

- Mixed fuse pack contains: 3A x2, 5A x2, 13A x6

PL0998302	3A	10	£1.02
PL0998402	5A	10	£1.02
PL0998202	13A	10	£1.02
PL0998002	Mixed	10	£1.02
PL0998102	13A	100	£6.79

Low Profile Panel Mounting Fuseholder - 5x20mm



- Low profile panel mounting
- Screw driver release
- Screw and bayonet carrier
- Anti-rotation D fixing
- Industry standard, complies with IEC 127-6

Technical Data

Rating 10A @ 250V

Contact resistance <5mΩ

Dielectric Strength 1.5kV

Insulation resistance >100MΩ

Power Dissipation 2.5W

Contact material Tinned, Nickel plated Brass

Contact Termination Solder/4mm Quick connect terminals

Cut Out 12.7mm ("D" anti rotating)

Moulding UL94-V0 PBT

Approvals VDE, SEMKO, CE, UL, CSA

Approvals

89p

order code FF0304202

712561

Microtemp - Thermal Fuses



- Highly reliable, low cost, non-resettable axial fuses
- BEAB, VDE, CSA and FEMKO approved
- UL Recognised
- The leads have a strain relief system to support a load of up to 1.35kg
- For upper limit temperature protection

G4 Series are supplied in packs of 5
G5 Series are sold individually

712567

Technical Data

Rating 10A @ 250VAC 16A @ 250VAC

Breakdown Voltage when Open 1200V ac

Opening Temperature Tolerance +0°C to -4°C

Max. Rupture Current Resistive 40A Inductive, 20A

G4 series - 10A @ 250V AC

FF0101802 72°C G4A01072C **£1.79**

FF0101902 84°C G4A01084C **£1.79**

FF0102002 93°C G4A01093C **£1.79**

FF0102102 98°C G4A01098C **£1.79**

FF0102202 104°C G4A01104C **£1.79**

FF0102302 110°C G4A01110C **£1.79**

FF0102402 117°C G4A01117C **£1.79**

FF0102502 121°C G4A01121C **£1.79**

FF0102602 128°C G4A01128C **£1.79**

FF0301102 134°C G4A01134C **£1.79**

FF0102702 144°C G4A01144C **£1.79**

FF0102802 152°C G4A01152C **£1.79**

FF0102902 167°C G4A01167C **£1.79**

FF0301202 172°C G4A01172C **£1.79**

FF0103002 184°C G4A01184C **£1.79**

FF0103102 192°C G4A01192C **£1.79**

FF0301302 205°C G4A01205C **£1.79**

FF0103202 216°C G4A01216C **£1.79**

FF0103302 229°C G4A01229C **£1.79**

FF0103402 240°C G4A01240C **£1.79**

G5 series - 16A @ 250V AC

FF0301402 72°C G5A01072C **£0.69**

FF0301502 84°C G5A01084C **£0.69**

FF0301602 93°C G5A01093C **£0.69**

FF0301702 104°C G5A01104C **£0.69**

FF0301802 121°C G5A01121C **£0.69**

FF0301902 144°C G5A01144C **£0.69**

FF0302002 184°C G5A01184C **£0.69**

FF0302102 216°C G5A01216C **£0.69**

Trade prices on over 100,000 stocked products

Low Profile Panel Mounting Fuseholder - 6.3x32mm



- Low profile panel mounting
- Screw driver release, with bayonet carrier
- Anti-rotation D fixing

Technical Data

Rating 15A @ 250V

Dielectric Strength 1.5kV

Insulation resistance >100MΩ

Contact material Tinned, Nickel plated Brass

Contact Termination Solder/4.8mm Quick connect terminals

Cut Out 13mm ("D" anti rotating)

Moulding UL94-V0 flame retardant PC

Approvals CE, UL, CSA

79p

order code FF0304402

712563

Control Gear and Motors

Door Interlock Loadbreak Switches - Panel Mount

Features:

- IEC & EN 60947-3 approval
- Padlockable for added security
- All switch ratings at AC-22
- Panel mount fitting



MC0231202	32A	LBPM323P	£9.99
MC0231302	40A	LBPM403P	£12.99
MC0231402	63A	LBPM633P	£13.99
MC0231502	80A	LBPM803P	£18.99

Control Station 1 Position - IP65



Technical Data

Reference Standards


IEC 60947-5-1
EN 60947-5-1
IEC 337-1
UL 508
CSA C-22-2
UL & CSA
IP65
Knock-outs provided

Approval
Protection Degree
Cable Entry

ABS	List No	
MC0234102	Key On/Off +1N/O	RC1PB G4 £8.49
MC0234202	Green + 1N/O	RC1PG £7.99
MC0234302	Red + 1N/C	RC1PR £7.99
Aluminium	Metal Aluminium	
MC0234402	Key On/Off +1N/O	RM1B G4 £25.99
MC0234502	Green + 1N/O	RM1G £18.99
MC0234602	Red + 1N/C	RM1R £18.99

RJ45 Interface Module

- Single RJ45 (8P8C) type socket to screw terminals
- Terminals marked 1 to 8 (+ Shield)
- Separate shield connection
- 35mm DIN rail mounting
- 45° Terminals for easy access
- Rating: 125VDC, 500mA
- Cable entry: 0.2-4mm (30-12AWG)
- Dimensions (WxHxD): 83x45x34mm



£12.99

order code MC0223302

USB Interface Modules

- Single USB A or B type socket to screw terminals
- Terminals marked +5V, D-, D+, & GND
- Separate shield connection
- 35mm DIN rail mounting
- 45° Terminals for easy access
- Rating: 30VDC, 100mA
- Cable entry: 0.2-4mm (30-12AWG)
- Dimensions (WxHxD): USB B 83x44x26mm



MC0223102	USB A	CIM/USBA	£10.99
MC0223202	USB B	CIM/USBB	£9.99

IP67 Pre-Wired 30mm Limit Switches - CE70 Series

CE70 Series

- Pre wired 1m cable
- IP67 Metal casing
- Snap action contacts
- 30mm width
- Rating: 400V
- Cable: PVC 1m 4x0.75mm²
- Impulse withstand voltage : 4kV
- Working temperature: -25°C to +70°C
- Switching frequency: 3600 cycles/h
- Load factor: 0.5
- Short circuit protection: 6A fuse



MC0222402	Roller Plunger	£12.474
MC0222502	Roller Lever	£17.99
MC0222602	Nylon Roller	£15.99

DC Geared Motors - 52mm (Spur)

986D Series

- Designed for heavy duty industrial and model applications
- Very robust unit boasts a powerful high quality motor (RE800) with sintered bronze bearings
- The metal gearbox incorporates ballrace bearings enabling high torque transfer
- The extended rear motor shaft can facilitate encoder installation
- 5167rpm Motor speed at 12V (no load)
- 15mm Shaft, 12mm diameter
- Voltage range 6-12V
- Nominal voltage: 12V



Technical Data

Ratio	Reduction R.P.M. (No Load)	Mfrs. List No.
4:1	1292	986D41
100:1	52	986D1001
488:1	11	986D4881

MC0228402	4:1	£63.99
MC0228502	100:1	£75.99
MC0228602	488:1	£81.99

Panel Mount DC Speed Controller - 12V

Model: 919D3PR

This controller uses a pulse width modulation (PWM) to allow smooth, efficient bi-directional control of DC motors and other devices. The output is fully adjustable from 0 to 12VDC and can supply currents of up to 12A continuously.

Features:

- Smooth bipolar output control up to 12A DC continuous
- Incorporates overcurrent and accidental supply reversal protection
- Soft start feature reduces the in-rush current when first energised from the DC supply
- Simple screw-in terminal blocks for supply and motor connections
- Easy installation by panel mounting or screw fixing
- Control knob & insulating washers included



£45

order code MC0224202

Get FREE UK delivery online

Conditions apply. See website for details

DC Motors



Low Cost DC Motors

Technical Data

	MM10	MM18	MM28
Operating voltage Range (V dc)	1.5 to 3	1.5 to 4.5	2.4 to 4.5
Current (A)	0.3/0.3	0.08/0.11	0.08/0.22
Stall torque (g/cm)	24/44	21/44	112
Dimensions			
Length inc. shaft (mm)	38	38	45
Shaft length/dia. (mm)	7.7/2	6.9/2	10.4/2
Diameter (mm)	20.1	23.8	24.2
Weight (g)	17	28	42

MC0194802 High Speed	MM10	£0.36
MC0194702 Torque	MM18	£0.49
MC0194902 High Torque	MM28	£0.59

DIN Rail Mount Timers - Chronos 2

Mono-function or multifunction timers with features like delay on energisation, flip-flop, delay/timing on energisation with memory, etc. Used in applications such as heating/air conditioning, access control, heat pumps, water and air treatment, waste treatment, lifting and handling, medical equipment, pump management, and many more.



- DIN rail mounting
- 1s to 100H Timers
- Multi or Mono Function
- Multirange
- Multivoltage
- Screw Termination
- LED status indicator
- Possibility of external load connection in parallel to the control input
- 3-Wire PNP sensor compatible

MfrPN	
MC0220202	88827014 £28.95
MC0220302	88827054 £37.95
MC0220402	88827103 £35.95
MC0220502	88827105 £25.95
MC0220602	88827115 £23.95
MC0220702	88827125 £23.95
MC0220802	88827135 £22.95
MC0220902	88827145 £23.95
MC0221002	88827155 £37.95
MC0221102	88827185 £35.95
MC0221202	88827503 £39.95

DC Geared Motors - 35mm (Spur)

970D Series

- Designed for heavy duty industrial applications
- Very robust gearing and quality housing
- 3-Pole motor (RE540/1, MC02112) with sintered bronze bearings
- 15800rpm Motor Speed at 12V (no load)
- 12mm Geared shaft, 6mm diameter
- 10mm Rear shaft
- Incorporated sleeved bearings enabling the high torque transfer
- Mounted on a 1mm thick steel plate bracket
- Voltage range 4.5-15V
- Nominal voltage: 12V



FUTABA S148 Servo Motor

This servo gives a full rotation in a clockwise and anti-clockwise direction. This servo is great for beginners to use and is very versatile for many project applications. Weight - 45g



Technical Data

Power Max (VDC)	Average Speed (5v)	Holding Torque (N-m)	Weight (g)	Dimensions (LxWxH)
6	60 rpm	0.33	45	40.5x20x38

£13.95

order code MC0206302

Low Inertia Solar Motor - 1820 RPM

This is a low inertia motor that can be powered from a suitably rated solar cell. This is because these motors have a starting current of just 30mA at 0.5V. The motor works from a voltage in the 0.5V to 3V range and has red and black 150mm flying connecting leads.



Features:

- Low inertia ideal for using with solar power
- Low starting current
- Height: 12.8mm
- Diameter: 24.4mm
- Axle Length: 10.55mm
- Axle Diameter: 2mm

99p

order code HK0153402

DC Geared Motors - 37mm (Epicyclic)

942D Series

- Designed for heavy duty industrial and model applications
- Single ratio 3-pole motor (RE540/1, MC02112) with sintered bronze bearings
- 15800rpm Motor speed 12V (no load)
- 12mm Geared shaft 6mm diameter
- Incorporates sleeved bearings enabling higher torque transfer
- Voltage range 4.5-15V
- Nominal voltage: 12V

Ratio	Reduction R.P.M. (No Load)	Mfrs. List No.
5:1	3090	942D51
27:1	288	942D511
264:1	53	942D2641

MC0225902	5:1	£16.99
MC0226002	51:1	£22.99
MC0226102	264:1	£24.99

170 Point Breadboard



- Self adhesive mounting
- Clip in design, can be expanded
- Phosphor bronze / nickel plated spring contacts
- 170 Point
- 5A@300V Max rating
- 2.54mm Pitch spacing
- Insertion Range: 20-29AWG(0.3-0.8mm)
- Material - ABS plastic

PC0171702	Single Breadboard	712503	£0.89
PC0178202	Retail pack of 2 Breadboards		£1.69

Mountable Bread Board - 270 Contact

- 1x 230 Contact terminal strip
- 2x 20 Contact distribution strips
- Four mounting holes - ideal for building into other equipment
- Phosphor bronze / nickel plated spring contacts
- Insertion Range: 20-29AWG(0.3-0.8mm)
- Material - ABS plastic

Technical Data			
Terminal Strips	Distribution Holes	Dimensions	
1	230 2 40	84x8.5x46 mm	

99p

order code PC0123702

400 Point Breadboard



- Positive and negative power rails
- Self adhesive mounting
- Clip in design, can be expanded
- Phosphor bronze / nickel plated spring contacts
- 400 Point
- 5A@300V Max rating
- 2.54mm Pitch spacing
- Insertion Range: 20-29AWG(0.3-0.8mm)
- Material - ABS plastic

£1.19

order code PC0177002

Bread Board - 840 Contact

- Phosphor bronze/nickel plated spring contacts
- Insertion Range: 20-29AWG(0.3-0.8mm)
- Material - ABS plastic

PC0123302: 840 contacts. 640 terminal strip and two interlocking distribution strips

£1.99

order code PC0123302

Jumper Wire Kit



Kit contents: 10 or 25 pieces each 0.1", 0.2", 0.3", 0.4", 0.5", 0.6", 0.7", 0.8", 0.9", 1.0", 2.0", 3.0", 4.0", & 5.0"

- **PC0122502** - 25 Pieces per wire - over all 350 assorted colour coded jumper wires
- **PC0122602** - 10 Pieces per wire - over all 140 assorted colour coded jumper wires
- Wide range of lengths
- PVC insulated 22AWG preformed wires

PC0122602	521829	£2.99
PC0122502		£4.99

Assorted Jumper Wires - 65PC



Stranded 22AWG wires with solid tips make prototyping with breadboards easy. This bundle of 65 will provide enough wire for all but the most ambitious projects, and because they are flexible they are fully reusable.

- Includes:
- 45x 120mm
 - 10x 170mm
 - 5x 215mm
 - 5x 265mm

£1.29

order code PC0176902

Insulated Crocodile Lead Sets



- Useful leads terminating in insulated crocodile clips on both ends
- Supplied in a pack of 10
- Material: CCS (copper-clad steel)
- Cable Size: 10x 0.01mm (outer 1.8mm)
- Contents: 2x Black, 2x Red, 2x White, 2x Green, 2x Yellow

MK0016802	500mm	25mm	£1.49
MK0016902	550mm	32mm	£1.49

Order online at
cpc.co.uk

Mounting Wire Kits



24AWG, PVC Insulated coloured leads with copper tinned conductors

- Max. Voltage: 60V
 - Max. Current: 4.3A
 - External Dia: 1.4mm
 - Conductors: 0.2mm²
 - Available in Multi core or Solid core kits
- Contents:** 5m of each: White, Blue, Brown, Green, Yellow, Orange, Grey, Violet, & 10m of each: Black, Red

MK0017002	Multi Core	£6.99
MK0017102	Solid Core	£5.99

Prototype Jumper Wires



Jumper wires for all your development needs. These cables come in a variety of connections either male or female connectors.

- 150mm in length
- Supplied in packs of 10

F - F Cables

- Suitable for Gertboard headers

M - F Cables

- Suitable for Raspberry Pi breakout

- These cables can piggy back one another

M - M Cables

- These cables are ideal for development boards such as Arduino, Beaglebone and many more.

SC1290102	F - F	£1.29
SC1305002	M - F	£1.29
SC1305102	M - M	£1.29

Prototype Jumper Wires



M - F Cables

- 150mm in length
- This cables can piggy back one another

£1.29

order code SC1305002

Prototype Jumper Wires



Handy for making wire harnesses or jumpering between headers on PCB's. These premium jumper wires are 6" (150mm) long and come in a 'strip' of 40 (4 pieces of each of ten rainbow colours). They have 0.1" male header contacts on either end and fit cleanly next to each other on standard-pitch 0.1" (2.54mm) header. The best part is they come in a 40-pin ribbon cable. You can always pull the ribbon wires off to make individual jumpers, or keep them together to make neatly organized wire harnesses.

SC1305202	F - F	£3.49
SC1305302	M - F	£3.49
SC1305402	M - M	£3.49

Project Box

- ABS project box. External dimensions: 88x59x30mm
- Designed in two halves with entry hole for cabling and mounting hole for an LED
- Contains 483 hole and copper pad prototyping board

Contents: Pre-drilled copper pad prototyping board, black ABS project box, 4x rubber feet, 8x screws

£1.39

order code PC0129202

605545

Project Box

- ABS project box with aluminium lid. External dimensions: 83.5x53.5x35 mm
- Contains 343 hole and copper pad prototyping board

Contents

- Pre-drilled, copper pad prototyping board
- Black ABS project box • 6x Screws
- Aluminium lid • 4x Rubber feet

£1.39

order code PC0129302

605544

Antistatic Dissipative Mats with Ground Cords



- Dual layer Vinyl, white top layer and black foam bottom layer
- Easy to clean and maintain
- Includes grounding cord with crocodile clip
- Temperature resistance: max. 100°C (not resistant to soldering)
- Charge decay: < 0.03sec

SC1348102	500x600mm	£12.95
SC1348202	700x1000mm	£15.95

Prototyping Boards with Copper Pads

- 1.6mm Thick Phenolic prototyping boards
- Pre-drilled index holes on a 0.1" (2.54mm) pitch
- Each hole surrounded by a copper pad on one side of the board
- Flame resistant to UL94V-0
- Handy screw mounting holes in each corner
- Grid co-ordinates marked on the sides of the boards

- **PC0128402**
 - 160x115mm
 - 2200 Holes on a 55x40 grid
- **PC0128502**
 - Two 45x55mm mini boards
 - Each with 213 holes and four mounting points
- **PC0128602**
 - 72x47mm
 - 371 Holes on a 25x15 grid
- **PC0128702**
 - 94x71mm
 - 750 Holes on a 30x25 grid
 - Larger square copper pads

PC0128402	£0.99
PC0128502	£0.49
PC0128602	£0.39
PC0128702	£0.49

Kits and Modules

expEYES Junior Science Learning and Experimentation Kit



expEYES is from the PHOENIX project which forms part of the Inter-University Accelerator Centre, New Delhi. It is a hardware & software framework for developing science and electronics experiments, demonstrations and projects without getting in to the details of electronics or computer programming. It converts your windows PC, your Raspberry Pi and most Linux supporting tablets into a science laboratory. It provides several Analogue Input/Outputs with 12 bit resolution, in addition to a host of other features like wave generation, capacitance measurement, time interval measurement etc. The interface is accessed from Python using simple commands. A Graphical User Interface (GUI) is already available for a large number of experiments.

Features:

- A tool for learning science by exploring and experimenting
- 50 Documented experiments and easy to add more
- This kit includes all the parts required for the documented experiments
- Wide range, High school and above
- Built-in Signal Generator and CRO
- USB Powered
- 12bit analog resolution
- Microsecond timing resolution
- Open Hardware & Free Software
- Software in Python language
- Compact, 8.6x5.8x1.6cm, 60g
- Low Cost

£41.66

order code MK0023102

712520

14 in 1 Robotic Kit



The 14 in 1 solar robot kit is a new educational concept of robotics for use with new technologies. This kit offers the possibility of creating up to 14 different robotic projects. The user will create robotic concepts learning the basics of robotics, renewable energy, gears movement, solar panels and basic engine power.

£13.99

order code HK0138802

700329

MP3 Stereo Amplifier Kit

This stereo audio amplifier can be used with any personal stereo equipment, including MP3 players. It uses a TDA2822M audio amplifier IC which can output 1W per channel. The kit is supplied with two speakers and a pre-made jack plug, and stereo jack cable. Requires 1x PP3 battery (not included)

HK0148502	Kit	2136	£4.49
HK0148602	Pre-built	2136B	£5.59

709003

Mono Amplifier Kit

This audio amplifier kit can be used with any personal stereo equipment, including MP3 players. It uses a LM836 audio amplifier IC which can output 0.7W of power. The kit is supplied with a PP3 battery clip and can run off any voltage from 4V to 15V.

This kit contains:

- 1x Pre-Built Mono MP3 Amplifier
- 1x PP3 Battery Clip Lead (Heavy Duty)
- 1x 3.5mm Mono Jack Lead, 0.5m length
- 1x 8 ohm 66mm Speaker

HK0147402	Mono Kit	£2.99
HK0147502	Mono Pre-built	£3.99

712522

MP3 Jukebox Module



VM202N

- Plays your MP3 files stored on a USB memory stick or SD card
- Push buttons for Next, Previous and Play/Pause
- LED Play/Pause indicator
- Playback starts at power on
- Continuous looping of all tracks
- Stereo line level output
- Applications:
- Make your own MP3 jukebox
- MP3 Playback to any domestic or car audio system
- Message playback system
- Supported 128kb/s, 192kb/s, 256kb/s, 320kb/s variable bit rate file formats

For automotive use (12V): Put a 68Ω/1W resistor in series with the (+) of the power supply, to avoid excess dissipation.

Technical Data

Audio Output 500mV/47kΩ Stereo line out
Power Supply 5VDC or 9 - 12VDC/50mA max
Dimensions 45x40x8mm

£13.99

order code HK0145902

712535

Night Light Kit

The colour changing LED in this kit is automatically illuminated and starts to cycle through various patterns when the light sensor has detected that it is dark. Requires 4x AA batteries

£2.49

order code HK0147902

712579

Rear Bike Light Project Kit

This easy build bike light kit has just ten parts, making it a good introduction to electronics. The kit uses two ultra bright red LEDs, which flash rapidly, providing a highly visible light. Making it ideal for use as a rear bike light. Alternatively it can be used as a night safety product or flashing eyes.

This kit contains:

- 2x AA Battery cage with leads
- 2x 470K Resistor
- 1x 33R Resistor
- 2x 16V, 10uF
- 2x BC547 NPN transistor
- 2x Red 5mm water clear LED

Requires 2x AA batteries

512 Channel Serial to DMX Transmitter



1-553MK2

The 1-553MK2 transmitter is a full speed serial to DMX512 transmitter. The on-board processor generates the full specification DMX-512 data transmission with timing independent of any connected PC source.

- 512, 256 or 128 Channels per scene capability
- On-board scene storage of 13 scenes at 512 channels/scene, 55 scenes at 128 channels/scene
- New Run Script mode with script switching function
- New internal Scene Merge, X-Fade and Scene fade/dimming functions
- In Command Mode, control either by RS232 commands or manual switch selection
- RS232 baud rates of 9.6 or 19.2kB
- USB serial interface and optional TTL interface for embedded applications
- PCB layout for 5-pin Female XLR or 2-pin terminal block DMX output
- Sample PC control software available
- Cased version (1-579 HK015502) with isolated DMX output

HK0155002	Cased	£109.00
HK0155102	Standard	£69.00

712557

Squeezy Torch LED Kit

The squeezy torch kit is an incredibly simple kit. It requires no soldering and can be built by people who have no electronics experience at all. Once built, the torch is turned on by squeezing/squashing the torch. This compresses the foam core which causes the legs of the LED to touch the battery, turning it on. When the torch is no longer being squeezed the foam pushes the legs of the LED back away from the battery turning the torch off.

Contents:

- 1x High brightness white LED
- 1x CR2016 3V coin cell
- 1x Neoprene foam core
- 2x White PVC outer covers

£1.49

order code HK0149302

712559

LED Torch Kit with Battery



The LED torch uses a 5000mCd ultra bright white LED. Power is supplied by an N size 12 volt battery, which is included in the kit. The torch comes complete with a slide on off switch. With just four parts the kit makes a great introduction to electronics.

This kit contains:

- 1x N size battery holder
- 1x N size 12V battery
- 1x Ultra bright white LED
- 1x 680Ω resistor
- 1x Torch PCB
- 1x PCB mount slide switch

£2.49

order code HK0147302

712570

Quiz Buzzer Kit

This project is brilliant for demonstrating a wide range of electronics. It uses push to make & push to break switches, thyristors as latches, transistors, logic gates, LEDs & buzzers.

This kit contains:

- 1x Quad 2 Input AND Gate
- 1x Quad 2 Input OR Gate
- 2x IC Socket 14 Pin
- 2x Miniature Push to Make Switch, Red
- 1x Miniature Push to Break Switch, Black
- 1x Red 5mm Diffused LED
- 1x Green 5mm Diffused LED
- 5x 10K Resistor
- 2x 220R Resistor
- 2x 2N5061 Thyristor
- 1x BC547 NPN Transistor
- 1x Piezo Buzzer
- 1x PP3 Battery Clip Lead
- 1x 3x AA Battery Cage with Clip
- 1x Quiz Buzzer PCB

Requires 3x AA batteries

£4.99

order code HK0147602

709000

Relay Board Kit

This is a versatile relay board kit that can easily be configured via jumpers and trimmer potentiometers to do a range of tasks. Most sensors and switches can be connected to the input of the board and the trigger level set for the input device. This can be inverted if required, then there is the option to feed this straight to the relay or a timer of up to 25 minutes can be used. The board can run off any voltage from 4.5V to 6V.

WARNING: Using mains electricity can be dangerous and should only be attempted by qualified people

£5.49

order code HK0149002

712577

Light Activated Switch Project Kit

This light activated kit detects the brightness of its surroundings using a light dependant resistor (LDR). The output of the board can be used to control other electronic circuits, turning them on automatically when it goes light or dark. The board has space for an LED with current limit resistor which will light when the output turns on. The Darlington pair transistor configuration allows an output current of up to 500mA to be controlled. Operating voltage 3V to 10V (lower voltages allow for better adjustment of the switching point).

£1.49

order code HK0147102

712578

Trap RF Remote Control Systems - 868MHz

Trap
The TRAP system delivers reliable operation 365 days of the year. This rugged professional system is designed to meet the heavy usage needs associated with club traps. Each receiver has four independent outputs which can easily be paired with individual switches from one or many different transmitters.

- Build a bespoke control system with transmitters containing up to 16 switches
- 2km Range
- Waterproof receiver IP68
- One transmitter to many
- Robust & reliable
- Protective rubber boot
- Frequency: 868MHz
- Power: RX: 12/24Vdc, TX: 4.5V



Remote Control Systems

RF0046002	1 Ch RC Sys	£159.00
RF0046102	4 Ch RC Sys	£169.00

Additional Trap Transmitters

RF0046202	2CH - 2 Button	£79.00
RF0046302	4CH - 4 Button	£89.00
RF0046402	16CH-2x8 Button	£135.00

WIFI-RF Controller

WIFI-RF
The WIFI-RF is a radio transceiver with Ethernet connection for controlling almost any RF Solutions radio product. Simply plugs into your WIFI router allowing you to control all of your RF Solutions products from your iPhone or Android.

- Control home appliances from your phone
- Operates with RF Solutions ELITE and MAINSLINK series products
- Up to 500m range
- Simple plug and play installation
- Ethernet and WIFI network connectivity
- Android, iPhone apps available



£195

order code RF0046502

712582

GSM Remote Control Unit- Call to Open

Call 2 Open
Call "2" Open provides a relay changeover contact which can operate gates/barriers etc. When C20 receives a telephone call, the relay contacts are operated.

- Remote control by GSM mobile phone
- Ready to operate straight from the box!
- White List - up to 10 Tel No's
- Waterproof enclosure IP68 (pressure washer proof)
- Rejects the call, no call charges are incurred
- Can operate from any Tel number or from only those with caller ID on the "White list"



£99

order code RF0047002

712583

FM Receiver Decoder Module - 433MHz

RDF1
The RDF1 is a complete FM receiver and decoder module in one, providing a complete radio system with up to four digital outputs and single serial data output when used with an RF Solutions FIREFLY, HORNET or 205 series Handheld transmitters.

The RDF1 module consists of a front end super heterodyne receiver and an embedded micro controller which decodes the RF string for a compatible transmitter and outputs to 4 telemetry lines and as serial data.

- Complete small form factor FM receiver & decoder
- Easy learn transmitter feature
- Learns 40 transmitter switches
- 4 Digital & 1 serial data outputs
- Outputs, momentary or latching
- Minimal external components
- Direct LED drive shows data reception
- Secure data protocol
- CE Compliant for licence free use
- Range up to 200m
- 5V Supply



£10.99

order code RF0046902

712584

ISM Transceiver Module

RFM22B-868-S1
HopeRF's RFM22B is a highly integrated, low cost, 868MHz wireless ISM transceivers module.

The low receive sensitivity coupled with industry leading +20dBm output power ensures range and improved link performance. Built-in antenna diversity and support for frequency hopping can be used to further extend range and enhance performance.

- Automatic wake-up timer
- Low battery detector
- 64 Byte TX/RX FIFOs
- Automatic packet handling
- Preamble detection
- Integrated temperature sensor
- General purpose ADC
- Power-on-reset (POR) and GPIOs
- High-performance ADC and DSP based modem
- Direct digital transmit modulation and automatic PA power ramping
- Easy-to-use calculator to quickly configure the radio settings



Applications

Remote control, Home security & alarm, Telemetry, Personal data logging, Toy control, Tire pressure monitoring, Wireless PC peripherals, Remote meter reading, Remote keyless entry, Home automation, Industrial control, Sensor networks, Health monitors

£7.99

order code RF0048102

712585

Quad-band IP68 GSM Modem

Quadimodo
A plug and play quad-band GSM modem for data, fax and SMS services, GPRS Class 10 is also supported for hi-speed data transfer. QUADIMODO is capable of being used throughout most of the world including the USA, Europe and Asia for general purpose industrial applications.

- Quad band for worldwide use
- Submersible IP68 enclosure
- Voice/Fax/SMS and Data
- Accepts standard SIM card
- RS232 Interface




£89

order code RF0047102

712587

Echo Range of Antennas - Embedded



Technical Data

Antenna	GSM	UMTS	LTE	GPS	ISM	WIFI
Echo 11	•	•	•	•	•	•
Echo 12	•	•	•	•	•	•
Echo 14	•	•	•	•	•	•
Echo 16	•	•	•	•	•	•
Echo 17	•	•	•	•	•	•
Echo 18	•	•	•	•	•	•
Echo 1A	•	•	•	•	•	•
Echo 2	•	•	•	•	•	•
Echo 28	•	•	•	•	•	•

RF0054402	Echo 11	£5.89
RF0054502	Echo 12	£6.19
RF0054602	Echo 14	£4.99
RF0054702	Echo 16	£10.99
RF0054802	Echo 17	£5.49
RF0054902	Echo 18	£5.29
RF0055002	Echo 1A	£3.69
RF0055102	Echo 2	£6.99
RF0055202	Echo 28	£3.79

Oscar Range of Antennas - External or Wall Mount



Technical Data

Antenna	GSM	UMTS	ISM	WIFI
Oscar 1	•	•	•	•
Oscar 16	•	•	•	•
Oscar 17	•	•	•	•
Oscar 18	•	•	•	•
Oscar 3A	•	•	•	•

RF0055902	Oscar 1 - FME	£24.99
RF0056002	Oscar 1 - SMA	£24.99
RF0056102	Oscar 16	£37.99
RF0056202	Oscar 17	£44.99
RF0056302	Oscar 18	£36.99
RF0056402	Oscar 3A	£27.99

RF/IR Encoder & Decoder IC's

The RF Solutions RF600E and RF600D are easy to use encoder and decoder IC's. They have been designed to achieve the maximum possible range from any radio / Infra Red transmitter receiver set.

- Highly secure KeeLoq protocol
- Simple to use and stand alone operation
- Achieves maximum range from RF modules
- Decoder serial output
- Directly compatible with KeeLoq Decoder
- Easy learn feature of transmitters
- Up to 48 Transmitters can be Learned
- Compatible with RF Solutions Systems

Encoder

- Automatic battery level monitor
- Manchester modulation
- 8 pin DIP/SOIC package
- 2V-6.6V operation

Decoder

- 18 pin DIP/SOIC package
- 4 Digital outputs (15 States)
- Asynchronous serial interface
- 4.5V-5.5V operation




RF0051802	RF600E Encoder	£1.79
RF0051902	RF600D Decoder	£2.39

2G/3G Signal & Network Analyser

The SNYPER-3G is a high performance cellular signal and network analyser for the 3G/UMTS and 2G/GPRS networks.


- Displays network names throughout the world
- Find the best antenna/location combination for an installation
- Measure and display relevant GSM network information
- Unique networks summary in location feature
- Measure and detect surrounding GSM base stations
- Large LCD with intuitive menu system
- Li-Ion battery (2Ah) offering more than 48 - hour use on one charge
- Automatic power down after a preset time to extend battery life
- Very rugged and rubberised enclosure
- Hard carrying case included
- Can use any antenna with SMA connector



£239

order code RF0058002

712590



Return address: Marketing Department, CPC, Faraday Drive, Fulwood, Preston PR2 9PP.

130111UJD

Please remember to quote the full order code to benefit from these promotional prices

Offers valid until 15th May 2015

All prices exclude VAT

8 Channel All-in-One Security Kit

SAMSUNG

see page 101

SAVE OVER
10%

£279.15
code SR0906102



SyncMaster 19" HD LED Monitor

SAMSUNG

HD ready

see page 47



£64.95
code SB0555502

SAVE OVER
15%

Cruzer USB 2.0 Flash Drive - 16GB

SanDisk

- Reliable, portable storage solution
- One click password protected access control
- Retractable USB 2.0 connector
- Supports Win 2000/XP/ Vista/7/8 and Mac OS X
- Dimensions (HxWxD): 9x20x59mm



£4.95
code CS1875702

SAVE OVER
55%

5.2W LED Dimmable Candle Lamp

SAMSUNG

- 80% Energy saving compared to conventional lamp
- Warm White light
- E14 base
- Dimmable
- Long life of 25,000h
- Instant start
- No UV or IR output
- Mercury & lead free



Technical Data
Equivalent (W) 25W
CCT (K) 2700K
Luminous Flux 300lm
Dims (LxØ) 110x38mm
Voltage 220-240Vac

£2.40
code LP0824702

SAVE
25%

2TB Stor.E Plus USB 3.0 Portable Hard Drive

TOSHIBA

Model: HDTP120EK3CA

- SuperSpeed USB 3.0 interface
- Backwards compatible with USB 2.0
- Supports Win XP/Vista/7/8.1
- Dimensions (HxWxD): 21x77x117mm

Contents: Drive, USB cable and user guide



£63.95
code CS2862102

NEW

PRO-ELEC

Weatherproof 2 Gang Outdoor Switched Socket - IP66

see page 82



£8.70
code PL1081002

SAVE OVER
30%

LUCAS Nano 300 Speaker System

HK

see page 40



£375
code DP3370302

HOT DEAL

Tel Orders and Enquiries: **08447 88 00 88** Customer Services: **03447 88 00 88** Fax: **08447 88 00 89**

Orders: **orders@cpc.co.uk** Queries: **sales@cpc.co.uk** or Online: **cpc.co.uk**

Although every effort has been made to ensure prices are correct at the time of going to print, CPC reserves the right to change all prices without notice and at any time. All prices are subject to the current rate of VAT. Products may be available elsewhere from CPC at a different price. Prices in this brochure are only valid during the dates stated on the front of this brochure, and are subject to change in line with market and economic conditions without notice and at any time. Discounts shown throughout are against the original Catalogue price or a previously published price. Some goods are supplied with a manufacturers or CPC guarantee, please check at the time of purchase. Full terms and conditions are available upon request, alternatively view our main Catalogue or online at cpc.co.uk. If you wish to be removed from our brochure mailing list please write to the Marketing Manager at the address provided within this brochure, stating your account number, or phone our sales office. CPC is a division of Premier Farnell UK Limited. Registered No. 860093. Registered Office: 150 Armley Rd, Leeds LS12 2QQ, UK. Trading address: CPC, Component House, Faraday Drive, Fulwood, Preston, PR2 9PP. Details of CPCs data protection policy are available upon request (please quote SUDATA), or to view in our main catalogue or online at cpc.co.uk. Battery Producer Registration Number: BPRN00563. WEE Producer Registration Number: WEE/AK00491Z.

A Premier Farnell Company

